







.....

# Equipto - is ready to become your partner in space storage and utilization products!

Recognized for innovation, quality and service, Equipto storage equipment is proudly manufactured in Tatamy, PA. Equipto's employee philosophy is to make it as simple as possible to do business with them.

It all began in 1907, when Thomas M. Dunham began developing motorcycle headlights and sidecars in Aurora, Illinois. With the increase in automobile production, motorcycle parts soon were not in such high demand, so Equipto began producing body parts for Ford Motor Company's Model T Chassis. As the relationship with the car industry flourished, Dunham began hearing other needs within the automotive industry. One car dealer needed heavy-duty shelving to store large, heavy car parts and the idea for space storage and utilization was born.

As the company continues to be innovative, new products and systems are constantly being designed and brought to the market. Equipto can be your single source for the largest offering of Innovative Storage Solutions. Products we proudly manufacture include: Shelving and Racks, Modular Storage Cabinets, Small Parts Storage Systems, Mobile Aisle Storage Systems, Platforms and Mezzanines, Stairways and Crosswalks, Workcenters and Workbenches, Storage Cabinets, Transport Carts, and Military Storage Systems. Equipto manufactures a high quality product for which we proudly stand behind and provide a limited lifetime warranty.

After more than 100 years, Equipto's customer base reaches across the U.S. and into many markets. As Equipto continues to grow and introduce new product lines, customers can expect the same innovation and quality that has made Equipto what it is today:

#### "The industry leader in space storage and utilization products!"

#### | Equipto's Vision |

Our company vision is to be recognized by our customers as a world-class supplier of industrial storage designs and solutions.

.....

With the broadest line of storage solutions, our goal is to develop long-term partnerships with our customers as their storage requirements continue to expand and evolve.

#### We will accomplish this by:

- The best people, who are customer focused and driven.
- The best engineered products, which stand alone or are integrated into a system.
- · Consistent production of superior products.
- · Highest brand recognition and preference in the marketplace.

Table of Contents	Page No.
Shelving & Racks	1-38
Modular Drawer Cabinets	39-67
Small Parts Storage	68-74
Mobile Aisles	75-81
Platforms & Mezzanines	82-88
Stairways & Crosswalks	89-93
Workcenters & Workbenches	94-120
Storage Cabinets	121-131
Carts	132-134
Military Storage Solutions	135-140

For color options and detailed index see page 141-142





# **EQUIPTO** is ready to become your partner in space storage and utilization products!

Recognized for innovation, quality and service, Equipto storage equipment is proudly manufactured in Tatamy, PA. Equipto's employee philosophy is to make it as simple as possible to do business with them.

It all began in 1907, when Thomas M. Dunham began developing motorcycle headlights and sidecars in Aurora, Illinois. With the increase in automobile production, motorcycle parts soon were not in such high demand, so Equipto began producing body parts for Ford Motor Company's Model T Chassis. As the relationship with the car industry flourished, Dunham began hearing other needs within the automotive industry. One car dealer needed heavy-duty shelving to store large, heavy car parts and the idea for space storage and utilization was born.

As the company continues to be innovative, new products and systems are constantly being designed and brought to the market. Equipto can be your single source for the largest offering of Innovative Storage Solutions. Products we proudly manufacture include: Shelving and Racks, Modular Storage Cabinets, Small Parts Storage Systems, Mobile Aisle Storage Systems, Platforms and Mezzanines, Stairways and Crosswalks, Workcenters and Workbenches, Storage Cabinets, Transport Carts, and Military Storage Systems. Equipto manufactures a high quality product for which we proudly stand behind and provide a limited lifetime warranty.

After more than 100 years, Equipto's customer base reaches across the U.S. and into many markets. As Equipto continues to grow and introduce new product lines, customers can expect the same innovation and quality that has made Equipto what it is today:

"The industry leader in space storage and utilization products!"





### **Equipto's Vision**


Our company vision is to be recognized by our customers as a world-class supplier of industrial storage designs and solutions.

With the broadest line of storage solutions, our goal is to develop long-term partnerships with our customers as their storage requirements continue to expand and evolve.

### We will accomplish this by:

- The best people, who are customer focused and driven.
- The best engineered products, which stand alone or are integrated into a system.
- Consistent production of superior products.











#### **Available Standard Colors**







Textured Dove Gray



Textured Black

Textured

Regal Blue



Textured **Bright Yellow** 



Textured Cherry Red









Smooth Office Gray



Smooth Reflective White



Textured Evergreen

#### **Design Benefits & Features**

Industry leader in structural integrity.

Exclusive V-Griptm compression design.

Precision engineered for reliable performance.

Flexible selection of standard components.

System components are adjustable for convenient reconfiguration.

Durable enamel paint finish.

Accommodates high-rise and multi-level applications.

#### **Space Utilization Advantages**

V-grip with modular drawers increases small parts storage density.

V-grip on mobile aisle eliminates wasted aisle space.

Double deck V-Grip uses wasted overhead space.

#### **Market Applications**

Manufacturing - parts/supplies, maintenance, R and D, tool room.

Automotive - parts department, service areas, bulk parts, archival records.

Education - athletic department, maintenance, supplies.

Retail - backroom storage, merchandise display.

Government - military bases, vehicle & flight maintenance, supply departments.

Healthcare - pharmacy, supplies, maintenance.

Law enforcement - property and evidence, supplies.



# V-Grip<sup>™</sup> Shelving

At the heart of Equipto's engineered space solutions is V-Grip, an industrial shelving system design that is unmatched in structural integrity and provides the industry's broadest selection of accessory components to meet virtually any application.

- V-Grip upright posts have an exclusive triangular design that maximizes load-bearing capability while providing a smooth front surface without unsightly holes or hardware.
- Combine V-Grip components to meet specific applications:
- Heavy duty steel shelves
- · Wire shelves for better flow of light and air
- Versa rack shelf beams accommodate wood, wire or steel shelves
- Modular drawers in 48 different sizes with a capacity of 200 or 400 lbs.
- · Use full or partial height dividers to create custom storage bins
- Bulk rack options including solid or wire shelves with spans up to 8 feet and capacities up to 3400 lbs. per level
- · Reflective white back and end panels
- · Consult Equipto Inside Sales if you are in a seismic zone

#### Multiple connected V-Grip shelving units are shown below.





# The Versatility of the V-Grip™ Upright Post

#### One post - 10 shelf options


Wire rack truss is designed with a rigid 3-point connection for maximum rigidity.
(see page 11)

Bulk rack beams with reinforced waterfall wire decking in a wire deck application. (see pages 21)

Bulk rack beams with reinforced drop-in wire decking. (see pages 22-25)

Bulk rack beams with heavy duty 18 gauge corrugated steel deck panels. (see pages 22-25)

Versarack shelf beams with 24 gauge corrugated steel deck shelf. (see pages 18-20)



Wire shelf with integrated wire truss for maximum rigidity. (see page 6, 11 and 14)

Heavy duty 18 gauge solid steel shelf. (see page 14)

Modular drawers come in 48 standard sizes in 200 lb. and 400 lb. capacity. (see pages 15-16)

Versarack shelf beams with drop-in wire shelf. (see page 18)

Versarack shelf beams with 5/8" particleboard shelf. (see page 18)




#### V-Grip<sup>tm</sup> Shelving features the most efficient fastening principle known:

Corner shelf reinforcements with extruded studs insert easily into tapered slots in uprights. Shelf corner drops firmly over corner reinforcement and seats itself. Four-way, crossed tension minimizes deflection, and imparts superior strength and rigidity to the unit.



Double-flanged V-Grip uprights allow easy side-by-side assembly of shelving in rows, with the strongest configuration. Each flange of the upright supports a shelf from one adjoining unit only.



Heavy duty V-Grip shelves are constructed of 18-gauge steel, and double-flanged on all four sides for maximum strength and firmness.




Common upright clamp provides back-to-back reinforcement.\*\*



Optional drawers maximize cubic density in V-Grip shelving.

#### **Versatile V-Grip uprights**

Permit practical back-to-back assembly of shelving units, with the same, strong reinforcement that actually strengthens shelves and uprights, yet permits their easy adjustment, and features a capacity up to 9000 lbs.



- \* Shown in color for clarity, actual part is zinc plated.
- \*\* Shown in color for clarity, actual part is galvanized steel.

### EQUIPTO




#### V-Griptm Solid Shelving - Open - 84"H

			•				
		Shelf	5 Shelves		7 Sh	elves	
Depth	Width	Capacity	Starter	Add-On	Starter	Add-On	Extra Shelf
12" De	oth						
12"	36"	650 lbs.	661-5S	661-5A	661-7S	661-7A	6230
12"	36"	940 lbs.	761-5S	761-5A	761-7S	761-7A	6230R
12"	42"	500 lbs.	661Y5S	661Y5A	661Y7S	661Y7A	6250
12"	42"	900 lbs.	761Y5S	761Y5A	761Y7S	761Y7A	6250R
12"	48"	430 lbs.	661W5S	661W5A	661W7S	661W7A	6240
12"	48"	700 lbs.	761W5S	761W5A	761W7S	761W7A	6240R
18" De	oth						
18"	36"	700 lbs.	663-5S	663-5A	663-7S	663-7A	6231
18"	36"	1,170 lbs.	763-5S	763-5A	763-7S	763-7A	6231R
18"	42"	500 lbs.	663Y5S	663Y5A	663Y7S	663Y7A	6251
18"	42"	900 lbs.	763Y5S	763Y5A	763Y7S	763Y7A	6251R
18"	48"	440 lbs.	663W5S	663W5A	663W7S	663W7A	6241
18"	48"	740 lbs.	763W5S	763W5A	763W7S	763W7A	6241R
24" De	oth						
24"	36"	721 lbs.	665-5S	665-5A	665-7S	665-7A	6232
24"	36"	1,000 lbs.	765-5S	765-5A	765-7S	765-7A	6232R
24"	42"	500 lbs.	665Y5S	665Y5A	665Y7S	665Y7A	6252
24"	42"	900 lbs.	765Y5S	765Y5A	765Y7S	765Y7A	6252R
24"	48"	450 lbs.	665W5S	665W5A	665W7S	665W7A	6242
24"	48"	720 lbs.	765W5S	765W5A	765W7S	765W7A	6242R
36" De	oth						
36"	36"	670 lbs.	667-5S	667-5A	667-7S	667-7A	6234
36"	36"	790 lbs.	767-5S	767-5A	767-7S	767-7A	6234R

Reflective white back and end panels are standard, regardless of shelf color Add 1<sup>5/8"</sup> to nominal shelving row width to determine total row width.

#### V-Griptm Solid Shelving - Closed - 84"H



Add 15/8" to nominal shelving row width to determine total row width.

Note: To order more shelves, change the suffix number to the desired quantity, e.g., 671-10S for 10 shelves.



#### V-Grip<sup>™</sup> 20 Solid Shelving, Open, 84"H – 225 lb. load shelves

Depth	Width	Shelf Capacity	5 Shelves Starter	Add-On	7 Shelves Starter	Add-On	Extra Shelf
12" De	pth						
12"	36"	225 lbs	261-5S	261-5A	261-7S	261-7A	2230
12"	42"	175LBS	261Y5S	261Y5A	261Y7S	261Y7A	2250
12"	48"	150LBS	261W5S	261W5A	261W7S	261W7A	2240
18" De	pth						
18"	36"	225 lbs	263-5S	263-5A	263-7S	263-7A	2231
18"	42"	175LBS	263Y5S	263Y5A	263Y7S	263Y7A	2251
18"	48"	150LBS	263W5S	263W5A	263W7S	263W7A	2241
24" De	pth						
24"	36"	225 lbs	265-5S	265-5A	265-7S	265-7A	2232
24"	42"	175LBS	265Y5S	265Y5A	265Y7S	265Y7A	2252
24"	48"	150LBS	265W5S	265W5A	265W7S	265W7A	2242
36" De	pth						
36"	36"	225 lbs	267-5S	267-5A	267-7S	267-7A	2234

#### V-Grip™ 20 Solid Shelving, Closed, 84"H – 225 lb. load shelves

Depth	Width	Shelf Capacity	5 Shelves Starter	Add-On	7 Shelves Starter	Add-On	Extra Shelf
12" De	epth						
12"	36"	225 lbs	271-5S	271-5A	271-7S	271-7A	2230
12"	42"	175LBS	271Y5S	271Y5A	271Y7S	271Y7A	2250
12"	48"	150LBS	271W5S	271W5A	271W7S	271W7A	2240
18" De	epth						
18"	36"	225 lbs	273-5S	273-5A	273-7S	273-7A	2231
18"	42"	175LBS	273Y5S	273Y5A	273Y7S	273Y7A	2251
18"	48"	150LBS	273W5S	273W5A	273W7S	273W7A	2241
24" D€	epth						
24"	36"	225 lbs	275-5S	275-5A	275-7S	275-7A	2232
24"	42"	175LBS	275Y5S	275Y5A	275Y7S	275Y7A	2252
24"	48"	150LBS	275W5S	275W5A	275W7S	275W7A	2242
36" De	epth						
36"	36"	225 lbs	277-5S	277-5A	277-7S	277-7A	2234





Equipto has expanded its V-Grip™ shelving line to now offer a lighter capacity and lower cost solution for your storage needs. V-Grip™ 20 uses 20-gauge steel for its shelves. The product is otherwise identical to the original V-Grip™.



#### V-Griptm Wire Shelving - 700 lb. capacity per shelf

		36"H with	2 shelves	48"H with	3 shelves	60"H with	4 shelves	72"H with	5 shelves	84"H with	6 shelves	96"H with	7 shelves	120"H with	9 shelves
Depth	Width		Add-On		Add-On										
12" D	epth														
12"	24"	4723-02S	4723-02A	4724-03S	4724-03A	4725-04S	4725-04A	4726-05S	4726-05A	4727-06S	4727-06A	4728-07S	4728-07A	4720-09S	4720-09A
12"	36"	4733-02S	4733-02A	4734-03S	4734-03A	4735-04S	4735-04A	4736-05S	4736-05A	4737-06S	4737-06A	4738-07S	4738-07A	4730-09S	4730-09A
12"	48"	4743-02S	4743-02A	4744-03S	4744-03A	4745-04S	4745-04A	4746-05S	4746-05A	4747-06S	4747-06A	4748-07S	4748-07A	4740-09S	4740-09A
12"	60"	4753-02S	4753-02A	4754-03S	4754-03A	4755-04S	4755-04A	4756-05S	4756-05A	4757-06S	4757-06A	4758-07S	4758-07A	4750-09S	4750-09A
12"	72"	4763-02S	4763-02A	4764-03S	4764-03A	4765-04S	4765-04A	4766-05S	4766-05A	4767-06S	4767-06A	4768-07S	4768-07A	4760-09S	4760-09A
18" D	epth														
18"	24"	4523-02S	4523-02A	4524-03S	4524-03A	4525-04S	4525-04A	4526-05S	4526-05A	4527-06S	4527-06A	4528-07S	4528-07A	4520-09S	4520-09A
18"	36"	4533-02S	4533-02A	4534-03S	4534-03A	4535-04S	4535-04A	4536-05S	4536-05A	4537-06S	4537-06A	4538-07S	4538-07A	4530-09S	4530-09A
18"	48"	4543-02S	4543-02A	4544-03S	4544-03A	4545-04S	4545-04A	4546-05S	4546-05A	4547-06S	4547-06A	4548-07S	4548-07A	4540-09S	4540-09A
18"	60"	4553-02S	4553-02A	4554-03S	4554-03A	4555-04S	4555-04A	4556-05S	4556-05A	4557-06S	4557-06A	4558-07S	4558-07A	4550-09S	4550-09A
18"	72"	4563-02S	4563-02A	4564-03S	4564-03A	4565-04S	4565-04A	4566-05S	4566-05A	4567-06S	4567-06A	4568-07S	4568-07A	4560-09S	4560-09A
24" D	epth														
24"	24"	4623-02S	4623-02A	4624-03S	4624-03A	4625-04S	4625-04A	4626-05S	4626-05A	4627-06S	4627-06A	4628-07S	4628-07A	4620-09S	4620-09A
24"	36"	4633-02S	4633-02A	4634-03S	4634-03A	4635-04S	4635-04A	4636-05S	4636-05A	4637-06S	4637-06A	4638-07S	4638-07A	4630-09S	4630-09A
24"	48"	4643-02S	4643-02A	4644-03S	4644-03A	4645-04S	4645-04A	4646-05S	4646-05A	4647-06S	4647-06A	4648-07S	4648-07A	4640-09S	4640-09A
24"	60"	4653-02S	4653-02A	4654-03S	4654-03A	4655-04S	4655-04A	4656-05S	4656-05A	4657-06S	4657-06A	4658-07S	4658-07A	4650-09S	4650-09A
24"	72"	4663-02S	4663-02A	4664-03S	4664-03A	4665-04S	4665-04A	4666-05S	4666-05A	4667-06S	4667-06A	4668-07S	4668-07A	4660-09S	4660-09A



Depth	2' wide	3' wide	4' wide	5' wide	6' wide
12"	6062	6063	6064	6065	6066
18"	6072	6073	6074	6075	6076
24"	6082	6083	6084	6085	6086





Add-on\*

Standard Color - Mirror silver. For other colors refer to Equipto color chart on page 141 or at the beginning of each section. \*Not shown to scale.



### V-Grip<sup>™</sup> Spill Containment System

Utilizing our V-Grip<sup>tm</sup> wire shelving and our drip containment system, you can now have shelving fully capable of containing the occasional drip or spill from any fluid you need to store. At the same time, get the benefit from multiple levels to increase your storage capacity — no longer do you have to keep all of your fluid containers and drums on the floor. Available for four of our most popular shelf sizes.

#### Pre-configured wire shelving with spill containment trays (all 84" tall shelving units with 4 shelves and trays)


Width	Shelving Depth	Height	Starter	Add-On
36	18	84	43878-01S	43878-01A
36	24	84	43878-07S	43878-07A
48	18	84	43878-08S	43878-08A
48	24	84	43878-09S	43878-09A

#### Spill tray only

Part No.	Shelf Size	'A'-Length of pan	'B'-Width of pan	Capacity
43878-01	36 x 18	34	16	5 Gallons
43878-07	36 x 24	34	22	6.5 Gallons
43878-08	48 x 18	46	16	6.5 Gallons
43878-09	48 x 24	46	22	9 Gallons

Spill pan is 21/4" deep and hooks under a wire shelf.





# V-Grip<sup>™</sup> Shelving with Drawers

Combining modular drawers with V-Grip<sup>tm</sup> shelving optimizes flexibility by providing an ergonomic approach to storing a mix of small and bulk items. Placement of drawers between the knees and shoulders reduces the reaching and bending required of conventional storage cabinets, while providing space for bulk storage above and below drawers.

All new part numbers with enhanced 200-lb. and 400-lb. drawer slides.

- 48 different drawer sizes

- Drawer heights from 3" to 131/2"
- 200 and 400lb. drawer capacity
- · Each drawer has individual rigid mounting brackets for 100% flexibility of drawer location
- Drawers available with or without divider sets
- Drawers include handles with integral plastic-covered label holder

The same versatile V-Griptm design that gives you the flexibility to add wire shelving and lockable cabinets can also be configured so that all your modular drawers are between your shoulders and knees, or "GOLD ZONE". Consequently, there's no squatting, stretching or straining to store and retrieve parts and tools.

**4**.......





### 84"H Closed preconfigured units with drawers:

Shown with optional wire shelf top.



Drawers included: (1)-3"H, (1)-41/2"H, (1)-6"H & (1)-71/2"H

		( ) - , ( )	, ( )	- ( )
Drawer Depth	Drawer Width	Capacity Per Drawer	Starter Part No.	
18"	36"	200 lbs.	S4220VNS	S4220VNA
	36"	400 lbs.	S4220VHS	S4220VHA
	48"	400 lbs.	S4240VHS	S4240VHA
24"	36"	200 lbs.	S4230VNS	S4230VNA
	36"	400 lbs.	S4230VHS	S4230VHA
	48"	400 lbs.	S4250VHS	S4250VHA



Drawers included: (2)-3"H, (1)- $4^{1/2}$ "H & (1)- $7^{1/2}$ "H

		(-,, ( -, -	(., .	
Drawer Depth	Drawer Width	Capacity Per Drawer	Starter Part No.	
18"	36"	200 lbs.	S4222VNS	S4222VNA
	36"	400 lbs.	S4222VHS	S4222VHA
	48"	400 lbs.	S4242VHS	S4242VHA
24"	36"	200 lbs.	S4232VNS	S4232VNA
	36"	400 lbs.	S4232VHS	S4232VHA
	48"	400 lbs.	S4252VHS	S4252VHA



Drawers included: (2)-41/2"H & (2)-6" H

		(-, (-,				
Drawer Depth	Drawer Width	Capacity Per Drawer	Starter Part No.			
18"	36"	200 lbs.	S4221VNS	S4221VNA		
	36"	400 lbs.	S4221VHS	S4221VHA		
	48"	400 lbs.	S4241VHS	S4241VHA		
24"	36"	200 lbs.	S4231VNS	S4231VNA		
	36"	400 lbs.	S4231VHS	S4231VHA		
	48"	400 lbs.	S4251VHS	S4251VHA		



Drawers included: (4)-41/2"H

Drawer Depth	Drawer Width	Capacity Per Drawer	Starter Part No.	Add-On Part No.
18"	36"	200lb	S4223VNS	S4223VNA
	36"	400lb	S4223VHS	S4223VHA
	48"	400lb	S4243VHS	S4243VHA
24"	36"	200lb	S4233VNS	S4233VNA
	36"	400lb	S4233VHS	S4233VHA
	48"	400lb	S4253VHS	S 4253VHA

\*All units come with 5 solid shelves. Optional wire shelf is shown in unit pictures.

For additional shelves please see page 14. No Divider Kits included, refer to page 15 and 16 for Divider Kit options.

# 60" Wide V-Grip™ Bulk Rack Drawers

30"D x 60"W x 84"H with 3 Levels (solid steel decking), Closed Ends/Backs

### 1 Shelving unit components

Starter	Unit - 4200BHS	Includes					
QTY	Part #	Description					
4	5007	84" V-Grip Upright					
4	810530	30"x42-3/4" End Panel					
2	810460-1	60" x 42" Flat Back Panel					
6	9435	60" Light Duty Beam					
3	16355	30"Dx60"W Solid Decking Level					
3	13114	Tek Screw					
3	6525	30" Tie Bar					
2	190319A	LH Seismic Anchor					
2	190320A	RH Seismic Anchor					
1	831515-2	SATS Spacer Bar 5ft Pair					

Add-on	Unit - 4200BHA	Includes
QTY	Part #	Description
2	5007	84" V-Grip Upright
2	810530	30"x42-3/4" End Panel
2	810460-1	60" x 42" Flat Back Panel
6	9435	60" Light Duty Beam
3	16355	30"Dx60"W Solid Decking Level
3	13114	Tek Screw
3	6525	30" Tie Bar
2	190317A	Center Seismic Anchor
1	831515-2	SATS Spacer Bar 5ft Pair

### 2.

60"W Drawers	400 lb. Capacity
PART NUMBER	DESCRIPTION
8653-10S	3"H Drawer (cannot be in top position)*
8654-15S	4.5"H Drawer
8655-20S	6"H Drawer
8656-25S	7.5"H Drawer
8657-30S	9"H Drawer
8658-35S	10.5"H Drawer
8659-40S	12"H Drawer
8660-45S	13.5"H Drawer

<sup>\*</sup>To minimize gap beneath beam as designated above.

### **3.** Select divider sets for each drawer

that will help you maximize your storage space within each drawer. Divider Sets are optional, and are not required to order a cabinet. All dividers are smooth office gray in color.

#### Divider kits - 60" wide

Divider Set	For 3" High Drawer	For 4 <sup>1/2"</sup> High Drawer	For 6" High and Up Drawer
Type C	4153C10	4154C15	4155C20
Type D	4153D10	4154D15	4155D20
Type E	4153E10	4154E15	4155E20
Type F	4153F10	4154F15	4155F20
Type H	4153H10	4154H15	4155H20

There are 3 restrictions that will have to be followed when placing these drawer bodies in the bulk rack unit. One, to minimize the gap between the top of the drawer front and the bottom of the beam, a 4-1/2" or larger drawer must be placed at the top position. Two, the light duty beams must be used in the 60" drawer in shelving applications. This is due to the height of the beam. Three, spacer beams are required; they will go in between the drawer configuration located approximately 36" from the bottom. #831515-2 comes in pairs assembled like the beams - one in front and one in back. You only need one pair per unit.



#### **Partitions**

Partition Height	To fit Drawer Height	To fit 27 <sup>3/4</sup> " Deep Drawers
2"	3"	8726
3"	41/2"	8727
41/2"	6" & up	8728


#### **Full width partitions**

Partition Height	To fit Drawer Height		Part No.
2"	3"	60"	8736
3"	41/2"	60"	8737
41/2"	6" & up	60"	8738

#### **Dividers**

Width	For 3" High Drawers	For 4 <sup>1/2</sup> " High Drawers	For 6" High and Larger Drawers
3 3/32" (4 spaces)	8834	8844	8854
4 <sup>11/16</sup> " (6 spaces)	8835	8845	8855
6 9/32" (8 spaces)	8836	8846	8856
7 7/8" (10 spaces)	8837	8847	8857
9 7/16" (12 spaces)	8838	8848	8858
12 11/16" (16 spaces)	8839	8849	8859

Label Holder for individual dividers Part No. 6609




The drawer is the same 60"-wide drawer that is used in our modular cabinets. Only 400 lb. capacity is available.

# V-Grip<sup>™</sup> Shelving Bin Units



	23 Openings 4-9"W x 9"H, 8-9"W x 12"H 9-12"W x 12"H, 2-18"W x 12"H			21 Openings 18-12"W x 12"H 3-12"W x 9"H		36 Openings 36-9"W x 9"H		66 Openings 60-6''W x 7 <sup>1/2</sup> "H 6-6''W x 9''H			78 Openings 72-6"W x 6"H 6-6"W x 9"H	
Depth 12" 18" 24"	Starter 914S 914DS 914ES	Add-on 914A 914DA 914EA		Starter 906S 906DS 906ES	Add-on 906A 906DA 906EA	Starter 905S 905DS 905ES	Add-on 905A 905DA 905EA	Starter 904S 904DS 904ES	Add-on 904A 904DA 904EA		Starter 903S 903DS 903ES	Add-on 903A 903DA 903EA

All Units are 36" Wide and 84" in Height, for other available heights and widths contact Equipto Inside Sales. Clear height of bin opening is 11/2" less than nominal height shown.



- Simple clip and divider system creates efficient bin compartments.
- · Match right size opening to your parts and supplies
- · Add doors for cleanliness and security
- Use bin units back-to-back, form dividing walls, use near desks, machines or benches



36 openings 9"W x 9"H		79 open Assorted 12 Dra 3 Compa in each	d Sizes wers rtments		92 openings Assorted Sizes 24 Drawers 5 <sup>5/8</sup> "W x 3"H		72 drawers Drawers: 55/8"W x 3"H 6 Bins: 18"W				108 drawers 5 <sup>5/8</sup> "W x 3"H (324 Compartments)		
Depth	Starter	Add-on	Starter	Add-on	:	Starter	Add-on	:	Starter	Add-on	:	Starter	Add-on
12"	907S	907A	910S	910A	:	911S	911A	÷	920S	920A	÷	919S	919A
18"	907DS	907DA	910DS	910DA	:	911DS	911DA	•	920DS	920DA	:	919DS	919DA
24"	907ES	907EA	: -	-	:	-	-	:	-	-	:	-	-

All Units are 36" Wide and 84" in Height, for other available heights and widths contact Equipto Inside Sales. Clear height of bin opening is  $1^{1/2}$  less than nominal height shown.



# V-Grip<sup>™</sup> Wire Racks

(1,000 - 1,500 lbs. per tier)

V-Grip Wire Racks provide the ideal solution when storing medium to heavy loads in an environment where air and light flow are important. Wire trusses provide 3-point rigid connection with V-Grip upright post for maximum rigidity without use of sway braces for a cleaner look and easier installation.



#### V-Griptm Wire Rack Components

#### Wire rack truss beam (W x H)

Description	Part No.
48" x 3 <sup>1/4</sup> "	9484
72" x 3 <sup>1/2</sup> "	9486
96" x 4 <sup>1/4</sup> "	9488

Wire rack deck grid (W x D) (fits over wire truss or solid beam)

Description	Part No.	Capacity
24" x 24"	6092	1500 lbs.
24" x 36"	6093	1500 lbs.
24" x 48"	6094	1500 lbs.
48" x 24"	6100	1000 lbs.
48" x 36"	6101	1000 lbs.
48" x 48"	6109	1000 lbs.

#### Three shelf wire racks (Capacity per tier. 1,500 lbs.)

		48" Wide		72" Wide		96'' Wide				
Depth	Height	Starter	Add-on	Starter	Add-on	Starter	Add-on	Е	xtra shelf	
24"	60"	1524-05S	1524-05A	1526-05S	1526-05A	1528-05S	1528-05A	2	4" D x 48" W	6092-02
	72"	1524-06S	1524-06A	1526-06S	1526-06A	1528-06S	1528-06A	2	4" D x 72" W	6092-03
	84"	1524-07S	1524-07A	1526-07S	1526-07A	1528-07S	1528-07A	2	4" D x 96" W	6092-04
36"	60"	1534-05S	1534-05A	1536-05S	1536-05A	1538-05S	1538-05A	3	6" D x 48" W	6093-02
	72"	1534-06S	1534-06A	1536-06S	1536-06A	1538-06S	1538-06A	3	6" D x 72" W	6093-03
	84"	1534-07S	1534-07A	1536-07S	1536-07A	1538-07S	1538-07A	3	6" D x 96" W	6093-04
48"	60"	1544-05S	1544-05A	1546-05S	1546-05A	1548-05S	1548-05A	4	8" D x 48" W	6094-02
	72"	1544-06S	1544-06A	1546-06S	1546-06A	1548-06S	1548-06A	4	8" D x 72" W	6094-03
	84"	1544-07S	1544-07A	1546-07S	1546-07A	1548-07S	1548-07A	4	8" D x 96" W	6094-04
						_		_		

Shelves are adjustable on 11/2" Centers. Features Wire Shelves and Wire Trusses.

#### Four shelf wire racks (Capacity per tier. 1,500 lbs.)

		48''	48" Wide		Wide	96" V	96" Wide			
Depth	Height	Starter	Add-on	Starter	Add-on	Starter	Add-on		Extra shelf	
24"	96"	1524-08S	1524-08A	1526-08S	1526-08A	1528-08S	1528-08A	п	24" D x 48" W	6092-02
	120"	1524-10S	1524-10A	1526-10S	1526-10A	1528-10S	1528-10A		24" D x 72" W	6092-03
36"	96"	1534-08S	1534-08A	1536-08S	1536-08A	1538-08S	1538-08A		24" D x 96" W	6092-04
	120"	1534-10S	1534-10A	1536-10S	1536-10A	1538-10S	1538-10A		36" D x 48" W	6093-02
48"	96"	1544-08S	1544-08A	1546-08S	1546-08A	1548-08S	1548-08A		36" D x 72" W	6093-03
	120''	1544-10S	1544-10A	1546-10S	1546-10A	1548-10S	1548-10A		36" D x 96" W	6093-04
Shelves	Shelves are adjustable on 1 <sup>1/2</sup> " Centers. Features Wire Shelves and Wire Trusses. 48" I									6094-02
									48" D x 72" W	6094-03
								٠	48" D x 96" W	6094-04

A standard color chart is available at the beginning of each section with a more detailed one on page 141.

#### Three Shelf Economy Wire Rack (Capacity per tier. 1,000 lbs.)

48" Wi	de Shelving				nal Shelf
Depth	Height	Starter Part No.	Add-on Part No.	Decking Part No.	Truss *order 2
24"	60"	EW1524-05S	EW1524-05A	6100	9484
24"	72"	EW1524-06S	EW1524-06A	6100	9484
24"	84"	EW1524-07S	EW1524-07A	6100	9484
36"	60"	EW1534-05S	EW1534-05A	6101	9484
36"	72"	EW1534-06S	EW1534-06A	6101	9484
36"	84"	EW1534-07S	EW1534-07A	6101	9484
48"	60"	EW1544-05S	EW1544-05A	6109	9484
48"	72"	EW1544-06S	EW1544-06A	6109	9484
48"	84"	EW1544-07S	EW1544-07A	6109	9484

96" Wi	de Shelving			Additio	nal Shelf
Depth	Height	Starter Part No.	Add-on Part No.	Decking *order 2	Truss *order 2
24"	60"	EW1528-05S	EW1528-05A	6100	9488
24"	72"	EW1528-06S	EW1528-06A	6100	9488
24"	84"	EW1524-07S	EW1528-07A	6100	9488
36"	60"	EW1538-05S	EW1538-05A	6101	9488
36"	72"	EW1538-06S	EW1538-06A	6101	9488
36"	84"	EW1538-07S	EW1538-07A	6101	9488
48"	60"	EW1548-05S	EW1548-05A	6109	9488
48"	72"	EW1548-06S	EW1548-06A	6109	9488
48"	84"	EW1548-07S	EW1548-07A	6109	9488

#### Four Shelf Economy Wire Rack (Capacity per tier. 1,000 lbs.)

		•		•	,
48" Wic	de Shelving			Additio	nal Shelf
		Starter	Add-on	Decking	Truss
Depth	Height	Part No.	Part No.	Part No.	*order 2
24"	96"	EW1524-08S	EW1524-08A	6100	9484
24"	120"	EW1524-10S	EW1524-10A	6100	9484
36"	96"	EW1534-08S	EW1534-08A	6101	9484
36"	120"	EW1534-10S	EW1534-10A	6101	9484
48"	96"	EW1544-08S	EW1544-08A	6109	9484
48"	120"	EW1544-10S	EW1544-10A	6109	9484

de Shelving			Additio	nal Shelf
Height	Starter Part No.	Add-on Part No.	Decking *order 2	Truss *order 2
96"	EW1528-08S	EW1528-08A	6100	9488
120"	EW1528-10S	EW1528-10A	6100	9488
96"	EW1538-08S	EW1538-08A	6101	9488
120"	EW1538-10S	EW1538-10A	6101	9488
96"	EW1548-08S	EW1548-08A	6109	9488
120"	EW1548-10S	EW1548-10A	6109	9488
	96" 120" 96" 120" 96"	Height         Part No.           96"         EW1528-08S           120"         EW1528-10S           96"         EW1538-08S           120"         EW1538-10S           96"         EW1548-08S	Starter Part No.         Add-on Part No.           96"         EW1528-08S         EW1528-08A           120"         EW1528-10S         EW1528-10A           96"         EW1538-08S         EW1538-08A           120"         EW1538-10S         EW1538-10A           96"         EW1548-08S         EW1548-08A	Starter Part No.         Add-on Part No.         Decking *order 2           96"         EW1528-08S         EW1528-08A         6100           120"         EW1528-10S         EW1528-10A         6100           96"         EW1538-08S         EW1538-08A         6101           120"         EW1538-10S         EW1538-10A         6101           96"         EW1548-08S         EW1548-08A         6109



# V-Grip<sup>™</sup> Shelving Carts

- · Instant mobility
- Open wire construction promotes high visibility, letting light and air pass freely
- · Rugged and easy to use
- · Handles the most demanding jobs
- All units have two brake and two rigid casters
- Casters are not recommended for units over 66"H



V-Grip<sup>tm</sup> wire cart with triangular open slotted upright (painted)



Equipto Carts are heavy duty to handle the toughest jobs. For Perimeter Bases see page 17. Handle is standard reflective white.

#### V-Griptm wire carts - Casters are not recommended for units over 66"H

Depth	Width	Overall Height	Number of Shelves	With Standard Duty Casters (500 lbs. Capacity)	With Heavy Duty Casters (800 lbs. Capacity)	Additional Intermediate Shelves
18" De	pth					
	36"	42"	2	4573	4573D	6073
		54"	3	4583	4583D	
		66"	4	4593	4593D	
	48"	42"	2	4574	4574D	6074
		54"	3	4584	4584D	
		66"	4	4594	4594D	
	60"	42"	2	4575	4575D	6075
		54"	3	4585	4585D	
		66"	4	4595	4595D	
	72"	42"	2	4576	4576D	6076
		54"	3	4586	4586D	
		66"	4	4596	4596D	
24" De	pth					
	36"	42"	2	4673	4673D	6083
		54"	3	4683	4683D	
		66"	4	4693	4693D	
	48"	42"	2	4674	4674D	6084
		54"	3	4684	4684D	
		66"	4	4694	4694D	
	60"	42"	2	4675	4675D	6085
		54"	3	4685	4685D	
		66"	4	4695	4695D	
	72"	42"	2	4676	4676D	6086
		54"	3	4686	4686D	
		66"	4	4696	4696D	



# V-Grip<sup>™</sup> Shelving Components

Designed and engineered for maximum interchangeability, V-Grip<sup>tm</sup> components carry the quality assurance that has made Equipto the leader in industrial shelving systems. All parts and accessories are designed and produced by Equipto to integrate and form a solid compression fit resulting in a storage system that is guaranteed to deliver years of reliable service.



#### V-Griptm shelving components

Structural Integrity comes from the integration of Equipto's exclusive V-Griptm upright post and heavy-duty, compression-fit components.

#### When ordering V-Grip shelving by component, remember:

- To include 1 shelving end for each section of shelving and 1 shelving end to terminate each row.
- Back sway braces and solid back panels can be shared between back-to-back units.
- Closed shelving ends and solid back panels are finished in standard reflective white paint to enhance visibility in parts storage areas.
- 4) V-Griptm shelves are heavy duty, 18-gauge steel and are provided with 4 corner clip reinforcements per shelf, which provide a friction fit to V-Griptm upright posts.
- 5) To link open back to back shelves use 10381 clamps.
- 6) Consult Equipto Inside Sales if you are in a seismic zone.

#### Upright posts (15/8" Wide)

Description	Part No.
36" High	5003
42" High	5035
48" High	5004
54" High	5031
60" High	5005
72" High	5006
78" High	5022
84" High	5007
90" High	5023
96" High	5008
108" High	5009
120" High	5010
144" High*	5012
180" High*	5015
90" High 96" High 108" High 120" High	5023 5008 5009 5010

\*Posts over 144"H are spliced.

Back sway braces (width)

Description	Part No.
24" Back, pair	6418
36" Back, pair	6416
42" Back, pair	6419
48" Back, pair	6417

1 Req. up to 8 ft. / 2 Req. 9-15 ft.

#### Back and end panels are available in other colors.

#### Open Shelving Ends (VGOE + D + H)

	Height	12" Deep	15'Deep	18' Deep	24' Deep	30' Deep	36' Deep	48' Deep
	60" High (5')	VGOE1260	VGOE1560	VGOE1860	VGOE2460	VGOE3060	VGOE3660	VGOE4860
•	72" High (6')	VGOE1272	VGOE1572	VGOE1872	VGOE2472	VGOE3072	VGOE3672	VGOE4872
	84" High (7')	VGOE1284	VGOE1584	VGOE1884	VGOE2484	VGOE3084	VGOE3684	VGOE4884
	96" High (8')	VGOE1296	VGOE1596	VGOE1896	VGOE2496	VGOE3096	VGOE3696	VGOE4896
i	108" High (9')	VGOE12108	VGOE15108	VGOE18108	VGOE24108	VGOE30108	VGOE36108	VGOE48108
	120" High (10')	VGOE12120	VGOE15120	VGOE18120	VGOE24120	VGOE30120	VGOE36120	VGOE48120
ı	144" High (12')	VGOE12144	VGOE15144	VGOE18144	VGO24144	VGOE30144	VGOE36144	VGOE48144
	180" High (15')*	VGOE12180*	VGOE15180*	VGOE18180*	VGOE24180*	VGOE30180*	VGOE36180*	VGOE48180*
	04" and 06" bigh On	Ob-ali-da Fa-da						

84" and 96" high Open Shelving Ends come with 2 upright posts and 2 end brace plates. \*Posts over 144" are spliced.

#### Closed Shelving Ends (VGCE + D + H)

	_						
Height	12" Deep	15'Deep	18' Deep	24' Deep	30' Deep	36' Deep	48' Deep
60" High (5')	VGCE1260	VGCE1560	VGCE1860	VGCE2460	VGCE3060	VGCE3660	VGCE4860
72" High (6')	VGCE1272	VGCE1572	VGCE1872	VGCE2472	VGCE3072	VGCE3672	VGCE4872
84" High (7')	VGCE1284	VGCE1584	VGCE1884	VGCE2484	VGCE3084	VGCE3684	VGCE4884
96" High (8')	VGCE1296	VGCE1596	VGCE1896	VGCE2496	VGCE3096	VGCE3696	VGCE4896
108" High (9')	VGCE12108	VGCE15108	VGCE18108	VGCE24108	VGCE30108	VGCE36108	VGCE48108
120" High (10')	VGCE12120	VGCE15120	VGCE18120	VGCE24120	VGCE30120	VGCE36120	VGCE48120
144" High (12')	VGCE12144	VGCE15144	VGCE18144	VGE24144	VGCE30144	VGCE36144	VGCE48144
180" High (15')*	VGCE12180*	VGCE15180*	VGCE18180*	VGCE24180*	VGCE30180*	VGCE36180*	VGCE48180*
0.47 1-1-1-01-1-1-01-1		0. 0			01-11-1-5-1-1-1-1		

84" high Closed Shelving Ends come with 2 upright posts and 2 end brace plates. 96" high Closed Shelving Ends come with 2 upright posts and 3 end panels. \*Posts over 144" are spliced. Standard reflective white.





Back panel height	24" wide	36" wide	42" wide	48" wide
32-1/4" High	7583	7584	7586	7587
35-1/4" High (3')	7590-36	7588-36	7585-36	7589-36
41-1/4" High (42")	_	7591	_	7592
42-3/4" High	7590	7588	7585	7589
54"-60" High (5')	VGBP2460	VGBP3660	VGBP4260	VGBP4860
72" High (6')	VGBP2472	VGBP3672	VGBP4272	VGBP4872
78"-84" High (7')	VGBP2484	VGBP3684	VGBP4284	VGBP4884
90"-96" High (8')	VGBP2496	VGBP3696	VGBP4296	VGBP4896
108" High (9')	VGBP24108	VGBP36108	VGBP42108	VGBP48108
120" High (10')	VGBP24120	VGBP36120	VGBP42120	VGBP48120
144" High (12')	VGBP24144	VGBP36144	VGBP42144	VGBP48144
180" High (15')	VGBP24180	VGBP36180	VGBP42180	VGBP48180

#### V-Griptm shelving components

Equipto's exclusive Wire Shelf design combines wire truss supports with a heavy-duty waterfall shelf to provide:

- · Increased visibility of items on upper shelves
- · Better flow of air, light, & sprinklers
- · Capacity equal to heavy-duty 18 gauge solid steel shelves
- Shelves are 1<sup>1/4</sup>" thick

#### Wire back grids (W x H)

Wile back grids (W X II)					
Description	Part No.				
24" x 36"	7546				
36" x 36"	7556				
42" x 36"	810442W1				
48" x 36"	7557				
60" x 36"	7558				
72" x 36"	7559				
96" x 36"	7560				
24" x 48"	7547				
36" x 48"	7561				
42" x 48"	810442W2				
48" x 48"	7562				
60" x 48"	7563				
72" x 48"	7564				
96" x 48"	7566				
Wire grids are r	eflective white.				

12" x 24"

12" x 36"

12" x 42"

12" x 48"

15" x 36"

15" x 42"

15" x 48"

18" x 24"

18" x 36"

18" x 42"

18" x 48"

24" x 24"

24" x 36"

24" x 42"

24" x 48"

30" x 36"

30" x 42"

30" x 48"

36" x 36"

Wire grids are reflective white. V
Heavy duty 18 ga solid shelves (D x W) 11/4" high

Part No.

6202

6230

6250

6240

6229

6249

6239

6203

6231

6251

6241

6204

6232

6252

6242

6253

6243

6234

810230-3

			100
	1200		
	الالالا		
	100		
	Sill (	116	22.5
	35	:59	
	36		
100			- 61
		題	
118		1	100

Wire	grids are reflective white.
gh	Wire Hooks

Plastic spacer

36" x 12'

36" x 18"

36" x 24"

36" x 36"

36" x 48"

48" x 12"

48" x 18"

48" x 24"

48" x 36"

48" x 48"

Wire end grids (H x D)

Description	Part No.
4" L	7694-4
6" L	7694-6
8" L	7694-8
10" L	7694-10

When using wire shelves in a closed-back

shelving configuration, an additional back panel

clearance between the panel and the wire shelf.

6780-03

6781-03

6782-03

6783-03

6784-03

6795-04

6791-04

6792-04

6793-04

6794-04

PN: 13219S

spacer and longer bolt is required to maintain

Truss head bolt, 10-24 x 1 ¾" PN: 13135 (one of each per back panel bracket)

#### End brace plates

	010100	
Description	Part No.	
12" End, pair	6412	
15" End, pair	6411	
18" End, pair	6413	- Table 1
24" End, pair	6414	
30" End, pair	6406	
36" End, pair	6415	
48" End, pair	6410	
For shelving up	to 0' high 2 pairs of	of nlates are

For shelving up to 9' high, 2 pairs of plates are required For shelving 9' to 12' high, a total of 3 pairs are required. For 13' high and above, 4 pairs are required.

# 36" x 48" 6244 Reinforced heavy duty solid shelves

12" x 36"	6230R
12" x 48"	6240R
18" x 36"	6231R
18" x 48"	6241R
24" x 36"	6232R
24" x 48"	6242R
36" x 36"	6234R

Includes front and rear reinforcing bars.

Recommended for bottom 2 shelves on units over 8'.

#### Center reinforcements - 16 ga

36" Channel	10051
48" Channel	10052
Reinforcement	s - 13 ga
36" Front/RearEnd	10093
42" Front or Rear	9952
48" Front or Rear	10094
12" End	9630
18" End	9631
24" End	9632

### **EQUIPTO**

#### Wire shelves (D x W)

Description		1000 lb.	
(DxW)	Standard c	olor - Mirı	or Silver
Shelf with	truss inc	luded	
12" x 24"	6062	_	
12" x 36"	6063	_	_
12" x 48"	6064	_	_
12" x 60"	6065	_	_
12" x 72"	6066	_	_
18" x 24"	6072	_	_
18" x 36"	6073	_	_
18" x 48"	6074	_	_
18" x 60"	6075	_	_
18" x 72"	6076	_	_
24" x 24"	6082	_	_
24" x 36"	6083	_	
24" x 48"	6084	_	6092-02
24" x 60"	6085	_	
24" x 72" 24" x 96"	6086	_	6092-03
	_	_	6092-04 6093-02
36" x 48" 36" x 60"	_	_	0093-02
36" x 72"	_	_	6093-03
36" x 96"			6093-04
48" x 48"			6094-02
48" x 72"			6094-03
48" x 96"		_	6094-04
Wire deck	shalf nan	ol.	000-10-1
12" x 24"	6002	161	
12" x 36"	6002		
18" x 24"	6012		
18" x 36"	6013		_
24" x 24"	6042	_	_
24" x 36"	6043	_	_
24" x 48"	_	6100	_
36" x 48"	_	6101	_
36" x 60"	_	6102	_
48" x 48"	_	6109	_
Wire shelf	truss		
24"	9472	_	_
36"	9473	_	_
48"	9474	9484	9484
60"	9475	_	_
72"	9476	9486	9486
96"	_	9488	9488

#### Finishing end panels

Description (D x H)	Part No.
12" x 84"	7917-12
15" x 84"	7917-15
18" x 84"	7917-18
24" x 84"	7917-24
30" x 84"	7917-30

Flush fit to V-Grip. Row end covers all holes. Does not eliminate requirement for sway brace. Finishes off the end of a unit with an attractive solid panel. Standard color is reflective white regardless of shelf color.

#### End Panels (VGEP + D + H)

Panel height	12" Deep	15" Deep	18" Deep	24" Deep	30" Deep	36"Deep	48" Deep
32-1/4" High	6786	6907	6787	6788	6911	6790	6921
35-1/4" High (3')	6796-36	6905	6797-36	6799-36	_	_	_
41-1/4" High (42")	_	_	6913	6914	_	_	_
42-3/4" High	6796	6906	6797	6798	6910	6800	6920
47-1/4" High (4')	6901	6908	6902	6903	6912	6904	6922
54"-60" High (5')	VGEP1260	VGEP1560	VGEP1860	VGEP2460	VGEP3060	VGEP3660	VGEP4860
72" High (6')	VGEP1272	VGEP1572	VGEP1872	VGEP2472	VGEP3072	VGEP3672	VGEP4872
78"-84" High (7')	VGEP1284	VGEP1584	VGEP1884	VGEP2484	VGEP3084	VGEP3684	VGEP4884
90"-96" High (8')	VGEP1296	VGEP1596	VGEP1896	VGEP2496	VGEP3096	VGEP3696	VGEP4896
108" High (9')	VGEP12108	VGEP15108	VGEP18108	VGEP24108	VGEP30108	VGEP36108	VGEP48108
120" High (10')	VGEP12120	VGEP15120	VGEP18120	VGEP24120	VGEP30120	VGEP36120	VGEP48120
144" High (12')	VGEP12144	VGEP15144	VGEP18144	VGEP24144	VGEP30144	VGEP36144	VGEP48144
180" High (15')	VGEP12180	VGEP15180	VGEP18180	VGEP24180	VGEP30180	VGEP36180	VGEP48180
Does not include upright posts. Standard color is reflective white regardless of shelf color.							

### EQUIPTO




Pull out reference shelves (D x W)

Description	Part No.
12" x 36"	6230RFS
12" x 48"	6240RFS
24" x 36"	6232RFS
24" x 48"	6242RFS


#### V-Grip Roll-out Shelves

Size	Capacity	Part No.
36" x 18"	200 lbs.	S8603NR0
36" x 24"	200 lbs.	S8610NR0
36" x 18"	400 lbs.	S8603HR0
36" x 24"	400 lbs.	S8610HR0
48" x 18"	400 lbs.	S8661HR0
48" x 24"	400 lbs.	S8671HR0

#### Divider Kits - 18" Deep



Divider Kits - 24" Deep



#### Important ordering considerations:

- When selecting divider kits select the correct height of partitions and dividers for specific drawers being ordered
- · All dividers are smooth office gray in color

#### Divider kits - 36" wide

	01 11110 00	11100		
Width	For Drawer Height	Divider Set	18" Deep Divider Kit	24" Deep Divider Kit
36"	3"	D	4173D10	4183D10
	3"	E	4173E10	4183E10
	3"	F	4173F10	4183F10
	3"	Н	4173H10	4183H10
	41/2"	D	4174D15	4184D15
	41/2"	E	4174E15	4184E15
	41/2"	F	4174F15	4184F15
	41/2"	Н	4174H15	4184H15
	6" and up	D	4175D20	4185D20
	6" and up	E	4175E20	4185E20
	6" and up	F	4175F20	4185F20
	6" and up	Н	4175H20	4185H20



Front bases (W x H)

Description	Part No.
2 <sup>5/8</sup> " x 36"	6803
2 <sup>5/8</sup> " x 42"	010136
2 <sup>5/8</sup> " x 48"	6805
4 <sup>1/8</sup> " x 36"	6804
4 <sup>1/8</sup> " x 42"	6807
4 <sup>1/8</sup> " x 48"	6806




Bin fronts

Description	Part No.
11/2" x 36" Bin Front	10514
11/2" x 48" Bin Front	10515
31/4" x 36" Bin Front	10516
31/4" x 48" Bin Front	10517

#### **Modular Drawers**

Maximize density with drawers for V-Grip



- 100% drawer extension
- 36 and 48 inch widths; 18 and 24 inch depths
- · 200 and 400 lb. capacity



Modular Drawers in V-Grip Shelving

Depth (Front to Rear)	Height of Drawer Front	Inside Height	36" Wide 200 lb. Capacity	36" Wide 400 lb. Capacity	48" Wide 400 lb. Capacity
18"	3"	2"	S8603N	S8603H	S8661H
	41/2"	31/2"	S8604N	S8604H	S8662H
	6"	5"	S8605N	S8605H	S8663H
	71/2"	61/2"	S8606N	S8606H	S8664H
	9"	8"	S8601N	S8601H	S8665H
	101/2"	91/2"	S8602N	S8602H	S8666H
	12"	11"	S8607N	S8607H	S8667H
	131/2"	12''	S8608N	S8608H	S8668H
24"	3"	2"	S8610N	S8610H	S8671H
	41/2"	31/2"	S8611N	S8611H	S8672H
	6"	5"	S8612N	S8612H	S8673H
	71/2"	61/2"	S8613N	S8613H	S8674H
	9"	8"	S8615N	S8615H	S8675H
	101/2"	91/2"	S8616N	S8616H	S8676H
	12"	11"	S8614N	S8614H	S8677H
	131/2"	12"	S8617N	S8617H	S8678H

Note: All Drawer part numbers listed above do not include dividers.

#### Important ordering considerations:

- · A shelf should be positioned above each group of drawers
- Do not exceed 36" vertical spacing of continuous drawers
- · Handles include label holder, plastic cover strip and end caps
- Inside clear width: 36" 317/8" / 48" 431/4"
- Inside clear depth: 18" 165/16" / 24" 225/16"

#### Divider kits - 48" wide

	11110	111010		
	For Drawer	Divider	18" Deep	24'' Deep
Width	Height	Set	Divider Kit	Divider Kit
48''	3"	D	4176D10	4186D10
	3"	E	4176E10	4186E10
	3"	F	4176F10	4186F10
	3"	Н	4176H10	4186H10
	41/2"	D	4177D15	4187D15
	41/2"	Е	4177E15	4187E15
	41/2"	F	4177F15	4187F15
	41/2"	Н	4177H15	4187H15
	6" and up	D	4178D20	4188D20
	6" and up	E	4178E20	4188E20
	6" and up	F	4178F20	4188F20
	6" and up	Н	4178H20	4188H20

### Hinged double doors for V-Griptm shelving

- Rigid door and frame assembly, sturdy hinges, 3-point latches
- Attaches quickly and easily to V-Grip<sup>tm</sup> shelving units



#### **Doors for shelving** (W x H)

Description	Part No.
36" x 34 <sup>1/2</sup> "	18036*
36" x 42"	18043*
36" x 72"	18035-72
36" x 78"	18035-78*
36" x 84"	18035*
36" x 96"	18035-96*
42" x 84"	44979A
48" x 34 <sup>1/2</sup> "	18436*
48" x 42	18443*
48" x 72"	18435-72
48" x 78"	18435-78*
48" x 84"	18435*
48" x 96"	18435-96*

\*For these doors, add QV to the end of the part number for Quick View doors (see page 124). Lock and Key included.





Label holders	6615/6613
Description (H x W)	Part No.
1 <sup>1/8</sup> " x 34" Label Holder	6615
11/8" x 46" Label Holder	6613
1" x 6" Plastic (for wire only)	6620



#### Full height shelf dividers $(H \times D)$

Description	Part No.
2" x 12"	8049
4 <sup>1/2</sup> " x 12"	8018
6" x 12"	8019
7 <sup>1/2</sup> " x 12"	8020
9" x 12"	8021 8022
10 <sup>1/2</sup> " x 12" 12" x 12"	8023
13 <sup>1/2</sup> " x 12"	8024
15" x 12"	8025
16 <sup>1/2</sup> " x 12"	8026
2" x 18"	8093
4 <sup>1/2</sup> "x 18" 6" x 18"	8090
6" x 18"	8094
7 <sup>1/2</sup> " x 18"	8095
9" x 18" 10 <sup>1/2</sup> " x 18"	8096 8097
10"2 X 16 12" X 18"	8098
131/2" x 18"	8099
13 <sup>1/2</sup> " x 18" 15" x 18"	810313
16 <sup>1/2</sup> " x 18"	8091
18" x 18"	8092
6" x 24"	8119
7 <sup>1/2</sup> " x 24"	8120
9" x 24"	8121
10 <sup>1/2</sup> " x 24" 12" x 24"	8122 8123
12 x 24 13 <sup>1/2</sup> " x 24"	8124
15" x 24"	8125
16 <sup>1/2</sup> " x 24"	8126
21" x 24" 22 <sup>1/2"</sup> x 24"	8129
22 <sup>1/2</sup> " x 24"	810306-2
24" x 24"	810301
25 <sup>1/2</sup> " x 24"	810324
28 <sup>1/2</sup> " x 24"	810324-1
37 <sup>1/2</sup> " x 24"	810324-2 810306-3
48" x 24" 10 <sup>1/2</sup> " x 36"	8133
10 <sup>1/2</sup> " x 36" 12" x 36"	8134
Speediclip	10226

(Speediclip holds shelf dividers

to shelves above and below.)











**EQUIPTO** 

24" Deep







#### Important ordering considerations:

· When selecting divider kits select the correct height of partitions and dividers for specific drawers being ordered

· All dividers are smooth office gray in color



Close the top of any V-Grip Bulk Rack upright. Easy to attach - simply tap its triangular base into the upright. May also be used as floor glide to protect all floors. Made of high-impact plastic, it will withstand any load within the capacity of the upright itself.

#### Top/bottom cap

Description	Part No.
Top or Bottom Cap/White	10177W
Top or Bottom Cap/Black	10177B




Ribbed and slotted partitions fit easily into drawers, running the full depth of the drawer from front-to-back. Adjustable in 3/4" increments, they may be used alone, or with dividers. Metal screws are supplied for fastening to drawer bottoms.

#### **Partitions**

Partition Height		To Fit 18" Deep Drawers	To Fit 24" Deep Drawers
2"	3"	8780N	8790N
3"	41/2"	8781N	8791N
41/2"	6" and up	8782N	8792N

· All partitions are smooth office gray in color



To further expand the possibilities in creating your own drawer design, we offer a variety of individual dividers. Use them with front-to-back partitions to make compartments of all sizes. Spaces across drawers; each 3/4" wide


36" wide drawers — 40 spaces 48" wide drawers — 53 spaces

#### Individual dividers

Divider Width	Spaces	For 3" High Drawers	For 4 <sup>1/2</sup> " High Drawers	For 6" High Drawers and Up
3 3/32"	4	8834	8844	8854
411/16"	6	8835	8845	8855
6 9/32"	8	8836	8846	8856
7 7/8"	10	8837	8847	8857
9 7/16"	12	8838	8848	8858
12 11/16"	16	8839	8849	8859

· All dividers are smooth office gray in color

### EQUIPTO



Sliding dividers (H x D)

Description	Part No.
2 <sup>3/4</sup> " x 12"	8110
4 <sup>1/4</sup> " x 12"	8111
5 <sup>3/4</sup> " x 12"	8112
7 <sup>1/4</sup> " x 12"	8113
2 <sup>3/4</sup> " x 18"	8103
4 <sup>1/4</sup> " x 18"	8104
5 <sup>3/4</sup> " x 18"	8105
7 <sup>1/4</sup> " x 18"	8106
2 <sup>3/4</sup> " x 24"	8114
4 <sup>1/4</sup> " x 24"	8115
5 <sup>3/4</sup> " x 24"	8116
7 <sup>1/4</sup> " x 24"	8117



Wire dividers for wire shelves (H x D)

Description	Part No.	
9" x 18"	8101	
9" x 24"	8102	








#### Plastic containers (W x D x H)

I Idotto oottitatiioio (II X	- / · · · /
Color	Part No.
White (11" x 223/4" x 7")	8501W
Yellow (11" x 223/4" x 7")	8501Y
Blue (11" x 223/4" x 7")	8501B
Clear (11" x 223/4" x 7")	8501C
Red (11" x 223/4" x 7")	8501R
Black (11" x 223/4" x 7")	8501BLK
Container Lid (11" x 223/4")	8502
(3 Across fits 36" wide shelf)	
White (8 <sup>1/4</sup> " x 22 <sup>3/4</sup> " x 6")	8512W
Yellow (81/4" x 223/4" x 6")	8512Y
Blue (81/4" x 223/4" x 6")	8512B
(4 Across fits 36" wide shelf)	



Add mobility to any V-Grip<sup>tm</sup> steel or wire shelving or rack 18" or more deep. Capacity 800 lbs. per unit.



Hanger bar & bracket

#### Hanger bar and bracket

(Includes rod, brackets and one support channel) (D x W)

Description	Part No.
12" x 36" 12" x 48" 12" x 60" 12" x 72" 18" x 36" 18" x 48" 18" x 60" 18" x 72" 24" x 36" 24" x 48" 24" x 60" 24" x 72" 36" x 36" 36" x 48" 36" x 48" 36" x 60" 36" x 72"	9753-12 9754-12 9755-12 9755-12 9756-12 9753-18 9755-18 9755-18 9755-24 9753-24 9755-24 9755-24 9755-24 9755-36 9755-36
Order one end supp to each section to f	
12" deep 18" deep 24" deep 36" deep Note: 150 lb. cap. c	7731 7732 7733 7734 distributed load.

#### **Splicer**



Description	Part No.
To splice 2	5568
V-Grip posts	
For Bulk Rack	5568BS
above V-Grip shelving	
For Bulk Rack	5566
ahove Bulk Rack	



10381 - Commmon upright clamp 13037 - Dart clip

#### Mobile Perimeter base (Add 6" to height)

			`	0 /	
Dept	h 36" wide	48" wide	60" wide	72" wide	96" wide
18"	4699C13	4699C14	4699C15	4699C16	4699C18
24"	4699C23	4699C24	4699C25	4699C26	4699C28
30"	4699C03	4699C04	4699C05	4699C06	4699C08
36"	4699C33	4699C34	4699C35	4699C36	4699C38
48"	4699C43	4699C44	4699C45	4699C46	4699C48

Note: Includes 2 swivel and 2 stationary heavy duty casters. when ordering V-Griptm uprights with mobile base, add suffix "TU" after part number for upright. Ex: 5005TU. Not recommended over 66"H.

#### Miscellaneous parts

Miscellaneous parts	
Description	Part No.
Common upright clamp	10381
Corner reinforcement clip	7680
Back panel bracket	
for closed shelving	10388
Bolt and nut (3/16" x 1/4")	13001
Bolt and nut (3/16" x 3/8")	13000
Panel clip	10332
Speedy clip	10226
Upright splicer	5568
Corner bracket L.H.	7698L
Corner bracket R.H.	7698R
Flush bracket, L.H.	7700L
Flush bracket, R.H.	7700R
Back-to-back bracket	7750
for wire shelving	7750
V-grip floor plates	9826
#Rod (3/16" x 79")	9705
#Rod (3/16" x 85")	9720
Aisle safety rail, 3'	10043V
Aisle safety rail, 4'	10044V
Floor anchor L.H.	7695L
Floor anchor R.H.	7695R
Dart clip for beams	13037
Dart clip for label holder	13041
Aisle bracket L.H.	7693L
Aisle bracket R.H.	7693R
Foot/leveler	13149
V-grip <sup>tm</sup> top mount bracket, left	7692L
V-grip <sup>tm</sup> top mount bracket, righ	
18" D handle (white)	11580
24" D handle (white)	11581
30" D handle (white)	811030
36" D handle (white)	44080-03

#### Seismic accessories

Description	Part No.
Back panel bracket, pair	190301U
Back brace, pair, 36"	190302U
Back brace, pair, 42"	190308U
Back brace, pair, 48"	190303U
Back brace, pair, 96"	190309U
End sway brace, pair, 12"	190304U
End sway brace, pair, 18"	190305U
End sway brace, pair, 24"	190306U
End sway brace, pair, 36"	190307U
End sway brace, pair, 48"	190310U
Floor anchor-center	190317A
Floor anchor (left hand)	190319A
Floor anchor (right hand)	190320A
Shelf locking clip	10231

#### Double entry beams (2 required)

Description	Part No.
24" Long	811724A
36" Long	9403
42" Long	811742A
48" Long	9404



Brackets (flush front 7700 L & R and corner 7698 L & R) allow easy attachment of catwalks to V-Griptm uprights.



Floor anchor fastens shelving to floor for increased stability. order no. 7695L (left hand) or no. 7695R (right hand). Seismic floor anchor (center) 190317A.

18"D 24"D

30"D

36"D

11580

11581

811030

44080-03

# V-Grip<sup>™</sup> Versarack



- Versarack provides the reliability and flexibility of the V-Grip<sup>tm</sup> upright post and the choice of particle board, wire, or steel deck shelves.
- · Fast and easy assembly.
- Ideal for bulk parts, archival records, and back room storage applications.
- Versarack offers easy assembly and clear spans for double-entry units.



Shelf reinforcements provide additional capacity for particleboard and wire shelf applications.





Low profile shelf beams are  $1^{1/2^n}$  high and adjustable on  $1^{1/2^n}$  centers.



Shelf beams have a 2-point wedge lock connection for maximum rigidity.




### EQUIPTO


#### V-Griptm Versarack - Preconfigured Units

Decking: second "-" in catalog number designates no decking. Substitute "P" for particle board decking, "D" for corrugated steel decking, or "W" for wire decking.

#### Side and back panels are not available with Versarack









VVR-482484-5S

VVR-483084-5S

VVR-483684-5S

Versarack<sup>tm</sup> (84" high units) 5 Shelves

Add-on

VVR-482484-5A

VVR-483084-5A

VVR-483684-5A

Note: must also order decking.

30"

36"







Starter with corrugated steel decking



Starter with wire decking

#### V-Griptm Versarack - Components to achieve maximum capacities



#### Shelf beams

Description per pair*	capacity	Part No.
36" Wide 890 42" Wide 720 48" Wide 550	0 lbs.	VVR-B36 VVR-B42 VVR-B48

Order 2 shelf beams for each shelf. \*Uniform distributed load



Although reinforcements are optional, when storing heavy loads, 3 per shelf are recommended on shelf depths of 24", 30", 36"

#### Shelf reinforcements

(front to back)

Description	Part No.
15" Deep	VVR-R15
18" Deep	VVR-R18
24" Deep	VVR-R24
30" Deep	VVR-R30
36" Deep	VVR-R36



### V-Grip<sup>tm</sup> VersaRack - Components



# Particle board shelves (5/8" thick) $(W \times D)$

Description	Part No.
36" x 12"	VVR-P3612
36" x 15"	VVR-P3615
36" x 18"	VVR-P3618
36" x 24"	VVR-P3624
36" x 30"	VVR-P3630
36" x 36"	VVR-P3636
42" x 12"	VVR-P4212
42" x 15"	VVR-P4215
42" x 18"	VVR-P4218
42" x 24"	VVR-P4224
42" x 30"	VVR-P4230
42" x 36"	VVR-P4236
48" x 12"	VVR-P4812
48" x 15"	VVR-P4815
48" x 18"	VVR-P4818
48" x 24"	VVR-P4824
48" x 30"	VVR-P4830
48" x 36"	VVR-P4836

shelf beams not included. see page 19 for shelf beams.



# Corrugated steel shelves $(W \times D)$

Description	Part No.
36" x 12"	VVR-D3612
36" x 15"	VVR-D3615
36" x 18"	VVR-D3618
36" x 24"	VVR-D3624
36" x 30"	VVR-D3630
36" x 36"	VVR-D3636
42" x 12"	VVR-D4212
42" x 15"	VVR-D4215
42" x 18"	VVR-D4218
42" x 24"	VVR-D4224
42" x 30"	VVR-D4230
42" x 36"	VVR-D4236
48" x 12"	VVR-D4812
48" x 15"	VVR-D4815
48" x 18"	VVR-D4818
48" x 24"	VVR-D4824
48" x 30"	VVR-D4830
48" x 36"	VVR-D4836

shelf beams not included. see page 19 for shelf beams.



#### Wire shelves

1	V٨	V	Y	D)	
ι	۰		/	_,	

( )	
Description	Part No.
36" x 12"	VVR-W3612
36" x 15"	VVR-W3615
36" x 18"	VVR-W3618
36" x 24"	VVR-W3624
36" x 30"	VVR-W3630
36" x 36"	VVR-W3636
42" x 12"	VVR-W4212
42" x 15"	VVR-W4215
42" x 18"	VVR-W4218
42" x 24"	VVR-W4224
42" x 30"	VVR-W4230
42" x 36"	VVR-W4236
48" x 12"	VVR-W4812
48" x 15"	VVR-W4815
48" x 18"	VVR-W4818
48" x 24"	VVR-W4824
48" x 30"	VVR-W4830
48" x 36"	VVR-W4836
shalf baama not inc	ludod

shelf beams not included. see page 19 for shelf beams.



#### Open shelving ends (D x H)

opon onorring	Olido (D X I
Description	Part No.
12" x 84" Open	6702
18" x 84" Open	6712
24" x 84" Open	6722
36" x 84" Open	6732
12" x 96" Open	6703
18" x 96" Open	6713
24" x 96" Open	6723
36" x 96" Open	6733
12" x 120" Open	6705
18" x 120" Open	6715
24" x 120" Open	6725
36" x 120" Open	6735
12" x 144" Open	6741
18" x 144" Open	6747
24" x 144" Open	6753
36" x 144" Open	6759
12" x 180" Open*	6743
18" x 180" Open*	6749
24" x 180" Open*	6755
36" x 180" Open*	6761
0.47	all all the seconds of

 $84\ensuremath{^{"}}$  and  $96\ensuremath{^{"}}$  high open shelving ends come with 2 upright posts and 2 end brace plates.

\*Posts over 144"H are spliced.



#### Closed shelving ends (D x H)

Description	Part No.
12" x 84" Closed	6707
18" x 84" Closed	6717
24" x 84" Closed	6727
36" x 84" Closed	6737
12" x 96" Closed	6708
18" x 96" Closed	6718
24" x 96" Closed	6728
36" x 96" Closed	6738
12" x 120" Closed	6710
18" x 120" Closed	6720
24" x 120" Closed	6730
36" x 120" Closed	6740
12" x 144" Closed	6744
18" x 144" Closed	6750
24" x 144" Closed	6756
36" x 144" Closed	6762
12" x 180" Closed*	6746
18" x 180" Closed*	6752
24" x 180" Closed*	6758
36" x 180" Closed*	6764
84" high closed shelvi	ng ends come with 2

84" high closed shelving ends come with 2 upright posts and 2 end panels.

96" high closed shelving ends come with 2 upright posts and 3 end panels.

\*Posts over 144"H are spliced.

Standard color is white regardless of shelf color



# V-Grip<sup>™</sup> Wire Shelving

- High visibility for inventory inspection
- Increase overhead sprinkler effectiveness
- · Eliminates dirt build-up
- · Improves air circulation
- Expandable construction



Capacity	oer tier. 11	00 lbs.			
48" Wide	Shelving			Additio	nal Shelf
		Starter	Add-on	Decking	Beam
Depth	Height	Part No.	Part No.	Part No.	*order 2
24"	60"	EW1005W42S	EW1005W42A	6100	9434
24"	72"	EW1006W42S	EW1006W42A	6100	9434
24"	84"	EW1007W42S	EW1007W42A	6100	9434
36"	60"	EW1005W43S	EW1005W43A	6101	9434
36"	72"	EW1006W43S	EW1006W43A	6101	9434
36"	84"	EW1007W43S	EW1007W43A	6101	9434
48"	60"	EW1005W44S	EW1005W44A	6109	9434
48"	72"	EW1006W44S	EW1006W44A	6109	9434
48"	84"	EW1007W44S	EW1007W44A	6109	9434
60" Wide	Shelving	3		Additio	nal Shelf
		Starter	Add-on	Decking	Beam
Depth	Height	Part No.	Part No.	Part No.	*order 2
36"	60"	EW1005W53S	EW1005W53A	6102	9435
36"	72"	EW1006W53S	EW1006W53A	6102	9435
36"	84"	EW1007W53S	EW1007W53A	6102	9435
48"	60"	EW1005W54S	EW1005W54A	6110	9435
48"	72"	EW1006W54S	EW1006W54A	6110	9435
48"	84"	EW1007W54S	EW1007W54A	6110	9435
96" Wide	Shelving	3		Additio	nal Shelf
		Starter	Add-on	Decking	Beam
Depth	Height	Part No.	Part No.	*order 2	*order 2
24"	60"	EW1015W82S	EW1015W82A	6100	9448
24"	72"	EW1016W82S	EW1016W82A	6100	9448
24"	84"	EW1017W82S	EW1017W82A	6100	9448
36"	60"	EW1015W83S	EW1015W83A	6101	9448
36"	72"	EW1016W83S	EW1016W83A	6101	9448
36"	84"	EW1017W83S	EW1017W83A	6101	9448
48"	60"	EW1015W84S	EW1015W84A	6109	9448

72" EW1016W84S EW1016W84A 6109

84" EW1017W84S EW1017W84A 6109



Economy bulk wire rack shown

#### Four Tier Bulk Rack with Wire Decking

Capacity per tier. 1100 lbs.

48" Wide	Shelving			Additio	nal Shelf
		Starter	Add-on	Decking	Beam
Depth	Height	Part No.	Part No.	Part No.	*order 2
24"	96"	EW1008W42S	EW1008W42A	6100	9434
24"	120"	EW1010W42S	EW1010W42A	6100	9434
36"	96"	EW1008W43S	EW1008W43A	6101	9434
36"	120"	EW1010W43S	EW1010W43A	6101	9434
48"	96"	EW1008W44S	EW1008W44A	6109	9434
48"	120"	EW1010W44S	EW1010W44A	6109	9434
60" Wide	Shelving			Additio	nal Shelf
		Starter	Add-on	Decking	Beam
Depth	Height	Part No.	Part No.	Part No.	*order 2
36"	96"	EW1008W53S	EW1008W53A	6102	9435
36"	120"	EW1010W53S	EW1010W53A	6102	9435
48"	96"	EW1008W54S	EW1008W54A	6110	9435
48"	120"	EW1010W54S	EW1010W54A	6110	9435
96" Wide	Shelving			Additio	nal Shelf
		Starter	Add-on	Decking	Beam
Depth	Height	Part No.	Part No.	*order 2	*order 2
24"	96"	EW1018W82S	EW1018W82A	6100	9448
24"	120"	EW1020W82S	EW1020W82A	6100	9448
36"	96"	EW1018W83S	EW1018W83A	6101	9448
36"	120"	EW1020W83S	EW1020W83A	6101	9448
48"	96"	EW1018W84S	EW1018W84A	6109	9448
48"	120"	EW1020W84S	EW1020W84A	6109	9448

A standard color chart is available at the beginning of each section with a more detailed one on page 141.

9448

48"

48"

# V-Grip<sup>™</sup> Bulk Rack

V-Grip Bulk Rack is designed to accommodate longer spans and heavier loads than conventional shelving. Bulk Rack beams engage V-Grip upright posts providing a rigid connection. Bulk Rack levels are designed to carry load capacities from 1500 lbs. to 3000 lbs. per level, depending on beam span length and deck material used.

The units to the right are shown with optional wire decking for the top shelf and corrugated steel decking unit for the bottom shelf.





**EQUIPTO** 

#### Three level bulk rack with decking

		48"	Wide	60"	Wide	72"	Wide	96" \	Vide
Depth	Height	Starter	Add-on	Starter	Add-on	Starter	Add-on	Starter	Add-on
01 1			F			24)			
Standard	duty (from 1100	lbs. to 1500 lbs.	For specific c	apacities see	chart on page	24)			
15"	60"	1005D41S	1005D41A	1005D51S	1005D51A	1005D61S	1005D61A	_	_
	72"	1006D41S	1006D41A	1006D51S	1006D51A	1006D61S	1006D61A	_	_
24"	60"	1005D42S	1005D42A	1005D52S	1005D52A	1005D62S	1005D62A	_	_
	72"	1006D42S	1006D42A	1006D52S	1006D52A	1006D62S	1006D62A	_	_
	84"	1007D42S	1007D42A	1007D52S	1007D52A	1007D62S	1007D62A	_	_
30"	60"	1005D40S	1005D40A	1005D50S	1005D50A	1005D60S	1005D60A	_	_
	72"	1006D40S	1006D40A	1006D50S	1006D50A	1006D60S	1006D60A	_	_
	84"	1007D40S	1007D40A	1007D50S	1007D50A	1007D60S	1007D60A	_	_
36"	60"	1005D43S	1005D43A	1005D53S	1005D53A	1005D63S	1005D63A	_	_
	72"	1006D43S	1006D43A	1006D53S	1006D53A	1006D63S	1006D63A	_	_
	84"	1007D43S	1007D43A	1007D53S	1007D53A	1007D63S	1007D63A	_	_
48''	60"	1005D44S	1005D44A	1005D54S	1005D54A	1005D64S	1005D64A	_	_
	72"	1006D44S	1006D44A	1006D54S	1006D54A	1006D64S	1006D64A	_	_
	84"	1007D44S	1007D44A	1007D54S	1007D54A	1007D64S	1007D64A		
Medium c	duty (from 1500	lbs. to 2000 lbs.	For specific c	apacities see	chart on page	24)			
15"	60"	1015D41S	1015D41A	1015D51S	1015D51A	1015D61S	1015D61A	1015D81S	1015D81A
	72"	1016D41S	1016D41A	1016D51S	1016D51A	1016D61S	1016D61A	1016D81S	1016D81A
24"	60"	1015D42S	1015D42A	1015D52S	1015D52A	1015D62S	1015D62A	1015D82S	1015D82A
	72"	1016D42S	1016D42A	1016D52S	1016D52A	1016D62S	1016D62A	1016D82S	1016D82A
	84"	1017D42S	1017D42A	1017D52S	1017D52A	1017D62S	1017D62A	1017D82S	1017D82A
30"	60"	1015D40S	1015D40A	1015D50S	1015D50A	1015D60S	1015D60A	1015D80S	1015D80A
	72"	1016D40S	1016D40A	1016D50S	1016D50A	1016D60S	1016D60A	1016D80S	1016D80A
	84"	1017D40S	1017D40A	1017D50S	1017D50A	1017D60S	1017D60A	1017D80S	1017D80A
36''	60"	1015D43S	1015D43A	1015D53S	1015D53A	1015D63S	1015D63A	1015D83S	1015D83A
	72"	1016D43S	1016D43A	1016D53S	1016D53A	1016D63S	1016D63A	1016D83S	1016D83A
	84"	1017D43S	1017D43A	1017D53S	1017D53A	1017D63S	1017D63A	1017D83S	1017D83A
48"	60"	1015D44S	1015D44A	1015D54S	1015D54A	1015D64S	1015D64A	1015D84S	1015D84A
	72"	1016D44S	1016D44A	1016D54S	1016D54A	1016D64S	1016D64A	1016D84S	1016D84A
	84"	1017D44S	1017D44A	1017D54S	1017D54A	1017D64S	1017D64A	1017D84S	1017D84A
Joann du	ty (over 2000 lb	s. For specific ca	anacitios soo	chart on page	24)				
	<u> </u>	· ·		· ·	<i>'</i>				
15''	60"	1025D41S	1025D41A	1025D51S	1025D51A	1025D61S	1025D61A	1025D81S	1025D81A
	72"	1026D41S	1026D41A	1026D51S	1026D51A	1026D61S	1026D61A	1026D81S	1026D81A
24"	60"	1025D42S	1025D42A	1025D52S	1025D52A	1025D62S	1025D62A	1025D82S	1025D82A
	72"	1026D42S	1026D42A	1026D52S	1026D52A	1026D62S	1026D62A	1026D82S	1026D82A
0.011	84"	1027D42S	1027D42A	1027D52S	1027D52A	1027D62S	1027D62A	1027D82S	1027D82A
30"	60"	1025D40S	1025D40A	1025D50S	1025D50A	1025D60S	1025D60A	1025D80S	1025D80A
	72"	1026D40S	1026D40A	1026D50S	1026D50A	1026D60S	1026D60A	1026D80S	1026D80A
2011	84"	1027D40S	1027D40A	1027D50S	1027D50A	1027D60S	1027D60A	1027D80S	1027D80A
36"	60''	1025D43S	1025D43A	1025D53S	1025D53A	1025D63S	1025D63A	1025D83S	1025D83A
	72"	1026D43S	1026D43A	1026D53S	1026D53A	1026D63S	1026D63A	1026D83S	1026D83A
402	84"	1027D43S	1027D43A	1027D53S	1027D53A	1027D63S	1027D63A	1027D83S	1027D83A
48''	60"	1025D44S	1025D44A	1025D54S	1025D54A	1025D64S	1025D64A	1025D84S	1025D84A
	72"	1026D44S	1026D44A	1026D54S	1026D54A	1026D64S	1026D64A	1026D84S	1026D84A
	84"	1027D44S	1027D44A	1027D54S	1027D54A	1027D64S	1027D64A	1027D84S	1027D84A

DECKING: "D" in catalog number represents corrugated steel decking.

Substitute "W" for drop in wire decking (available in 24",36", & 48" depths) or "-" for no decking.



#### Four level bulk rack with solid decking

		48" V	/ide	60" \	Wide	72" V	Vide	96" W	ide
Depth	Height	Starter	Add-on	Starter	Add-on	Starter	Add-on	Starter	Add-on
Standard	duty (from 1100	lbs. to 1500 lbs. F	or specific ca	pacities see c	hart on page 2	4)			
24"	96"	1008D42S	1008D42A	1008D52S	1008D52A	1008D62S	1008D62A	_	_
	120''	1010D42S	1010D42A	1010D52S	1010D52A	1010D62S	1010D62A	_	_
30"	96''	1008D40S	1008D40A	1008D50S	1008D50A	1008D60S	1008D60A	_	_
	120"	1010D40S	1010D40A	1010D50S	1010D50A	1010D60S	1010D60A	_	_
36"	96''	1008D43S	1008D43A	1008D53S	1008D53A	1008D63S	1008D63A	_	_
	120"	1010D43S	1010D43A	1010D53S	1010D53A	1010D63S	1010D63A	_	_
48"	96''	1008D44S	1008D44A	1008D54S	1008D54A	1008D64S	1008D64A	_	_
	120"	1010D44S	1010D44A	1010D54S	1010D54A	1010D64S	1010D64A	_	_
Medium c	duty (from 1500	lbs. to 2000 lbs. Fo	or specific cap	acities see ch	art on page 24	)			
24''	96"	1018D42S	1018D42A	1018D52S	1018D52A	1018D62S	1018D62A	1018D82S	1018D82A
	120"	1020D42S	1020D42A	1020D52S	1020D52A	1020D62S	1020D62A	1020D82S	1020D82A
30"	96"	1018D40S	1018D40A	1018D50S	1018D50A	1018D60S	1018D60A	1018D80S	1018D80A
	120"	1020D40S	1020D40A	1020D50S	1020D50A	1020D60S	1020D60A	1020D80S	1020D80A
36"	96''	1018D43S	1018D43A	1018D53S	1018D53A	1018D63S	1018D63A	1018D83S	1018D83A
	120"	1020D43S	1020D43A	1020D53S	1020D53A	1020D63S	1020D63A	1020D83S	1020D83A
48"	96"	1018D44S	1018D44A	1018D54S	1018D54A	1018D64S	1018D64A	1018D84S	1018D84A
	120"	1020D44S	1020D44A	1020D54S	1020D54A	1020D64S	1020D64A	1020D84S	1020D84A
Heavy du	ty (over 2000 lb	s. For specific cap	acities see ch	art on page 24	1)				
24''	96"	1028D42S	1028D42A	1028D52S	1028D52A	1028D62S	1028D62A	1028D82S	1028D82A
	120''	1030D42S	1030D42A	1030D52S	1030D52A	1030D62S	1030D62A	1030D82S	1030D82A
30"	96''	1028D40S	1028D40A	1028D50S	1028D50A	1028D60S	1028D60A	1028D80S	1028D80A
	120''	1030D40S	1030D40A	1030D50S	1030D50A	1030D60S	1030D60A	1030D80S	1030D80A
36"	96"	1028D43S	1028D43A	1028D53S	1028D53A	1028D63S	1028D63A	1028D83S	1028D83A
	120"	1030D43S	1030D43A	1030D53S	1030D53A	1030D63S	1030D63A	1030D83S	1030D83A
48"	96"	1028D44S	1028D44A	1028D54S	1028D54A	1028D64S	1028D64A	1028D84S	1028D84A
	120"	1030D44S	1030D44A	1030D54S	1030D54A	1030D64S	1030D64A	1030D84S	1030D84A

#### Five level bulk rack with solid decking

			-						
		48" V	/ide	60" w	/ide	72" w	vide	96" w	ide
Depth	Height	Starter	Add-on	Starter	Add-on	Starter	Add-on	Starter	Add-on
Standard duty (from 1100 lbs. to 1500 lbs. For specific capacities see chart on page 24)									
36"	180"	1012D43S	1012D43A	1012D53S*	1012D53A*	1012D63S*	1012D63A*	_	_
48"	180"	1012 D44S	1012D44A	1012D54S*	1012D54A*	1012D64S*	1012D64A*	_	_
Medium duty (from 1500 lbs. to 2000 lbs. For specific capacities see chart on page 24)									
36"	180"	1022D43S	1022D43A	1022D53S	1022D53A	1022D63S	1022D63A	1022D83S	1022D83A
48"	180"	1022D44S	1022D44A	1022D54S	1022D54A	1022D64S	1022D64A	1022D84S	1022D84A
D		for the contract of the contract							

<sup>\*</sup>Posts for units over 12' high are spliced.

DECKING: "D" in Catalog number represents Corrugated Steel Decking. Subsitute "W" for drop in Wire Decking or "-" for no decking.

#### **Bulk Rack shelving options**



#### Solid beams

3 lugs on each beam connector locks securely to post

Adjusts on 1<sup>1/2</sup>" centers



#### **Drop In Wire decking**

Capacity to 2667 lbs.

- · Lets air, light and water pass through
- Offset between beam and wire shelving is .2625+/- or just over 1/4"



#### Solid shelf

#### Capacity to 2763 lbs.


- · Solid corrugated steel
- Versatile: Use ridge side up or flat channeled surface

#### **Bulk Rack load capacities**



#### **Rack Capacities**

Rack end capacity is not a factor under most circumstances. However, if you intend to space beam levels unusually far apart, check your plan to insure that the cumulative load on the lower portions of each rack end is within the limits shown on this chart. Rack ends are designed with a safety factor of 1.92. Horizontal beams are designed with a safety factor of 1.65.



#### Load Capacities of V-Grip Bulk Rack solid beams

Light Duty*							
Width	<b>Beam Height</b>	Capacity(lbs.)	Part No.				
4'	25/8"	1460	9434				
5'	25/8"	1208	9435				
6'	25/8"	1163	9436				

Medium Duty*							
Width	Beam Height	Capacity(lbs.)	Part No.				
4'	27/8"	2112	9444				
5'	27/8"	1690	9445				
6'	27/8"	1622	9446				
7'	33/4"	1557	830284M				
8'	33/4"	1557	9448				

Heavy D	uty*			
Width	Beam Height	Capacity(lbs.)	Part No.	
4'	31/2"	3454	9454	
5'	31/2"	2763	9455	
6'	31/2"	2630	9456	
7'	33/4"	2667	830284H	
8'	33/4"	2667	9458	

<sup>\*</sup>Capacities are in lbs. per pair of beams

# Load Capacities of drop in wire grid decking (for solid beams)



- 3	3 (	,	
Length	Depth of rack	Capacity(lbs.)	Part No.
4'	24"	1500	16324W
5'	24"	1500	16325W
6'	24"	2250	16326W
7'	24"	2625	16327W
8'	24"	3000	16328W
4'	36"	1500	16334W
5'	36"	1500	16335W
6'	36"	2250	16336W
7'	36"	2625	16337W
8'	36"	3000	16338W
4'	48"	1500	16344W
5'	48"	1500	16345W
6'	48"	2250	16346W
7'	48"	2625	16347W
8'	48"	3000	16348W

Note: To determine shelf level capacity with decking, use beam or decking capacity, whichever is less.

#### Load Capacities of solid steel decking

(for solid beams)

(for solid	beams)		
Length	Depth of rack	Capacity(lbs.)	Part No.
4'	15"	2407	16314
5'	15"	3003	16315
6'	15"	3611	16316
7'	15"	4213	16317
8'	15"	4815	16318
4'	24"	1852	16324
5'	24"	2310	16325
6'	24"	2778	16326
7'	24"	3241	16327
8'	24"	3704	16328
4'	30"	1435	16354
5'	30"	1794	16355
6'	30"	2152	16356
7'	30"	2511	16357
8'	30"	2870	16358
4'	36"	1196	16334
5'	36"	1495	16335
6'	36"	1794	16336
7'	36"	2093	16337
8'	36"	2392	16338
4'	48"	1192	16344
5'	48"	1490	16345
6'	48"	1788	16346
7'	48"	2086	16347
8'	48"	2384	16348

Note: To determine shelf level capacity with decking, use beam or decking capacity, whichever is less.

### Flow Rack

- · Extremely versatile rack on which multiple size containers or batteries can be stored
- Tracks allow for easy movement
- · Each flow track is equipped with a front to keep products from sliding off
- · Flow racks can be angled for gravity feed

Part No.	Description	Size (D x W x H)
FR1 5 Shelves/15 Span Tracks		48" x 48" x 84"
FR2	4 Shelves/12 Span Tracks	48" x 48" x 72"
FR3	4 Shelves/12 Span Tracks	36" x 60" x 72"
ST1536	One Roller Track with Hardware	36" x 15"
ST1548	One Roller Track with Hardware	48" x 15"







#### V-Grip<sup>tm</sup> Bulk Rack shelving components Designed with versatility to fit your needs

- Accessories to expand units higher
- Ability to mix rack with shelving
- Built-in capability for future expansion
- Plywood or other decking supplied by user: 5/8" thick

#### **Rack Accessories**

Description	Part No.
Clamp for fastening units back-to-back;	10381
2 needed per pair of frames	
Dart clip for locking down beams — 2 needed	13037
Plastic label holder fits V-Grip wire	6620

#### **Solid Decking Panels**

Width	15" Deep	18" Deep	24" Deep	30" Deep	36" Deep	48" Deep	
24"	16018	16001	16002	16019	16003	16004	
30"	16020	16010	16022	16021	16023	16024	



#### **Label Holder**

A neat and easy way to identify records or supplies. Part No. 6620.


### Rack Ends

Depth		6' High Part No.	7' High Part No.	8' High Part No.	10' High Part No.	12' High Part No.	15' High Part No.
15"	9304	9309	9314	9319	9329	_	9345*
24"	9301	9306	9311	9316	9326	9332	9342*
30"	9305	9310	9315	9320	9330	_	9346*
36"	9302	9307	9312	9317	9327	9333	9343*
48"	9303	9308	9313	9318	9328	9334	9344*

#### \*Posts over 12' are spliced.

### Floor Anchors (one for each post)

Fasten racks to floor for increased stability. (Must be used when bottom beam is more than 12" from floor.) 7695 L&R (optional 190317A Seismic Anchor for Center)



7695 L&R 190317A

### Rack Ends with nutserts for mounting to caster base

Depth	5' High	6' High
24"	9301TU	9306TU
30"	_	9310TU
36"	9302TU	9307TU

Perimeter caster base (pg.17).

Close the top of any V-Grip Bulk Rack upright. Easy to attach - simply tap its triangular base into the upright. May also be used as floor glide to protect all floors. Made of high-impact plastic, it will withstand any load within the capacity of the upright itself.

### Tie Bars for solid beams and Steel and Wire Decking

#### **Add Support Bars for Particle Board Decking**

Depth	Part No.		Depth	Part No.	
15"	6521		24"	9420	
18"	6528		30"	830815	
24"	6522		36"	9421	
30"	6525		48"	9422	
36"	6523		40	3422	
48"	6524				
Order 1 per pair of 4' or 5' beams;		or 5' beams;	Order 3	per pair of 4' or 5' bean	ns;
2 per pai	ir of 6' or 8' be	2 per pair of 6' or 8' beams.		ir of 6' or 8' beams.	



#### Top/bottom cap

Description	Part No.
Top or Bottom Cap/White	10177W
Top or Bottom Cap/Black	10177B

#### Flush Front and Corner Brackets Part No. 9826

Attach catwalks to racks.



7698 L&R 7700 L&R

### **Foot Plate**

Fits under uprights to protect linoleum or wood floors, or to act as shim on uneven floors.





### V-Grip<sup>™</sup> Tire Rack

V-Grip Tire Racks provide a flexible and economical tire storage system. Tire Racks are available in various heights in either a stationary or mobile configuration. Support beams provide a rigid 3-point connection to V-Grip upright post and are adjustable on 11/2" centers to accommodate a variety of tire sizes.





Racks assemble quickly and adjust

Brackets furnished for back-to-back

with a minimum number of tools

Beams adjust up or down on 1<sup>1/2"</sup> centers

Tire racks

Tire racks are adjustable for all passenger car sizes of tires and rims. If you require shelving to fit truck tires please contact Equipto Inside Sales.

# Racks hold 7 to 10 tires Each level 15"D x 60"W

All equipment assembles as shown, with cross beams locking into uprights. Beams are adjustable on 11/2" centers. All tire racks are furnished with brackets which may be used to anchor to wall or back-to-back. Floor anchors are provided for all starter and add-on units.

#### **Beam-to-Post Connection**

Strong, V-Grip uprights with tapered slots accept 3 lugs on each beam end to lock post to beam firmly, without fasteners.



4 Tier (120" H)



806-52S 806-52A Starter Add-on



806-32S 806-32A Starter Add-on

Mobile Tire Rack 18"D x 60"W x 67"H 2 tier with casters / Part No. 806-52MOB

Includes wall tie and floor anchor

### Separator wall tie


This flange is to be used for bolting brackets back-to-back or for mounting to a wall (hardware for mounting to wall by others).



11561 - Single tie

11562 - Set of two (for back-to-back racks)

#### Floor anchor





# Zip-In Shelving

Equipto's Zip-In shelving is the ideal solution when there is frequent change in the size of items being stored and the ability to easily change the vertical clear opening of each shelf location is a prerequisite. Zip-In shelves simply slide in and out of the unit without unloading or removing adjacent shelves. Back panel is white. End panels are the color of the unit.



Zip-In shelving units provide adjustability of shelves on  $1^{1/2}$  centers.



Zip-In shelves adjust easily by sliding shelves in and out of the system.



Sliding dividers attach easily without hardware or fasteners and provide infinite adjustability left to right.





A standard color chart is available at the beginning of each section with a more detailed one on page 141.

#### Zip-In preconfigured units











Part No.3010

Part No.3012 shown with 27 openings

# Zip-In units

(All units are 84" high x 371/8" wide x 12" deep)

Part No.	Description
3020	With back: Shell only - order parts from list
3022	With back; 9 openings, 9" high
3010	With back; 21 bins: 18 - 12" x 12"; 3-9" x 12"
3012	With back; up to 36 openings, 9" x 9"

#### **Zip-In components**

(All units are 84" high x  $37^{1/8}$ " wide x 12" deep)

	.,
Part No.	Description
6098	Shelf 36" wide
6098L*	Shelf 36" wide, with label holder
6099	Bracket to attach two units side by side
10047	Shelf front channel reinforcement
8145	Divider 3" high for opening 41/2" or higher
8146	Divider 41/2" high for opening 6" or higher
8147	Divider 6" high for opening 9" or higher
8505	Drawer 5 <sup>5/8</sup> " x 3 <sup>1/8</sup> "
8720	Drawer straight divider

\*6098(L) will carry 242 lb. evenly distributed load


# Supports to use when supporting deckover platforms over Zip-In Shelving

Part No.	Description
41327-01	Vertical support 87" high painted
41327-02	Corner support 87" high painted
41327-03	Vertical support 96" high painted
41327-04	Corner support 96" high painted



#### **Equipto Label Holder**

is a neat and easy way to identify records or supplies. Part No. 6615



#### Sliding divider

Hooks into shelf holes and snap-locks into place on 1" centers without interfering with label holders.



#### Shelf drawer

6 across fills Zip-In Shelf. Order drawer divider seperately. Part No. 8505

If adding drawers, 2 No. 9213 per shelf are also required.

### EQUIPTO

# Iron Grip® Shelving

#### The heavier the load the tighter the grip!

Equipto Iron Grip® features the strongest, most resourceful system.

- · Quick shelf placement without tools; just a simple, solid steel stud at every shelf corner.
- · Independent unit concept is engineered for strength, and is infinitely adjustable for custom fitting to your specific needs.
- · Iron Grip shelving provides superior strength for heavy applications
- · Add drawers, dividers, bin fronts, bases or doors for your specific applications
- · The largest upright anywhere, with a heavy gauge stud in each shelf corner which locks a double thickness of metal together
- · Stud grip increases as additional weight is added to shelf

Heights: Iron Grip shelving units come in 84" height, 385/8", 431/8", 60", 72", 96", 120" and 180" high units are also available. Any other heights by special order. Specify desired height; we'll provide a prompt quotation.

PLEASE NOTE: This shelving is not interchangeable with V-Grip.

Superior Iron Grip strength automatically provides crucial 4-point reinforcement to shelves.

The tapered stud engages a sloped, key-shaped hole in the upright for instant binding strength.

Built to last. Studs are plated; other parts have oven-baked enamel surfaces, and all formed from prime rolled steel.



Durable 18-gauge shelves feature box-formed edges on all four sides. Adding 13-gauge, U-formed channels (3/8" x 13/32") provides extra strength reinforcement on heavily loaded shelves. For heaviest use, also add end and center channels. Angles (1" x 1") made of 1/8" thick carbon steel provide optional reinforcement at the ends.


#### High visibility panels

Equipto furnishes high visibility white back and end panels on Iron Grip shelving units, regardless of the color of other. Standard color on Iron Grip shelving is office gray with white panels. Optional decorator colors will also be shipped with white panels unless you specify otherwise.





- 1" x 2<sup>3/8</sup>" uprights (13 gauge), are the largest anywhere. Side embossing adds even more strength and rigidity to the unit
- Iron Grip shelf studs allow adjustment of shelves instantly on 11/2" centers
- Front and rear shelf flanges extend around the sides past keyhole. Steel stud binds both flanges to upright
- Dividers adjust on 1" centers with Speedy clips on 36" wide shelving (3" centers on 48" widths)




are actually zinc plated

#### Iron grip key

Fasten any two shelving units together quickly and easily. Easy-access keys remove just as simply, allowing rearrangement of any unit without disturbing adjacent units U.S. patent No. 2,824,775

Use Iron Grip shelving in a variety of configurations: free-standing; side-by-side; back-to-back; or arranged in efficient work centers. Each shelf unit has four uprights.



Part No. 10394





- · Reinforced shelf capacities up to 2000 lbs. per shelf
- · Non-reinforced shelf capacities of 700 lbs. per 36"W shelf
- · Remarkable Iron Grip strength
- · Modular system allows quick adjustment of individual shelves as well as units
- · Largest, sturdiest upright anywhere
- · As the shelves are loaded, the unit strength increases
- Reflective white back and end panels are standard, regardless of shelf color

Closed Shelving Units
Note: Starter unit has 2 closed ends; additional unit has 1 closed end.

Depth	Starting or Additional Unit	6 Shelves Avg. 16 <sup>1/2</sup> " c.c.	10 Shelves Avg. 9"c.c.	Extra Shelf
12"	Starter	70-6KD	70-10KD	6091
12"	Add-on	71-6KD	71-10KD	6091
18"	Starter	72-6KD	72-10KD	6150
18"	Add-on	73-6KD	73-10KD	6150
24"	Starter	74-6KD	74-10KD	6185
24"	Add-on	75-6KD	75-10KD	6185
36"	Starter	76-6KD	76-10KD	6260
36"	Add-on	77-6KD	77-10KD	6260

To order set-up (extra charge), change "KD" suffix to "SU".

Closed back and end

### **Open Shelving Units**

Depth	6 Shelves Avg. 16 <sup>1/2</sup> " c.c.	10 Shelves Avg. 9"c.c.	Extra Shelf		
12"	60-6KD	60-10KD	6091		
18"	62-6KD	62-10KD	6150		
24"	64-6KD	64-10KD	6185		
36"	66-6KD	66-10KD	6260		

Width: All units in table are 3' wide. To order 4' widths (in any depth except 36"), substitute "W" for '--' in catalog number.

Height: All units in table are 7' high. Units available in all additional heights listed in "Uprights" section on Page 32.

Example: 60-6 is 3' wide: 60W6 is 4' wide.

To order set-up (extra charge), change "KD" suffix to "SU".



Open shelf



# Iron Grip® Shelving

#### **Preconfigured units**







- · New 200-lb. and 400-lb. drawer slides
- · Units are supplied with white back and end panels
- Keep bulk and individual parts in the same unit for better inventory control
- · Add lockable swinging doors for extra protection and security
- All drawers extend 100%
- All preassembled units are 36" wide and 84" high
- · Combine shelving and drawers in one unit









S4205/S4212 S4206/S4213




	Part Numbers				
Unit Description	18" Deep		24" Deep	24" Deep	
	w/o Dividers	w/ Dividers	w/o Dividers	w/ Dividers	
12 drawers 3" high, 4 shelf openings 12" high	S4203N	S4203DN	S4210N	S4210DN	
8 drawers 41/2" high, 4 shelf openings 12" high	S4204N	S4204DN	S4211N	S4211DN	
6 drawers 6" high, 4 shelf openings 12" high	S4205N	S4205DN	S4212N	S4212DN	
5 drawers 7 <sup>1/2</sup> " high, 4 shelf openings 12" high	S4206N	S4206DN	S4213N	S4213DN	
3 drawers 12" high, 4 shelf openings 12" high	S4207N	S4207DN	S4214N	S4214DN	
2 drawers 3" high, 2 drawers 41/2" high	S4208N	S4208DN	S4215N	S4215DN	
2 drawers 6" high, 1 drawer 71/2" high					

3 shelf openings 15" high

Doors for these units available on pages 16 and 32. Note: Above units feature Quiet-Ride<sup>tm</sup> 200 pound capacity drawers. To order 400 lb capacity Heavy-Duty drawers, substitute "H" for "N" in Part No., e.g., S4215H instead of S4215N.

Handles are furnished the same color as the drawer and all units have reflective white back and side panels.







Iron Grip components: (A) Upright; (B) Shelf Stud; (D) Unit Key

#### Back panels (reflective white)


Description	Part No.
36" x 43 <sup>1/2"</sup> high	7506
36" x 7'1 <sup>1/2"</sup> or less	7506-2
36" x 7'3" to 10'1 <sup>1/2</sup> "	7506-3
48" x 43 <sup>1/2</sup> " high	7531
48" x 7'1 <sup>1/2</sup> " or less	7531-2
48" x 7'1 <sup>1/2</sup> " to 10'1 <sup>1/2</sup> "	7531-3

#### **Dividers** (standard color is smooth office gray)

Description	Part No.
2" x 12" deep	8049
4 <sup>1/2</sup> " x 12" deep	8018
6" x 12" deep	8019
7 <sup>1/2''</sup> x 12" deep	8020
9" x 12" deep	8021
10 <sup>1/2"</sup> x 12" deep	8022
12" x 12" deep	8023
13 <sup>1/2</sup> " x 12" deep	8024
15" x 12" deep	8025
16 <sup>1/2</sup> " x 12" deep	8026
4 <sup>1/2</sup> " x 18" deep	8090
6" x 18" deep	8094
7 <sup>1/2</sup> " x 18" deep	8095
9" x 18" deep	8096
10 <sup>1/2"</sup> x 18" deep	8097
12" x 18" deep	8098
13 <sup>1/2</sup> " x 18" deep	8099
16 <sup>1/2"</sup> x 18" deep	8091
18" x 18" deep	8092
6" x 24" deep	8119
7 <sup>1/2</sup> " x 24" deep	8120
18" x 18" deep	8092
9" x 24" deep	8121
10 <sup>1/2"</sup> x 24" deep	8122
12" x 24" deep	8123
13 <sup>1/2"</sup> x 24" deep	8124
15" x 24" deep	8125
16 <sup>1/2</sup> " x 24" deep	8126
10 <sup>1/2</sup> " x 36" deep	8133
12" x 36" deep	8134

#### Miscellaneous parts and hardware

and nardware	
Description	Part No.
Shelf stud	10392
Unit key	10394
Speedy clip	10226
Bolt & nut 3/16" x 3/8"	13000
Bolt & nut 3/16" x 1/4"	13001
Bolt & nut 1/4" x 1/2"	13002
Bolt & nut 1/4" x 1"	13003
Headed rod 3/16" x 85"	9720
Panel clip	10332
Corner brace	6420
Wide drawer filler strip	7702
Aisle safety rail 36"	10043G
Aisle safety rail 48"	10044G
Front seismic anchor	190330A
Common back anchor	190335A



Equipto's commitment to quality control and fast turnaround service assures reliable assistance to our customers in replacing, adapting or expanding Iron Grip shelving systems. Our complete line of dependable parts is your guide to achieving complete flexibility in your space utilization system.

#### Sway braces (pair)

Description	Part No.
36" Back, 50 <sup>1/8</sup> " CC	6499
48" Back, 67 <sup>3/16"</sup> CC	6431
12" End, 13 <sup>5/32"</sup> CC	6480
18" End, 25 <sup>3/16"</sup> CC	6481
24" End, 33 <sup>9/16"</sup> CC	6482
36" End, 48 <sup>1/8"</sup> CC	6483
Upright to shelf corner,	
user must drill shelf	6495

#### End panels (reflective white)

,	,
Description	Part No.
12" x 43 <sup>1/2"</sup> high	7982
12" x 7'1 <sup>1/2"</sup> or less	7982-2
12" x 7'3" to 10'1 <sup>1/2</sup> "	7982-3
18" x 43 <sup>1/2"</sup> high	7983
18" x 7'1 <sup>1/2"</sup> or less	7983-2
18" x 7'3" to 10'1 <sup>1/2</sup> "	7983-3
24" x 43 <sup>1/2"</sup> high	7984
24" x 7'1 <sup>1/2"</sup> or less	7984-2
24" x 7'3" to 10'1 <sup>1/2</sup> "	7984-3
36" x 43 <sup>1/2"</sup> high	7991
36" x 7'1 <sup>1/2"</sup> or less	7991-2
36" x 7'3" to 10'1 <sup>1/2</sup> "	7991-3

#### **Bases**

Description	Part No.
Front, 1 <sup>1/2</sup> " x 36"	6923
Front, 3" x 36"	6924
Front, 3" x 48"	6930

#### Doors for shelving

Description	Part No.
36" wide x 7' H	18035
36" wide x 42" H	18043
36" wide x 34 <sup>1/2</sup> "H	18036

Swinging doors in free height attach quickly and securely.

#### **Drawers**

Modular drawers on page 15 available for Iron-Grip Shelving. Add "I" before N or H. Example: S8603IN.

#### **Uprights**

Description	Part No.
38 <sup>5/8</sup> " Left hand	5598L
38 <sup>5/8</sup> Right hand	5599R
43 <sup>1/2</sup> " Left hand	5596L
431/2" Right hand	5597R
5' Left hand	5582L
5' Right hand	5583R
6' Left hand	5586L
6' Right hand	5587R
7' Left hand	5588L
7' Right hand	5589R
8' Left hand	5590L
8' Right hand	5591R
10' Left hand	5594L
10' Right hand	5595R
15' Left hand	5572L
15' Right hand	5573R
Splicer 8" long	5580

#### Bin fronts & labelholders

Description	Part No.
35 <sup>3/4</sup> " x 1" Bin front	10506
35" x 3 <sup>1/4</sup> " Bin front	10507
46" x 3 <sup>1/4</sup> " Bin front	10508
34" x 1 <sup>1/8</sup> " Labelholder	6615
46" x 1 <sup>1/8</sup> " Labelholder	6613

#### Reinforcing channels & angles

Description	Part No.				
End angle for 12" deep	9630				
End angle for 18" deep	9631				
End angle for 24" deep	9632				
End angle for 36" deep	9633				
36" Front or rear channel	10029				
48" Front or rear angle	9636				
36" Center channel	9629				
48" Center channel	9637				

#### Shelves (with studs)

Description	Part No.
12" x 36"	6091
18" x 36"	6150
24" x 36"	6185
36" x 36"	6260
12" x 48"	6111
18" x 48"	6165
24" x 48"	6198



# **Economy Shelving**

Equipto Economy Shelving is available in either open or closed styles and is ideal for cost-effective storage of packaged goods or bulky items. Economy Shelving is not interchangeable with V-Grip or Iron Grip. 20-gauge shelves are supported by adjustable compression clips, have multiple edge bends for strength and can support up to 450 lbs. of evenly distributed load. Shelves can be height-adjusted in 1" increments.

Pre-engineered 5 shelf starter units are available with shelves in 36" and 48" widths and 12", 15", 18" and 24" depths. Unit heights are 75" and 87". 5-shelf starter units can be expanded with any number of 5-shelf add-on kits, now or in the future.

#### Closed shelving - pre-engineered units

<u></u>									
Starter P/N	Width	Depth	Height	Weight	Adder P/N	Width	Depth	Height	Weight
EEC361275S	36"	12"	75"	88 lbs.	EEC361275A	36"	12"	75"	81 lbs.
EEC481275S	48"	12"	75"	108 lbs.	EEC481275A	48"	12"	75"	100 lbs.
EEC361575S	36"	15"	75"	98 lbs.	EEC361575A	36"	15"	75"	89 lbs.
EEC481575S	48"	15"	75"	119 lbs.	EEC481575A	48"	15"	75"	110 lbs.
EEC361875S	36"	18"	75"	109 lbs.	EEC361875A	36"	18"	75"	97 lbs.
EEC481875S	48"	18"	75"	131 lbs.	EEC481875A	48"	18"	75"	120 lbs.
EEC362475S	36"	24"	75"	131 lbs.	EEC362475A	36"	24"	75"	115 lbs.
EEC482475S	48"	24"	75"	159 lbs.	EEC482475A	48"	24"	75"	142 lbs.
EEC361287S	36"	12"	87"	96 lbs.	EEC361287A	36"	12"	87"	88 lbs.
EEC481287S	48"	12"	87"	117 lbs.	EEC481287A	48"	12"	87"	108 lbs.
EEC361587S	36"	15"	87"	107 lbs.	EEC361587A	36"	15"	87"	96 lbs.
EEC481587S	48"	15"	87"	129 lbs.	EEC481587A	48"	15"	87"	118 lbs.
EEC361887S	36"	18"	87"	118 lbs.	EEC361887A	36"	18"	87"	104 lbs.
EEC481887S	48"	18"	87"	142 lbs.	EEC481887A	48"	18"	87"	128 lbs.
EEC362487S	36"	24"	87"	132 lbs.	EEC362487A	36"	24"	87"	123 lbs.
EEC482487S	48"	24"	87"	171 lbs.	EEC482487A	48"	24"	87"	152 lbs.



Starter P/N	Width	Depth	Height	Weight	Adder P/N	Width	Depth	Height	Weight
EEO361275S	36"	12"	75"	52 lbs.	EEO361275A	36"	12"	75"	51 lbs.
EEO481275S	48"	12"	75"	63 lbs.	EEO481275A	48"	12"	75"	62 lbs.
EEO361575S	36"	15"	75"	58 lbs.	EEO361575A	36"	15"	75"	57 lbs.
EEO481575S	48"	15"	75"	71 lbs.	EEO481575A	48"	15"	75"	70 lbs.
EEO361875S	36"	18"	75"	65 lbs.	EEO361875A	36"	18"	75"	63 lbs.
EEO481875S	48"	18"	75"	79 lbs.	EEO481875A	48"	18"	75"	77 lbs.
EEO362475S	36"	24"	75"	79 lbs.	EEO362475A	36"	24"	75"	77 lbs.
EEO482475S	48"	24"	75"	98 lbs.	EEO482475A	48"	24"	75"	96 lbs.
EEO361287S	36"	12"	87"	54 lbs.	EEO361287A	36"	12"	87"	53 lbs.
EEO481287S	48"	12"	87"	65 lbs.	EEO481287A	48"	12"	87"	64 lbs.
EEO361587S	36"	15"	87"	60 lbs.	EEO361587A	36"	15"	87"	59 lbs.
EEO481587S	48"	15"	87"	73 lbs.	EEO481587A	48"	15"	87"	72 lbs.
EEO361887S	36"	18"	87"	67 lbs.	EEO361887A	36"	18"	87"	65 lbs.
EEO481887S	48"	18"	87"	81 lbs.	EEO481887A	48"	18"	87"	79 lbs.
EEO362487S	36"	24"	87"	80 lbs.	EEO362487A	36"	24"	87"	79 lbs.
EEO482487S	48"	24"	87"	100 lbs.	EEO482487A	48"	24"	87"	98 lbs.



#### 36" Extra shelves - compression clip included

	Part No.	Width	Depth	Height	Weight	Capacity	
	422-9020	36"	12"	11/4"	6 lbs.	450 lbs.	
	422-9040	36"	15"	11/4"	7 lbs.	450 lbs.	
	422-9070	36"	18"	11/4"	9 lbs.	450 lbs.	
	422-9090	36"	24"	11/4"	12 lbs.	450 lbs.	
Additional clips need 4 per shelf							
	490-2000	Compr	ession c	dip			

#### 48" Extra shelves - compression clip included

Part No.	Width	Depth	Height	Weight	Capacity
422-9030	48"	12"	11/4"	8 lbs.	200 lbs.
422-9050	48"	15"	11/4"	10 lbs.	200 lbs.
422-9080	48"	18"	11/4"	11 lbs.	200 lbs.
422-9110	48"	24"	11/4"	15 lbs.	200 lbs.
Additional clips need 4 per shelf					
490-2000 Compression clip					



# **Boltless Storage Rack**

Equipto Boltless Storage Rack is the economical alternative to standard steel shelving. Designed for hand loading and unloading only, it is ideal for automotive supplies, parts, warehouse materials, paint, batteries and just about anything else you need to store.

#### Preconfigured shelving units:

Frames only - wood or particle board shelves not included

Part No.	Description	Weight
RSR-693284	4 Shelves - 32"D X 69"W X 84"H	94 lbs
RSR-6932120	5 Shelves - 32"D X 69"W X 120"H	122 lbs
RSR-6932144	6 Shelves - 32"D X 69"W X 144"H	146 lbs

#### Equipto offers three pre-configured shelf kit sizes:

- 4 Shelves 32"D x 69"W x 84"H
- 5 Shelves 32"D x 69"W x 120"H
- 6 Shelves 32"D x 69"W x 144"H

You can also design your own units from components.



#### Design your own boltless storage rack shelving units with components

Upright angle - 111/16" x 21/4" 14 gauge

oprignt angle - i	11/10 X 21/4 14 gau	ge
Part No.	Weight	
RSR-UR-72	5.20	
RSR-UR-84	6.10	15/21
RSR-UR-96	7.00	4 60
RSR-UR-120	8.70	o de
RSR-UR-144	10.40	
Front to back		
RSR-FB-12	0.70	
RSR-FB-18	1.20	
RSR-FB-24	1.60	^
RSR-FB-30	2.00	
RSR-FB-32	2.20	JE /
RSR-FB-36	2.50	
RSR-FB-48	3.40	
Left to right angle	e beams	
RSR-LR-48	3.60	
RSR-LR-69	5.10	
RSR-LR-72	5.40	1
RSR-LR-96	8.40	المستنقلة
Left to right chan	inel beam	
BSR-CLR-72	7.70	777z
BSR-CLR-96	10.40	
Shelf tie support	(48" - 72" width, 1 per s	shelf, 96" need 2 per shelf
BSR-STS-24	2.10	1
BSR-STS-30	2.60	-17
BSR-STS-32	2.70	3 14
BSR-STS-36	3.00	
BSR-STS-48	4.00	Mesal C
Tie plate		8 3
BSR-TP	0.20	~7°#

#### Particle board shelves

Particle board	sneives			
Part No.	Description (D x W)	Weight		
BSRPB-1236	12" x 36"	7.27 lbs.		
BSRPB-1248	12" x 48"	9.69 lbs.		
BSRPB-1269	12" x 69"	13.94 lbs.		
BSRPB-1272	12" x 72"	14.54 lbs.		
BSRPB-1296	12" x 96"	19.39 lbs.		
BSRPB-1836	18" x 36"	10.91 lbs.		
BSRPB-1848	18" x 48"	14.54 lbs.		
BSRPB-1869	18" x 69"	20.90 lbs.		
BSRPB-1872	18" x 72"	21.81 lbs.		
BSRPB-1896	18" x 96"	29.08 lbs.		
BSRPB-2436	24" x 36"	14.54 lbs.		
BSRPB-2448	24" x 48"	19.39 lbs.		
BSRPB-2469	24" x 69"	27.87 lbs.		
BSRPB-2472	24" x 72"	29.08 lbs.		
BSRPB-2496	24" x 96"	38.78 lbs.		
BSRPB-3036	30" x 36"	18.18 lbs.		
BSRPB-3048	30" x 48"	23.00 lbs.		
BSRPB-3069	30" x 69"	34.87 lbs.		
BSRPB-3072	30" x 72"	36.36 lbs.		
BSRPB-3096	30" x 96"	48.48 lbs.		
BSRPB-3236	32" x 36"	19.39 lbs.		
BSRPB-3248	32" x 48"	25.85 lbs.		
BSRPB-3269	32" x 69"	37.16 lbs.		
BSRPB-3272	32" x 72"	38.78 lbs.		
BSRPB-3296	32" x 96"	51.71 lbs.		
BSRPB-3636	36" x 36"	20.00 lbs.		
BSRPB-3648	36" x 48"	29.08 lbs.		
BSRPB-3669	36" x 69"	41.81 lbs.		
BSRPB-3672	36" x 72"	43.63 lbs.		
BSRPB-3696	36" x 96"	58.17 lbs.		
BSRPB-4848	48" x 48"	40.00 lbs.		
BSRPB-4869	48" x 69"	55.75 lbs.		
BSRPB-4872	48" x 72"	58.17 lbs.		
BSRPB-4896	48" x 96"	77.56 lbs.		
Specific to only Boltless S	Storage Rack shelving.	pholyon		

These do not fit other Equipto shelving with particle board shelves.




#### **Bar Racks**

Equipto Bar Racks are ideal for storing long and bulky parts as well as pipes. Each arm carries 325 lbs. Choose 3', 6' or 8' widths, to support parts as needed.


- · Specialty bar racks
- · Single or double face
- · Two heights, three widths, two depths
- · Use individually or in rows
- · Shelves optionally available.
- · Capacity 650 lbs. per level

Bar Racks are the effective answer to organizing steel — or any other items that don't need shelf support. Slotted angle, pipe, tubes, bars — Equipto Bar Racks hold them all. With no wasted space and absolutely simple access. Note: Be sure to order a rack end to finish each row.†





Shelves (12" x 36") fit between rack arms to hold long and short products in same unit.



Single-faced rack with end can be used freestanding to hold slotted angle, pipe, bars, etc.



Bar Racks - a complete rack includes one or more units and a rack end. (†)

Why try to maneuver those special items in and out of shelving, when they don't need to be there in the first place? Solid steel Equipto Bar Racks are specially designed for just those items. Single or double-face bar racks in a range of heights and widths can be used individually or in rows. You can even add a shelf here and there for items too short to reach between rack arms.

#### **Accessories**

Description	Part No.
Extra Arm, 12" deep; capacity 325 lbs. (order a pair to add a level)	1070
12" x 36" Extra shelf for bottom arms only	6052
12" x 36" Extra shelf for other arms	6053

Description	Height	Width	Depth	Part No
Double-face unit	7'	3'	34"	1060
Double-face unit	7'	6'	34"	1060-72
Double-face unit	7'	8'	34"	1060-96
†Double-face rack end	7'	23/8"	34"	1061
Single-face unit	7'	3'	221/8"	1062
Single-face unit	7'	6'	221/8"	1062-72
Single-face unit	7'	8'	221/8"	1062-96
†Single-face rack end	7'	23/8"	221/8"	1063
Double-face unit	4'	3'	34"	1064
Double-face unit	4'	6'	34"	1064-72
Double-face unit	4'	8'	34"	1064-96
†Double-face rack end	4'	23/8"	34"	1065
Single-face unit	4'	3'	221/8"	1066
Single-face unit	4'	6'	221/8"	1066-72
Single-face unit	4'	8'	221/8"	1066-96
†Single-face rack end	4'	23/8"	221/8"	1067



# **Heavy Duty Bar Racks**

The innovative, space-saving answer to organization of a wide range of long items, with a capacity of up to 12,000 lbs. per unit! Choose single or double-faced designs in 18 different sizes for your best application. Available in three widths, three heights and two arm lengths - all adjustable, and designed for economical, common upright performance.

- · Ideal for long, difficult-to-organize items
- Organizes and protects valuable bar stock, pipe, lumber, conduit, steel angle, tool steel and more
- · High capacity and high strength
- · Adjustable on 2" centers
- 18" arm holds 1,000 lbs, 30" arm holds 500 lbs.,
- · each frame up to 12,000 lbs.





Extra 18" arm: 1046-18 Extra 30" arm: 1056-30

A complete rack includes one or more units and a rack end.

#### **Heavy Duty Bar Racks**

Single-faced	18" Arms	(Unit Depth 3	6")
--------------	----------	---------------	-----


Unit	Width	Rack		
Height	48"	72"	99"	End
8'-0''	1043-48	1043-72	1043-99	1043
10'-0''	1044-48	1044-72	1044-99	1044
12'-0''	1045-48	1045-72	1045-99	1045

#### **Single-faced** 30" Arms (Unit Depth 48")

_				
Unit	Width	Rack		
Height	48"	72"	99"	End
8'-0''	1053-48	1053-72	1053-99	1053
10'-0''	1054-48	1054-72	1054-99	1054
12'-0''	1055-48	1055-72	1055-99	1055

Note: Be sure to order a rack end to finish each row.

Note: Limit 6 arms per upright. Capacity: 18" arm-1,000 lbs. each; 30" arm-500 lbs. each.



Unit	Width of Unit Bays			Rack
Height	48''	72"	99"	End
8'-0''	1040-48	1040-72	1040-99	1040
10'-0''	1041-48	1041-72	1041-99	1041
12'-0''	1042-48	1042-72	1042-99	1042

#### **Double-faced** 30" Arms (Unit Depth 78")

Unit	Width of Unit Bays			Rack
Height	48"	72"	99"	End
8'-0''	1050-48	1050-72	1050-99	1050
10'-0''	1051-48	1051-72	1051-99	1051
12'-0''	1052-48	1052-72	1052-99	1052





Hand loading and retrieval is fast with easy access from either side of rack.



Power trucks can load heavier items on rack with access from either side.


# EQUIPTO

#### Reel Racks

Organize reels of cable and supplies, making them easy to retrieve. Equipto Reel Racks hold up to 2000 lbs. per level, and up to 12000 lbs. per rack. (Reel Rods not included.)

Racks hold small to large reels on both sides — safely. And you can move them easily by hand or fork lift truck.

- · High capacity free standing A-frame racks
- 96"-120"-144" heights
- · Rack is 26" deep at the base
- · 12000 lb. capacity
- 3" x 3" vertical posts with mounting holes
- · Adjustable cross beams on 2" centers with automatic safety locks
- · Rack end required for each row of units



Each unit supplied with right-hand reel holders (as specified) that fasten to next unit or rack end.







1076E08 rack ends

Width		Height		No. of	
	96"	120"	144"	Reel Holders	
48"	1072R04	1072R14	1072R24	Two pair	
72"	1072R06	1072R16	1072R26	Two pair	
48''	1073R04	1073R14	1073R24	Three pair	
72"	1073R06	1073R16	1073R26	Three pair	
48''	1074R04	1074R14	1074R24	Four pair	
72"	1074R06	1074R16	1074R26	Four pair	
48''	1075R04	1075R14	1075R24	Five pair	
72"	1075R06	1075R16	1075R26	Five pair	
1076E0	1076E08 Rack End, 96" high				
1076E1	0 Rack End,	120" high			

1076E12 Rack End, 144" high




To 23/8" O.D. 2000 lbs.

#### Extra reel holders

78218RH

· Pairs only. Reel holders accommodate axles up to 23/8" O.D.




Rack with two pr. reel holders



Rack with three pr. reel holders



Rack with four pr. reel holders



Rack with five pr. reel holders



Pipe not included. Secure standard schedule 40 pipe (up to 2" nominal) from your local plumbing supply. Use 47" pipe length for 48" wide rack; 71" pipe for 72" wide rack. Reel holders are adjustable on 2" increments to hold multiple reels.




# **Specialty Racks**

Equipto provides storage for all types of parts. Keep grinding wheels, spools, and even auto body parts on these unique, heavy-duty racks.

#### Disc rack

- · V-Formed shelves with divider rods
- 6 shelves adjust 11/2" centers
- · Divider rods are on 1" centers
- · Ideal for grinding wheels and numerous disc shaped objects
- · All items are easily accessible
- · Size of unit is 84" high, 36" wide and 81/4" deep
- · Up to 4 levels high



Part No. 879-7



#### Wire spool rack

- · 7-shelf reel rack adustable on 11/2" centers
- · Organize and retrieve wire, cable, chain, hose, rope or tubing
- · Holds reels up to 16" in diameter
- · V-shaped shelves with center rod
- · Fiberboard on shelves to deaden noise and prevent excessive uncoiling
- · Spool rods are included





Size: 8"D x 36"W x 84"H

Part No. 880-7



#### Trim & molding rack

- · Keep trim and molding horizontally
- · 48 compartments
- · Keep valuable trim and molding pieces organized and out of harm's way.

#### Description: Trim & Molding Rack

Size: 48"D x 36"W x 84"H

Part No: 878-9





#### **Available Standard Colors**



Putty

Textured



Textured Dove Grav



Textured Black



Textured **Bright Yellow** 



Textured Cherry Red



Textured Regal Blue



Mirror Silver (Wire Shelving Only) Office Gray





Smooth Reflective White



Textured Evergreen

#### **Design Benefits & Features**

One-piece welded construction.

Drawer capacity of up to 400 lbs.

Highly-durable, attractive finishes.

Tempered steel drawer bearings.

High strength to weight ratio.

#### **Space Utilization Advantages**

High-density storage maximizes cubic space.

Stocking/retrieval of parts and tools is quick and efficient.

Work areas are clean and neatly organized.

Theft and slippage potential is reduced.

#### **Market Applications**

Automotive - small parts and service tool storage.

Maintenance - tool cribs and parts inventory.

Military - mobile cabinet applications, service/maintenance divisions.

Museum - small artifact storage and security



# **Modular Drawer Cabinets**

Organize everything from the smallest hardware and jewelry to large motors and sporting equipment. Every heavy-duty Equipto Modular Drawer Cabinet is engineered and manufactured with exacting precision for years of rugged use. The optional lock keeps your items secure. Utilize "more than one drawer accessibility"

Industrial, Military, Educational, Institutional, Automotive; no matter what your application, Equipto modular drawer cabinets save space, time and money!

#### Applies to 30" and wider cabinets


- Organized
- Fast retrieval
- · Save time
- · High density
- · Rugged 12 gauge steel frames
- · Up to 400 lb. drawer capacity
- · Protect valuable tools
- · Centralized control of equipment
- No assembly
- · Custom units
- · Cabinet lock and key are optional (pg. 62)

Each drawer is ribbed and slotted (3/4" centers) over the length and width of the drawer. Convenient numbered spacings simplify installation of partitions, and label holders permit quick identification of drawer contents. When fully extended, 100% of the drawer clears frame to allow unobstructed viewing of entire drawer contents. The interchangeability of drawer partitions and dividers permits changing drawer interiors easily - as you need to, and in unlimited patterns.









10-gauge side channels form a • solid rail for mounting drawers.


Two positive-gravity stops riveted . to each drawer carriage.


Adjustable channels permit flexibility in drawer arrangements and heights.

Independent, full extension carriage for each drawer; when fully extended, 100% of drawer clears frame.

"Z" shaped tracks on drawer edges are welded and wrapped under drawer bottom for superior durability.

Drawer suspensions glide on 6 ball bearings and 4 steel idler rollers to assure smooth, easy operation.







An integral fork lift base consisting of two 13/4" x 6" lifting channels arc-welded to the frame itself, permits inserting truck forks into wide channels for safe, easy transport of cabinets - even when fully loaded!

#### **Anchor bolt**

These bolting options allow you to anchor a modular drawer cabinet to either concrete or wood floors.

Part N	lo.	Description		
MDC-CFAK		concrete anchor bolts		
MDC-\	NFAK	wood anchor bolts		





MDC-WFAK

Note: Newly designed 367/8" drawers with enhanced 200-lb. and 400-lb. drawer slides no longer include carriages.



## EQUIPTO

# 221/2" Wide Modular Drawer Cabinets

- 200 lbs. capacity per drawer (for 400 lb. capacity option contact Equipto)
- Smooth, quiet drawer operation
- One piece welded frames
- Fork lift channels on base of cabinet
- Each unit includes 2 lifting base covers (218909F)
- Cabinet lock and key are optional (pg. 62)
- Electrostatic dissipative paint available
- 273/4" deep
- Drawer interior useable dimension is 183/4" W x 251/8" D

#### 221/2" Wide Modular Drawer Cabinets - Preconfigured Units



**Model 4294** 

#### 22<sup>1/2</sup>" W x 27<sup>3/4</sup>" D x 29" H



Drawer/Dividers included (8) 3"h "H" Type Order #4260 for unit without divider kits.\*



4261H

Drawer/Dividers included (2) 3"h "H" Type (4) 4.5"h "H" Type Order #4261 for unit without divider kits.\*



Drawer/Dividers included (2) 3"h "H" Type (1) 6"h "H" Type (1) 12"h "H" Type Order #4262 for unit without divider kits.\*



Drawer/Dividers included (1) 4.5"h "H" Type (2) 6"h "H" Type (1) 7.5"h "H" Type Order #4263 for unit without divider kits.\*



Drawer/Dividers included (4) 4.5"h "H" Type (1) 6"h "H" Type Order #4264 for unit without divider kits.\*

#### 221/2" W x 273/4" D x 331/2"H



4270H

Drawer/Dividers included (8) 3"h "H" Type (1) 4.5"h "H" Type Order #4270 for unit without divider kits\*



4271H

Drawer/Dividers included (2) 3"h "H" Type (5) 4.5"h "H" Type Order #4271 for unit without divider kits.\*



Drawer/Dividers included (1) 3"h "H" Type (1) 6"h "H" Type (1) 7.5"h "H" Type

(1) 12"h "H" Type Order #4272 for unit without divider kits.\*



4273H

Drawer/Dividers included (1) 3"h "H" Type (3) 4.5"h "H" Type (2) 6"h "H" Type Order #4273 for unit

without divider kits.\*



4274H

Drawer/Dividers included (5) 4.5"h "H" Type (1) 6"h "H" Type Order #4274 for unit without divider kits.\*

#### **Drawer divider options**

\*This 221/2" wide pre-engineered modular drawer unit is also available with either all D, G, or H divider kits (see page 44). To specify, simply add the letter suffix after the first four digits of cabinet model number when ordering. Drop any following digits. Ex: 4420 becomes 4420D.





#### 4280-01

Drawer/Dividers included (6) 3"h "E" Type (7) 3"h "G" Type Order #4280 for unit without divider kits.\*



#### 4285-01

Drawer/Dividers included (1) 7.5"h "E" Type

- (1) 9"h "G" Type
- (1) 10.5"h "G" Type
- (1) 12"h "K" Type

Order #4285 for unit without divider kits.



#### 4281-01

Drawer/Dividers included (1) 3"h "E" Type (3) 4.5"h "E" Type (5) 4.5"h "G" Type Order #4281 for unit without divider kits.\*



#### 4286-01

Drawer/Dividers included
(3) 4.5"h "E" Type
(3) 6"h "G" Type
(1) 7.5"h "H" Type
Order #4286 for unit
without divider kits.



#### 4282-01

Drawer/Dividers included (1) 3"h "E" Type (3) 6"h "G" Type (3) 6"h "H" Type Order #4282 for unit without divider kits.\*



#### 4287-01

Drawer/Dividers included (3) 4.5"h "E" Type (3) 4.5"h "G" Type (1) 12"h "K" Type Order #4287 for unit without divider kits.



#### 4283-01

Drawer/Dividers included (1) 7.5"h "H" Type (3) 3"h "E" Type (5) 4.5"h "G" Type Order #4283 for unit without divider kits\*



#### 4284-01

Drawer/Dividers included
(3) 3"h "E" Type
(1) 4.5"h "E" Type
(1) 6"h "G" Type
(1) 7.5"h "G" Type
(1) 12"h "K" Type

Order #4284 for unit without divider kits.\*



#### 4288-01

Drawer/Dividers included (2) 9"h "G" Type (2) 10.5"h "H" Type Order #4288 for unit without divider kits.

#### 221/2" W x 273/4" D x 59" H



#### 4290-01

Drawer/Dividers included (9) 3"h "E" Type (9) 3"h "G" Type Order #4290 for unit without divider kits\*



#### 4291-01

Drawer/Dividers included (4) 4.5"h "E" Type (4) 4.5"h "G" Type (4) 4.5"h "H" Type Order #4291 for unit without divider kits.\*



#### 4292-01

Drawer/Dividers included (3) 6"h "E" Type (6) 6"h "G" Type Order #4292 for unit without divider kits\*



#### 4293-01

Drawer/Dividers included (5) 3"h "E" Type (7) 4.5"h "G" Type (1) 7.5"h "G" Type Order #4293 for unit without divider kits\*



#### 4294-01

Drawer/Dividers included
(3) 3"h "E" Type
(3) 4.5"h "G" Type
(2) 6"h "G" Type
(1) 7.5"h "H" Type
(1) 12"h "K" Type
Order #4294 for unit
without divider kits\*

#### **Drawer divider options**

\*This 22<sup>1/2</sup>" wide pre-engineered modular drawer unit is also available with either all D, G or H divider kits. To specify, simply add the letter suffix after the first four digits of cabinet model number when ordering. Drop any following digits. Ex: 4290-01 becomes 4290D.



#### 221/2" W x 273/4" D x 59" H



4295-01
Drawer/Dividers included
(2) 7.5"h "E" Type
(4) 7.5"h "G" Type
(1) 9"h "H" Type
Order #4295 for unit
without divider kits\*



4296-01
Drawer/Dividers included
(3) 4.5"h "E" Type
(3) 6"h "H" Type
(3) 7.5"h "H" Type
Order #4296 for unit
without divider kits.\*



4297-01
Drawer/Dividers included
(5) 6"h "G" Type
(2) 7.5"h "H" Type
(1) 9"h "H" Type
Order #4297 for unit
without divider kits\*



4298-01
Drawer/Dividers included
(1) 4.5"h "E" Type
(3) 6"h "G" Type
(3) 7.5'h "E" Type
(1) 9'h "E" Type
Order #4298 for unit
without divider kits\*

#### **Customizing a Modular Drawer Cabinet**

#### 221/2" Wide Modular Drawer Cabinets - Components

To customize an Equipto Modular Drawer Cabinet, first select a housing from the following options:

29" High, 331/2" High, 38" High, 44" High or 59" High

#### 200 lbs. Housings (for 400 lbs. add an H to end of part #)

			Total Drawer	Use with 400 lbs. cab.
Part No.	Height	Points	Height Value	Door Kits Part No.
4269	29"	80	24"	4269H - SWD
4279	331/2"	95	281/2"	4279H - SWD
4228	38"	110	33"	4228H - SWD
4289	44"	130	39"	4289H - SWD
4299	59"	180	54"	4299H - SWD

#### All housings are 221/2" Wide & 273/4" Deep, 200 lb. Capacity











# 1

#### Lock-in feature

RH Only (Add RH to Base Part Number – Ex: 8623-10 = 8623RH)


#### Select The Drawers You Want To Put In The Housing.



(Keeping in mind the simple point system, in which the summation of the individual drawer points must equal the total points for the cabinet housing.)

Interior useable dimensions on all drawers is 183/4" W x 251/8" D

Drawers - 200 lbs. Capacity per drawer (for 400 lbs. drawers add an H before "-" in part #. Ex. 8623H-10, must be used with 400 lbs. housing)



#### Select divider sets for each drawer

Points: 30


that will help you maximize your storage space within each drawer.


Divider Sets are optional, and are not required to order a cabinet.


200 lbs. Divider kits - 221/2" wide - all dividers are smooth office gray in color (for 400 lbs. add an H to end of part #. Only 3"-71/2"H available)

Points: 35

Divider Set	For 3" High Drawer	For 4 <sup>1/2</sup> " High Drawer	For 6" and 7 <sup>1/2</sup> " High Drawers	For 9" and 10 <sup>1/2</sup> " High Drawers	For 12" High Drawer	No. of Compartments
Type D	4163D10	4164D15	4165D20	4167D30	4169D40	17
Type E	4163E10	4164E15	4165E20	4167E30	4169E40	16
Type G	4163G10	4164G15	4165G20	4167G30	4169G40	9
Туре Н	4163H10	4164H15	4165H20	4167H30	4169H40	6
Type K	4163K10	4164K15	4165K20	4167K30	4169K40	4









Points: 40



# 30" Wide Modular Drawer Cabinets

- 400 pound capacity drawers
- 100% drawer extension
- · One piece welded frames
- · Fork lift channels on base of cabinet
- Each unit includes 2 lift base covers
- Cabinet lock and key are optional (pg. 62)
- 273/4" Deep
- · Dividers are smooth office gray
- Drawer interior useable dimension is 25<sup>1/8</sup> W x 25<sup>1/8</sup> D



Model 4431

#### 30" Wide Modular Drawer Cabinets - Preconfigured Units

4440H

Drawer/Dividers included (8) 3"h "H" Type Order #4440 for unit without divider kits.\*



4441H

Drawer/Dividers included (2) 3"h "H" Type (4) 4.5"h "H" Type Order #4441 for unit without divider kits\*



30" W x 273/4" D x 29" H

4442H

Drawer/Dividers included
(2) 3"h "H" Type
(1) 6"h "H" Type
(1) 12"h "H" Type
Order #4442 for unit
without divider kits\*



4443H

Drawer/Dividers included (1) 4.5"h "H" Type (2) 6"h "H" Type (1) 7.5"h "H" Type Order #4443 for unit without divider kits.\*



4444H

Drawer/Dividers included (4) 4.5"h "H" Type (1) 6"h "H" Type Order #4444 for unit without divider kits\*

#### 30" W x 273/4" D x 331/2" H



4430H

Drawer/Dividers included (8) 3"h "H" Type (1) 4.5"h "H" Type Order #4430 for unit without divider kits.\*



4431H

Drawer/Dividers included (2) 3"h "H" Type (5) 4.5"h "H" Type Order #4431 for unit without divider kits\*



4432H

Drawer/Dividers included (1) 3"h "H" Type (1) 6"h "H" Type (1) 7.5"h "H" Type (1) 12"h "H" Type Order #4432 for unit without divider kits.\*



4433H

Drawer/Dividers included (1) 3"h "H" Type (3) 4.5"h "H" Type (2) 6"h "H" Type Order #4433 for unit without divider kits\*



4434H

Drawer/Dividers included (5) 4.5"h "H" Type (1) 6"h "H" Type Order #4434 for unit without divider kits.\*

#### 30" W x 273/4" D x 38" H



443038-512-01

Drawer/Dividers included (5) 3"h "N" Type (1) 4.5"h "R" Type (1) 6.75"h "R" Type (1) 6.75"h "E" Type (1) 6.75"h "E" Type

Order #443038-512MT for unit without divider kits.



443038-412-01

Drawer/Dividers included
(4) 3"h "N" Type
(1) 4.5"h "R" Type
(1) 7.5"h "E" Type
(1) 9"h "F" Type
Order #443038-412MT

for unit without divider kits



443038-042-01

Drawer/Dividers included (4) 4.5"h "N" Type (2) 7.5"h "N" Type Order #443038-042MT for unit without divider kits.



443038-005-01

Drawer/Dividers included (1) 6"h "E" Type (4) 6.75"h "E" Type Order #443038-005MT for unit without divider kits.



443038-11D-N

Drawer/Dividers included (2) 4.5"h "N" Type (1) 24"h Flush Cabinet Door Order #443038-11DMT for unit without divider kits.

#### **Drawer divider options**

\*This 30" wide pre-engineered modular drawer unit is also available with either all A, B, C, D, E, F, G, H, K, L, M, N, P, R, or S divider kits (See page 49). To specify, simply add the letter suffix after the first four digits of cabinet model number when ordering. Drop any following digits. Ex: 4420-01 becomes 4420D.





4410-01

Drawer/Dividers included (3) 3"h "C" Type (6) 3"h "E" Type (4) 3"h "P" Type Order #4410 for unit

without divider kits\*



#### 4411-01

Drawer/Dividers included (1) 3"h "C" Type

(3) 4.5"h "E" Type (2) 4.5"h "G" Type

(3) 4.5"h "P" Type

Order #4411 for unit without divider kits.\*



#### 4412-01

Drawer/Dividers included

(1) 3"h "E" Type

(3) 6"h "R" Type

(3) 6"h "S" Type

Order #4412 for unit without divider kits\*



#### 4413-01

Drawer/Dividers included

(1) 3"h "B" Type

(2) 3"h "E" Type

(3) 4.5"h "F" Type

(2) 4.5"h "P" Type

(1) 7.5"h "G" Type Order #4413 for unit

without divider kits.\*



4414-01

Drawer/Dividers included

(3) 3"h "C" Type

(1) 4.5"h "E" Type

(1) 6"h "F" Type

(1) 7.5"h "S" Type

(1) 12"h "L" Type

Order #4414 for unit

without divider kits.\*



#### 4415-01

Drawer/Dividers included

(1) 7.5"h "F" Type

(1) 9"h "G" Type

(1) 10.5"h "G" Type

(1) 12"h "H" Type

Order #4415 for unit without divider kits.\*



#### 4416-01

Drawer/Dividers included

(3) 4.5"h "P" Type

(3) 6"h "G" Type

(1) 7.5"h "S" Type

Order #4416 for unit without divider kits.



4417-01

Drawer/Dividers included

(3) 4.5"h "E" Type

(3) 4.5"h "F" Type

(1) 12"h "K" Type

Order #4417 for unit without divider kits.



4418-01

Drawer/Dividers included

(2) 9"h "S" Type

(2) 10.5"h "H" Type

Order #4418 for unit

without divider kits.

#### 30" W x 27<sup>3/4</sup>" D x 59" H



#### 4420-01

Drawer/Dividers included

(3) 3"h "C" Type

(5) 3"h "E" Type

(5) 3"h "F" Type

(5) 3"h "N" Type Order #4420 for unit without divider kits.\*



4421-01

Drawer/Dividers included (4) 4.5"h "E" Type

(4) 4.5"h "F" Type

(4) 4.5"h "G" Type

Order #4421 for unit without divider kits.\*



4422-01

Drawer/Dividers included (9) 6"h "G" Type Order #4422 for unit without divider kits.\*



#### 4423-01

Drawer/Dividers included

(2) 3"h "C" Type

(3) 3"h "N" Type

(3) 4.5"h "E" Type

(4) 4.5"h "F" Type

(1) 7.5"h "G" Type

Order #4423 for unit without divider kits.\*



4424-01

Drawer/Dividers included

(3) 3"h "C" Type

(3) 4.5"h "E" Type

(2) 6"h "G" Type

(1) 7.5"h "S" Type

(1) 12"h "L" Type

Order #4424 for unit without divider kits.\*

#### **Drawer divider options**

\*This 30" wide pre-engineered modular drawer unit is also available with either all A, B, C, D, E, F, G, H, K, L, M, N, P, R, or S divider kits (See page 49). To specify, simply add the letter suffix after the first four digits of cabinet model number when ordering. Drop any following digits. Ex: 4420-01 becomes 4420D.



#### 30" W x 273/4" D x 59" H (400 lb. Capacity per drawer)



4425-01
Drawer/Dividers included
(4) 7.5"h "F" Type
(2) 7.5"h "P" Type
(1) 9"h "S" Type
Order #4425 for unit
without divider kits.



4426-01 Drawer/Dividers included (1) 4.5"h "E" Type (2) 4.5"h "F" Type (3) 6"h "F" Type (2) 7.5"h "G" Type (1) 7.5"h "H" Type Order #4426 for unit

without divider kits.



4427-01
Drawer/Dividers included
(3) 6"h "F" Type
(2) 6"h "G" Type
(2) 7.5"h "S" Type
(1) 9"h "H" Type
Order #4427 for unit
without divider kits.



4428-01
Drawer/Dividers included
(1) 4.5"h "E" Type
(3) 6"h "R" Type
(3) 7.5"h "G" Type
(1) 9"h "S" Type
Order #4428 for unit
without divider kits.

#### **Customizing a Modular Drawer Cabinet**

#### 30" Wide Modular Drawer Cabinets - Components

To customize an Equipto Modular Drawer Cabinet, first select a housing from the following options:

29" High, 331/2" High, 38" High, 44" High or 59" High

#### Housings

Part No.	Height	Points	Total Drawer Height Value
4439	29"	80	24"
4429	331/2"	95	281/2"
4238	38"	110	33"
4409	44"	130	39"
4419	59"	180	54"

#### All housings are 30"W & 273/4"D











4419
(4419PTF has holes punched in top to stack a smaller cabinet. Use stacking hardware 7751-4.)

#### Lock-in Lock-out feature

RH and LH (Add RH or LH to Base Part Number – Ex: 8623-10 = 8623RH)



#### Select The Drawers You Want To Put In The Housing.


(Keeping in mind the simple point system, in which the summation of the individual drawer points must equal the total points for the cabinet housing.) Drawer interior useable dimension is  $25^{1/8}$  W x  $25^{1/8}$  D

#### **Drawers (400 lbs. Capacity per drawer)**









Part No.	Part No.	Part No.	Part No.
8633-10	8633T-12.5	8634-15	8634T-17.5
Height	Height	Height	Height
Front: 3"	Front: 3 <sup>3/4</sup> "	Front: 4 <sup>1/2"</sup>	Front: 5 <sup>1/4</sup> "
Body: 2 <sup>1/8</sup> "	Body: 2 <sup>1/8</sup> "	Body: 3 <sup>1/8</sup> "	Body: 31/8"
Useable: 21/4"	Useable: 3"	Useable: 33/4"	Useable: 41/2"
Points: 10	Points: 12.5	Points: 15	Points: 17.5










rait No.	rait NO.	Fait No.	rait No.
8635-20	8635T-22.5	8636-25	8636T-27.5
Height	Height	Height	Height
Front: 6"	Front: 6 <sup>3/4</sup> "	Front: 7 <sup>1/2</sup> "	Front: 81/4"
Body: 4 <sup>5/8</sup> "	Body: 4 <sup>5/8"</sup>	Body: 4 <sup>5/8</sup> "	Body: 4 <sup>5/8"</sup>
Useable: 51/4"	Useable: 6"	Useable: 63/4"	Useable: 71/2"
Points: 20	Points: 22.5	Points: 25	Points: 27.5









Part No.	Part No.	Part No.	Part No.
8637-30	8637T-32.5	8638-35	8638T-37.5
Height	Height	Height	Height
Front: 9"	Front: 93/4"	Front: 10 <sup>1/2</sup> "	Front: 11 <sup>1/4</sup> "
Body: 4 <sup>5/8</sup> "	Body: 4 <sup>5/8</sup> "	Body: 4 <sup>5/8</sup> "	Body: 4 <sup>5/8</sup> "
Useable: 81/4"	Useable: 9"	Useable: 93/4"	Useable: 10 <sup>1/2</sup> "
Points: 30	Points: 32.5	Points: 35	Points: 37.5

# EQUIPTO









Part No.	Part No.	Part No.	Part No.		
8639-40*	8639T-42.5	8640-45	8640T-47.5*		
Height	Height	Height	Height		
Front: 12"	Front: 12 <sup>3/4</sup> "	Front: 13 <sup>1/2</sup> "	Front: 14 <sup>1/4</sup> "		
Body: 4 <sup>5/8</sup> "	Body: 4 <sup>5/8</sup> "	Body: 4 <sup>5/8</sup> "	Body: 4 <sup>5/8</sup> "		
Useable: 111/4"	Useable: 12"	Useable: 123/4"	Useable: 13 <sup>1/2</sup> "		
Points: 40	Points: 42.5	Points: 45	Points: 47.5		
*Replace "-" with "HF" to get hanging file brackets					


#### Select divider sets for each drawer

that will help you maximize your storage space within each drawer. Divider Sets are optional, and are not required to order a cabinet. Dividers are smooth office gray in color.


Divider kits - 30" wide


Divider Set	For 3" High Drawer	For 4 <sup>1/2</sup> " High Drawer	For 6" High and Up Drawer
Type A	4133A10	4134A15	4135A20
Type B	4133B10	4134B15	4135B20
Type C	4133C10	4134C15	4135C20
Type D	4133D10	4134D15	4135D20
Type E	4133E10	4134E15	4135E20
Type F	4133F10	4134F15	4135F20
Type G	4133G10	4134G15	4135G20
Туре Н	4133H10	4134H15	4135H20
Type K	4133K10	4134K15	4135K20
Type L	4133L10	4134L15	4135L20
Type M	4133M10	4134M15	4135M20
Type N	4133N10	4134N15	4135N20
Type P	4133P10	4134P15	4135P20
Type R	4133R10	4134R15	4135R20
Type S	4133S10	4134S15	4135S20























В






















# 367/8" Wide Modular Drawer Cabinets

- Use these modular drawer cabinets to organize more of your items in less floor space.
- High quality welded steel construction
- · Precision engineered
- · Each unit comes with one lift base cover (#6839)
- · 100% drawer extension
- · Saves time
- · Cabinet lock and key are optional (pg. 62)
- · Choose from 200 or 400 lb. Drawers
- Drawer interior dimensions: 19" 31<sup>7/16</sup>"W x 16<sup>3/8</sup>"D

25" - 31<sup>7/16</sup>"W x 22"D

To order Heavy Duty 400 pound capacity drawers, replace "N" with "H" in catalog number.

#### 367/8" Wide Modular Drawer Cabinets - Preconfigured Units

#### 36<sup>7/8</sup>" W x 19 or 25" D x 44" H



S4330D18N (19"D) S4330D24N (25"D) Drawer/Dividers included (13) 3"h "D" Type Order #S4330-24N or S4330-18N for unit without divider kits.\*



S4331D18N (19"D) S4331D24N (25"D) Drawer/Dividers included (1) 3"h "D" Type (8) 4.5"h "D" Type Order #S4331-24N or S4331-18N for unit without divider kits\*



S4332D18N (19"D) S4332D24N (25"D) Drawer/Dividers included (1) 3"h "D" Type (6) 6"h "D" Type Order #S4332-24N or S4332-18N for unit without divider kits\*



S4333D24N (25"D)
Drawer/Dividers included
(3) 3"h "D" Type
(5) 4.5"h "D" Type
(1) 7.5"h "D" Type
Order #S4333-24N or
S4333-18N for unit
without divider kits\*

S4333D18N (19"D)



\$4334D18N (19"D) \$4334D24N (25"D) Drawer/Dividers included (3) 3"h "D" Type (1) 4.5"h "D" Type (1) 6"h "D" Type (1) 7.5"h "D" Type (1) 12"h "D" Type (1) 12"h "D" Type Order #\$4334-24N or \$4334-18N for unit without divider kits\*

#### 36<sup>7/8</sup>" W x 19 or 25" D x 59" H



S4340D24N (25"D)
Drawer/Dividers included (18) 3"h "D" Type
Order #S4340-24N or
S4340-18N for unit without divider kits\*

S4340D18N (19"D)



S4341D18N (19"D) S4341D24N (25"D) Drawer/Dividers included (12) 4.5"h "D" Type Order #S4341-24N or S4341-18N for unit without divider kits\*



S4342D18N (19"D) S4342D24N (25"D) Drawer/Dividers included (9) 6"h "D" Type Order #S4342-24N or S4342-18N for unit without divider kits.\*



S4343D24N (25"D)
Drawer/Dividers included (5) 3"h "D" Type (7) 4.5"h "D" Type (1) 7.5"h "D" Type
Order #S4343-24N or S4343-18N for unit without divider kits\*

S4343D18N (19"D)



\$4344D18N (19"D) \$4344D24N (25"D) Drawer/Dividers included (3) 3"h "D" Type (3) 4.5"h "D" Type (2) 6"h "D" Type (1) 7.5"h "D" Type (1) 12"h "D" Type Order #\$4344-24N or \$4344-18N for unit without divider kits\*

#### **Drawer divider options**

\*367/8" wide pre-engineered modular drawer units are also available with either all D, E, F or H divider kits.

To order, change "D" in part number to desired divider kit letter. \*\*Above units feature Quiet Ride™ 200 pound capacity drawers.

To order Heavy Duty 400 pound capacity drawers, replace "N" with "H" in catalog number.

#### **Customizing a Modular Drawer Cabinet**

#### 367/8" W x 19" or 25" D Modular Drawer Cabinets - Components

To customize an Equipto Modular Drawer Cabinet, first select a housing from the following options:

29" High, 331/2" High, 38" High, 44" High or 59" High

#### Housings 19" Deep

			Total Drawer		
Part No.	Height	Points	Height Value		
4309-18	29"	80	24"		
4319-18	331/2"	95	281/2"		
4359-18	38"	110	33"		
4329-18	44"	130	39"		
4339-18	59"	180	54"		
Useable drawer space is 317/16" W x 163/8" D					


#### Housings 25" Deep

			<b>Total Drawer</b>
Part No.	Height	Points	Height Value
4309-24	29"	80	24"
4319-24	331/2"	95	281/2"
4359-24	38"	110	33"
4329-24	44"	130	39"
4339-24	59"	180	54"
Useable dr	awer spac	e is 317/1	6" W x 22" D

All housings are 367/8" Wide & 19 or 25" Deep











4359-18/4359-24 4329-18/4329-24



#### Lock-in Lock-out feature - call Equipto Customer Service

#### Select The Drawers You Want To Put In The Housing.

(Keeping in mind the simple point system, in which the summation of the individual drawer points must equal the total points for the cabinet housing.)

#### **Drawers (400 lbs. Capacity per drawer)**

To order 200 pound capacity drawers, replace "H" with an "N" in catalog number.







Part No. 19"D	Part No. 25"D	Part No. 19"D	Part No. 25"D	Part No. 19"D	Part No. 25"D
S8603CH	S8610CH	S8604CH	S8611CH	S8605CH	S8612CH
Height	Height	Height	Height	Height	Height
Front: 3"	Front: 3"	Front: 4 <sup>1/2</sup> "	Front: 4 <sup>1/2</sup> "	Front: 6"	Front: 6"
Body: 21/8"	Body: 2 <sup>1/8</sup> "	Body: 3 <sup>1/8</sup> "	Body: 31/8"	Body: 4 <sup>5/8</sup> "	Body: 4 <sup>5/8</sup> "
Useable: 21/4"	Useable: 21/4"	Useable: 33/4"	Useable: 33/4"	Useable: 51/4"	Useable: 51/4"
Points: 10	Points: 10	Points: 15	Points: 15	Points: 20	Points: 20











Part No. 19"D	Part No. 25"D	Part No. 19"D	Part No. 25"D	Part No. 19"D	Part No. 25"D
S8606CH	S8613CH	S8601CH	S8615CH	S8602CH	S8616CH
Height	Height	Height	Height	Height	Height
Front: 7 <sup>1/2</sup> "	Front: 7 <sup>1/2</sup> "	Front: 9"	Front: 9"	Front: 10 <sup>1/2</sup> "	Front: 10 <sup>1/2</sup> "
Body: 4 <sup>5/8</sup> "	Body: 4 <sup>5/8</sup> "	Body: 7 <sup>5/8</sup> "	Body: 7 <sup>5/8</sup> "	Body: 7 <sup>5/8</sup> "	Body: 7 <sup>5/8</sup> "
Useable: 63/4"	Useable: 63/4"	Useable: 81/4"	Useable: 81/4"	Useable: 93/4"	Useable: 93/4"
Points: 25	Points: 25	Points: 30	Points: 30	Points: 35	Points: 35
1 011110. 20	1 01110. 20	i dinto. oo	1 011110. 00	1 01110. 00	1 011110. 00





Part No. 19"D	Part No. 25"D	Part No. 19"D	Part No. 25"D
S8607CH*	S8614CH	S8608CH	S8617CH
Height	Height	Height	Height
Front: 12"	Front: 12"	Front: 13 <sup>1/2</sup> "	Front: 13 <sup>1/2</sup> "
Body: 10 <sup>5/8</sup> "	Body: 10 <sup>5/8</sup> "	Body: 10 <sup>5/8</sup> "	Body: 10 <sup>5/8</sup> "
Useable: 11 <sup>1/4</sup> "	Useable: 111/4"	Useable: 123/4"	Useable: 123/4"
Points: 40	Points: 40	Points: 45	Points: 45

<sup>\*</sup>Order S8607FC for drawer including 8860 file hanger

#### Select divider sets for each drawer


that will help you maximize your storage space within each drawer.

Divider Sets are optional, and are not required to order a cabinet.

All dividers are smooth office gray in color.


#### Divider kits - 19" deep, 36" wide

Divider Set	For 3" High Drawer	For 4 <sup>1/2</sup> " High Drawer	For 6" High and Up Drawer
Type D	4173D10	4174D15	4175D20
Type F	4173F10	4174F15	4175F20
Туре Н	4173H10	4174H15	4175H20



#### Divider kits - 25" deep, 36" wide

Divider Set	For 3" High Drawer	For 4 <sup>1/2</sup> " High Drawer	For 6" High and Up Drawer
Type D	4183D10	4184D15	4185D20
Type F	4183F10	4184F15	4185F20
Type H	4183H10	4184H15	4185H20



#### EQUIPTO

## 45" Wide Modular Drawer Cabinets

- · Use these modular drawer cabinets to organize more of your items in less floor space.
- · High quality welded steel construction
- Precision engineered
- Each unit includes one lifting base cover (#6841)
- · 400 pound capacity per drawer
- 100% drawer extension
- Saves time
- · Cabinet lock and key are optional (pg. 62)
- Useable interior drawer space is 40<sup>1/8</sup>"W x 25<sup>1/8</sup>"D



Model 4484

#### 45" Wide Modular Drawer Cabinets - Preconfigured Units

#### 45" W x 273/4" D x 38" H



#### 444538-512-01

Drawer/Dividers included (5) 3"h "C" Type (1) 4.5"h "C" Type

(1) 6.75"h "C" Type (1) 6.75"h "E" Type

Order #444538-512MT for unit without divider kits.



#### 444538-113-01

Drawer/Dividers included (1) 3"h "C" Type

(1) 4.5"h "C" Type

(1) 6"h "E" Type

(1) 9"h "E" Type

(1) 10.5"h "F" Type Order #444538-113MT

for unit without divider kits



#### 444538-999-01

Drawer/Dividers included (1) 3"h "C" Type

(1) 4.5"h "C" Type

(1) 6"h "C" Type

(1) 6.75"h "E" Type

(1) 12.75"h "F" Type Order #444538-999MT for unit without divider kits.

#### 444538-004-01

Drawer/Dividers included (2) 8.25"h "E" Type

(1) 8.25"h "C" Type

(1) 8.25"h "H" Type Order #444538-004MT

for unit without divider kits.



#### 444538-11D-E

Drawer/Dividers included

(1) 3"h "E" Type

(1) 4.5"h "E" Type

(1) 24"h Flush Cabinet Door has a 5 point security channel Order #444538-11DMT for unit without divider kits.

#### 45" W x 273/4" D x 44" H



#### 4470H\*

Drawer/Dividers included (13) 3"h "H" Type Order #4470 for unit without divider kits.



#### 4471H\*

Drawer/Dividers included (1) 3"h "H" Type (8) 4.5"h "H" Type Order #4471 for unit without divider kits.



#### 4472H\*

Drawer/Dividers included (1) 3"h "H" Type (6) 6"h "H" Type Order #4472 for unit without divider kits.



#### 4473H\*

Drawer/Dividers included (3) 3"h "H" Type (5) 4.5"h "H" Type (1) 7.5"h "H" Type Order #4473 for unit without divider kits.



#### 4474H\*

Drawer/Dividers included (3) 3"h "H" Type

(1) 4.5"h "H" Type

(1) 6"h "H" Type

(1) 7.5"h "H" Type

(1) 12"h "H" Type

Order #4474 for unit without divider kits.

#### **Drawer divider options**

\*This 45" wide pre-engineered modular drawer unit is also available with either all D or H divider kits (See page 56). To specify, simply add the letter suffix after the first four digits of cabinet model number when ordering. Drop any following digits. Ex: 4480 becomes 4480D.





4480H\*
Drawer/Dividers included
(18) 3"h "H" Type
Order #4480 for unit
without divider kits.



4481H\*
Drawer/Dividers included
(12) 4.5"h "H" Type
Order #4481 for unit
without divider kits.



4482H\*
Drawer/Dividers included
(9) 6"h "H" Type
Order #4482 for unit
without divider kits.



4483H\*
Drawer/Dividers included
(5) 3"h "H" Type
(7) 4.5"h "H" Type
(1) 7.5"h "H" Type
Order #4483 for unit
without divider kits.



4484H\*
Drawer/Dividers included
(3) 3"h "H" Type
(3) 4.5"h "H" Type
(2) 6"h "H" Type
(1) 7.5"h "H" Type
(1) 12"h "H" Type
Order #4484 for unit without divider kits.

#### **Drawer divider options**

\*This 45" wide pre-engineered modular drawer unit is also available with either or all D or H divider kits (See page 56). To specify, simply add the letter suffix after the first four digits of cabinet model number when ordering. Drop any following digits. Ex: 4480 becomes 4480D.

#### **Customizing a Modular Drawer Cabinet**

#### 45" W x 273/4" D Modular Drawer Cabinets - Components


To customize an Equipto Modular Drawer Cabinet, first select a housing from the following options:

29" High,  $33^{1/2}$ " High, 38" High, 44" High or 59" High

#### Housings

			Total Drawer
Part No.	Height	Points	Height Value
44369-18	29"	80	24"
44369	331/2"	95	281/2"
4248	38"	110	33"
4469	44"	130	39"
4479	59"	180	54"

#### All housings are 45" Wide & 273/4" Deep



\*Add PTF to end of either 4469 or 4479 to get holes punched in the top for stacking units. Order stacking hardware 7751-4.



#### Lock-in Lock-out feature


RH & LH is available (Add RH to Base Part Number - Ex: 8643-10 to 8643-10RH)



#### Select The Drawers You Want To Put In The Housing.


(Keeping in mind the simple point system, in which the summation of the individual drawer points must equal the total points for the cabinet housing.) Useable interior drawer space is  $40^{1/8}$  W x  $25^{1/8}$  D


#### **Drawers (400 lbs. Capacity per drawer)**














Part No.	Part No.	Part No.	Part No.
8649-40	8649T-42.5	8650-45	8650T-47.5
Height	Height	Height	Height
Front: 12"	Front: 12 <sup>3/4</sup> "	Front: 13 <sup>1/2</sup> "	Front: 14 <sup>1/4</sup> "
Body: 4 <sup>5/8</sup> "	Body: 4 <sup>5/8</sup> "	Body: 4 <sup>5/8</sup> "	Body: 4 <sup>5/8</sup> "
Useable: 111/4"	Useable: 12"	Useable: 123/4"	Useable: 131/2"
Points: 40	Points: 42.5	Points: 45	Points: 47.5


#### Select divider sets for each drawer

that will help you maximize your storage space within each drawer. Divider Sets are optional, and are not required to order a cabinet. All dividers are smooth office gray in color.

## Divider kits - 45" wide

Divider Set	For 3" High Drawer	For 4 <sup>1/2"</sup> High Drawer	For 6" High and Up Drawer
Type C	4143C10	4144C15	4145C20
Type D	4143D10	4144D15	4145D20
Type E	4143E10	4144E15	4145E20
Type F	4143F10	4144F15	4145F20
Туре Н	4143H10	4144H15	4145H20













## EQUIPTO

## 60" Wide Modular Drawer Cabinets

- · Use these modular drawer cabinets to organize more of your items in less floor space.
- High quality welded steel construction
- Precision engineered
- Saves time

- · 400 pound capacity per drawer
- 100% drawer extension
- Cabinet lock and key are optional (pg. 62)
- · Each unit includes lifting base cover (#6835)



Model 4461

#### 60" Wide Modular Drawer Cabinets - Preconfigured Units

#### 60" W x 273/4" D x 38" H



#### 446038-222-01

Drawer/Dividers included (2) 3"h "C" Type

- (2) 4.5"h "C" Type
- (1) 7.5"h "C" Type
- (1) 10.5"h "F" Type
- Order #446038-222MT

for unit without divider kits.



#### 446038-004-E

Drawer/Dividers included (4) 8.25"h "E" Type Order #446038-004MT for unit without divider kits.



#### 446038-11D-E

Drawer/Dividers included

- (1) 3"h "E" Type
- (1) 4.5"h "E" Type
- (1) 24"h Flush Cabinet Door

has a 5 point security channel.

Order #446038-11DMT

for unit without divider kits.

#### 60" W x 273/4" D x 44" H



4450H

Drawer/Dividers included (13) 3"h "H" Type Order #4450 for unit without divider kits.\*



4451H

Drawer/Dividers included (1) 3"h "H" Type (8) 4.5"h "H" Type Order #4451 for unit without divider kits.\*



4452H

Drawer/Dividers included (1) 3"h "H" Type (6) 6"h "H" Type Order #4452 for unit without divider kits.\*



4453H

Drawer/Dividers included (3) 3"h "H" Type (5) 4.5"h "H" Type (1) 7.5"h "H" Type Order #4453 for unit

without divider kits.\*



#### 4454H

Drawer/Dividers included

- (3) 3"h "H" Type
- (1) 4.5"h "H" Type
- (1) 6"h "H" Type
- (1) 7.5"h "H" Type
- (1) 12"h "H" Type

Order #4454 for unit without divider kits.\*

#### **Drawer divider options**

\*This 60" wide pre-engineered modular drawer unit is also available with all C, D, E, F or H divider kits (See page 60). To specify, simply add the letter suffix after the first four digits of cabinet model number when ordering. Drop any following digits. Ex: 4480 becomes 4480D.



#### 60" W x 27<sup>3/4</sup>" D x 59" H



4460H
Drawer/Dividers included
(18) 3"h "H" Type
Order #4460 for unit
without divider kits.\*



4461H
Drawer/Dividers included
(12) 4.5"h "H" Type
Order #4461 for unit
without divider kits.\*



Drawer/Dividers included
(9) 6"h "H" Type
Order #4462 for unit
without divider kits\*



4463H
Drawer/Dividers included
(5) 3"h "H" Type
(7) 4.5"h "H" Type
(1) 7.5"h "H" Type
Order #4463 for unit
without divider kits\*



4464H
Drawer/Dividers included
(3) 3"h "H" Type
(3) 4.5"h "H" Type
(2) 6"h "H" Type
(1) 7.5"h "H" Type
(1) 12"h "H" Type
Order #4464 for unit
without divider kits\*

#### **Drawer divider options**

\*This 60" wide pre-engineered modular drawer unit is also available with either all D, E, F or H divider kits (See page 60). To specify, simply add the letter suffix after the first four digits of cabinet model number when ordering. Drop any following digits. Ex: 4480 becomes 4480D.



#### Lock-in Lock-out feature

RH & LH is available (Add RH to Base Part Number – Ex: 8643-10 to 8643-10RH. LH is available; use part number without "-suffix" at end instead – Ex. 8653LH)

#### **Customizing a Modular Drawer Cabinet**

#### 60" W x 273/4" D Modular Drawer Cabinets - Components


To customize an Equipto Modular Drawer Cabinet, first select a housing from the following options:

29" High, 331/2" High, 38" High, 44" High or 59" High

#### Housings

			Total Drawer
Part No.	Height	Points	Height Value
4458	29"	80	24"
4468	331/2"	95	281/2"
4258	38"	110	33"
4449	44"	130	39"
4459	59"	180	54"

#### All housings are 60" Wide & 273/4" Deep



\*Add PTF to end of either 4459 to get holes punched in the top for stacking another cabinet on top. Order stacking hardware 7751-4.



#### Select The Drawers You Want To Put In The Housing

(Keeping in mind the simple point system, in which the summation of the individual drawer points must equal the total points for the cabinet housing.) Useable interior drawer space is  $55^{1/8}$ ° W x  $25^{1/8}$ ° D

#### **Drawers (400 lbs. Capacity per drawer)**









Part No.	Part No.	Part No.	Part No.
8653-10	8653T-12.5	8654-15	8654T-17.5
Height	Height	Height	Height
Front: 3"	Front: 3 <sup>3/4</sup> "	Front: 4 <sup>1/2</sup> "	Front: 5 <sup>1/4</sup> "
Body: 2 <sup>1/8</sup> "	Body: 2 <sup>1/8</sup> "	Body: 3 <sup>1/8</sup> "	Body: 3 <sup>1/8</sup> "
Useable: 21/4"	Useable: 3"	Useable: 33/4"	Useable: 41/2"
Points: 10	Points: 12.5	Points: 15	Points: 17.5









Part No.	Part No.	Part No.	Part No.
8655-20	8655T-22.5	8656-25	8656T-27.5
Height	Height	Height	Height
Front: 6"	Front: 6 <sup>3/4</sup> "	Front: 7 <sup>1/2</sup> "	Front: 81/4"
Body: 4 <sup>5/8</sup> "	Body: 4 <sup>5/8</sup> "	Body: 4 <sup>5/8</sup> "	Body: 4 <sup>5/8</sup> "
Useable: 51/4"	Useable: 6"	Useable: 63/4"	Useable: 71/2"
Points: 20	Points: 22.5	Points: 25	Points: 27.5









Part No.	Part No.	Part No.	Part No.
8657-30	8657T-32.5	8658-35	8658T-37.5
Height	Height	Height	Height
Front: 9"	Front: 9 <sup>3/4</sup> "	Front: 10 <sup>1/2</sup> "	Front: 11 <sup>1/4</sup> "
Body: 4 <sup>5/8</sup> "	Body: 4 <sup>5/8</sup> "	Body: 4 <sup>5/8</sup> "	Body: 4 <sup>5/8</sup> "
Useable: 81/4"	Useable: 9"	Useable: 93/4"	Useable: 10 <sup>1/2</sup> "
Points: 30	Points: 32.5	Points: 35	Points: 37.5











Part No.	Part No.	Part No.	Part No.
8659-40	8659T-42.5	8660-45	8660T-47.5
Height	Height	Height	Height
Front: 12"	Front: 12 <sup>3/4</sup> "	Front: 13 <sup>1/2</sup> "	Front: 14 <sup>1/4</sup> "
Body: 4 <sup>5/8</sup> "	Body: 4 <sup>5/8</sup> "	Body: 4 <sup>5/8</sup> "	Body: 4 <sup>5/8</sup> "
Useable: 11 <sup>1/4</sup> "	Useable: 12"	Useable: 123/4"	Useable: 13 <sup>1/2</sup> "
Points: 40	Points: 42.5	Points: 45	Points: 47.5


#### Select divider sets for each drawer

that will help you maximize your storage space within each drawer. Divider Sets are optional, and are not required to order a cabinet. All dividers are smooth office gray in color.

Divider kits - 60" wide

Divider Set	For 3" High Drawer	For 4 <sup>1/2</sup> " High Drawer	For 6" High and Up Drawer
Type C	4153C10	4154C15	4155C20
Type D	4153D10	4154D15	4155D20
Type E	4153E10	4154E15	4155E20
Type F	4153F10	4154F15	4155F20
Туре Н	4153H10	4154H15	4155H20
















# **Modular Drawer Cabinet Accessories**

Accessorize your Equipto Modular Drawer Cabinets. Add dividers, quarter trays, locks, shelves, doors, work surfaces and more to maximize your Equipto System.

#### **Shelves**

Stationary or roll-out shelf to be used in conjunction with doors or hinged steel cover that fits flush over modular drawer. Available with optional lock for added drawer security.







	Part No.	Description	Use with:	
Α	8633RS	Steel cover – can't use with divider kits	8633 drawer	
	8634RS	Steel cover – can't use with divider kits	8634 drawer	
	8635RS	Steel cover – can't use with divider kits	8635 drawer	
	13106	Tumbler lock	Steel cover	
В	4403R0	30"W Roll-out concealed shelf	Flush door	
	4403R0-45	45"W Roll-out concealed shelf	Flush door	
	4403R0-60	60"W Roll-out concealed shelf	Flush door	
С	4403C	30"W Adjustable concealed shelf	Flush door	
	4403C-45	45"W Adjustable concealed shelf	Flush door	
	4403C-60	60"W Adjustable concealed shelf	Flush door	
	4405	30" W Stationary shelf (5 pts.)	External Mour	nt D
	4403RO-22H	1 22 ½"W 400 lbs. cab. only, Roll-out concealed shelf		F
	4403C-22H	22 1/2"W 400 lbs. cab. only, Adjustable	e concealed sh	nelf
	821122	22 1/2"W 200 lbs. cab. only, Adjustable	e concealed sh	nelf
	4403C-3618	36"W x 18"D Adjustable concealed s	helf	
	4403C-3624	36"W x 24"D Adjustable concealed s	helf	S
	7751-4	Hardware for stacking Modular Draw	er Cabinets	F
	MDCH-CAB	Hardware for connecting side-by-sid	e cabinets	F
		(drilling required)		1
_	•			

#### Door assemblies

Use flush mount doors in conjunction with concealed shelves or use swinging door assemblies over entire cabinet front.

#### Swinging doors (External mount)

Part No.	For Cabinet	
4401	44" H x 30" W	
4402	59" H x 30" W	
4402-36	59" H x 36" W	

#### Solid hardwood laminated top

Create an excellent work surface or counter top by adding a solid hardwood laminated top to any modular drawer cabinet.

Depth x Length	Part No.
30" x 30"	441-3W
30" x 60"	441-5W
30" x 72"	441-6W

#### Additional Tops

Additional 10	Additional Tops		
445-30SSW4	Stainless - 30" W x 273/4" D		
441-3B	Bonded Wood - 30" W x 30" D		
445-30SSW4	stainless steel w/ wood core - 27 3/4"D x 30"W x 3/4" thick		
445-45SSW4	stainless steel w/ wood core - 27 3/4"D x 45"W x 3/4" thick		
445-90SSW4	stainless steel w/ wood core - 27 3/4"D x 90"W x 3/4" thick		
MDCC-222S	stainless steel "skin" cover for (1) 221/2" 200 lb. wide cabinets		
MDCC-224S	stainless steel "skin" cover for (1) 221/2" 400 lb. wide cabinets		
MDCC-30S	stainless steel "skin" cover for (1) 30" wide cabinet		
MDCC-230S	stainless steel "skin" cover for (2) 30" wide cabinets		
MDCC-330S	stainless steel "skin" cover for (3) 30" wide cabinets		
MDCC-430S	stainless steel "skin" cover for (4) 30" wide cabinets		
MDCC-45S	stainless steel "skin" cover for (1) 45" wide cabinet		
MDCC-245S	stainless steel "skin" cover for (2) 45" wide cabinets		
MDCC-60S	stainless steel "skin" cover for (1) 60" wide cabinet		
MDCC-260S	stainless steel "skin" cover for (2) 60" wide cabinets		

<sup>\*</sup>Stainless skin covers are a cost-effective alternative when stainless steel is preferred, but the wood core is not required.

A standard color chart is available at the beginning of each section with a more detailed one on page 141.



Flush mount (221/2"W Swinging doors - Hush mount (22 - vv available on page 43)

For Cabinet			
Part No.	Width	Height	Points
1 Door			
4197-19	30"	191/2"	65
4197-22	30"	221/2"	75
4197-24	30"	24"	80
4197-28	30"	281/2"	95
4197-33	30"	33"	110
4197-39	30"	39"	130
4197-54	30"	54"	180
4309SWD	36"	24"	80

2 Doors			
44369-18SWD	45"	24"	80
44369SWD	45"	281/2"	95
4248SWD	45"	33"	110
4469SWD	45"	39"	130
4479SWD	45"	54"	180
4045	45"	Security Channel*	5
4458SWD	60''	24"	80
4468SWD	60''	281/2"	95
4258SWD	60''	33"	110
4449SWD	60''	39"	130
4459SWD	60''	54"	180
4060	60"	Security Channel*	5
4101SLD	4101SLD Swinging Door Padlock Option		

<sup>\*</sup>A security channel is required when a double door is mounted beneath.



#### Equipto's distinct line of Modular Drawer Cabinets represents a true system-within-a-system.





#### Mobile unit kit

Convert any 22", 30" or 36" wide by 29" or 331/2" high modular cabinet to an easy-to-maneuver mobile unit. Kit includes four 6" diameter wheels (2 swivel, 2 rigid), handle and hardware. Lock-in/Lock-out feature, cabinet lock, or both are recommended. Caster kits raise cabinet up 71/2".

Part No. 4404 22" or 30" wide cabinet 1200 lbs. total capacity Part No. 4404-24 36" wide cabinet, 24" deep 1200 lbs. total capacity

Mobile base kits for multiple cabinets (handle not included)

Part No. 531000-60 For (2) 30"W cabinets Part No. 531000-245 For (2) 45"W cabinets Part No. 531000-330 For (3) 30"W cabinets

Part No. MDCH-CAB Side-by-side cabinet hardware

#### Sloping supervisor desk top

Top is 30" W x 29" D x 67/8" H

Part No 294



#### File Drawer

8639HF40, 27" deep, 12" high drawer shown includes hanging file frames (Part No. 10268), letter size, set of two. Holds contents of two file drawers. Optional lock no. 10430 illustrated. Fits 30" wide frames. File drawer holds pendaflex files. 8607FA file drawer holds pendalex folders. 12"H for 18" D by 36" W shelving or cabinets. 8667HFA file drawer for 12" H x 18" D x 48" W shelving or cabinets.

Lock-In Lock-Out feature not available

**EQUIPTO** File Cabinets must be floor anchored to prevent tipping over if multiple drawers are opened!



#### **Drawer inserts**

Description	For Cabinet Width	Part No.
3/8" Plywood	30''	10116
Rubber Mat	30"	10146
Rubber Mat	221/2"	10146-22
Rubber Mat	36" (19" Deep)	10146-36-18
Rubber Mat	36" (25" Deep)	10146-36-24
Rubber Mat	45''	10146-45
Rubber Mat	48" (18" Deep)	10146-48-18
Rubber Mat	48" (24" Deep)	10146-48-24
Rubber Mat	60''	10146-60



/ talantional / toobbootiloo	
Description	Part No.
Plastic bins; 2"H x 2"W x 3"L; 30" fill drawer. 96 bins	10122
Plastic bins; 2"H x 3"W x 4"L; 30" fill drawer. 48 bins	10123
Plastic bins; 23/4"H x 2"W x 3"L; 30" fill drawer. 96 bins	10124
Plastic bins; 23/4"H x 3"W x 4"L; 30" fill drawer. 48 bins	10125
Quarter trays (20 compartments); 11/4" x 121/2" x 121/2"	10120
Quarter trays (35 compartments); 11/4" x 121/2" x 121/2"	10121
Mylar cover strip 1811/16"L	951102H
Mylar cover strip 213/4"L (for old style, obsolete handle)	10106
Paper label 1811/16"L	951101H
Paper label 21 <sup>1/2</sup> L (for old style, obsolete handle)	10107
Modular drawer handle - specify color - (painted same as cabinet)	218907H
Clear Plastic end cap for left side handle	993102L
Clear Plastic end cap for right side handle	993102R
Brushed Aluminum Handle with black caps	218908HK
Black Plastic end cap for Brushed Aluminum left side handle	993102LB
Black Plastic end cap for Brushed Aluminum right side handle	993102RB
Side-by-side connecting hardware	MDCH-CAB



#### **Cabinet locks**

Cabinet Width	Part No.
27 <sup>3/4</sup> " Depth	
22 <sup>1/2</sup> ", 30", 45" and 60"	4101
22 <sup>1/2</sup> ", 30", 45" and 60"	4101KA (Keyed alike)
18" Depth	
18" x 36"	4101-18
18" x 36"	4101KA-18 (Keyed alike)
24" Depth	
24" x 36"	4101-24
24" x 36"	4101KA-24 (Keyed alike)
Two keys included per lock.	
Keys	

Master Keys	10429N
Key	10429*
*Specify lock number when	ordering

Hinged locking bars (cannot be used on 200 lb. 221/2" cabinets)


Cabinet Height	Part. No.	Actual Lock Bar Length
29''	4103-29	231/2"
331/2"	4103-33	28"
38"	4103-38	321/2"
44''	4103-44	381/2"
59''	4103-59	531/2"

Pad lock or locking device not included.

#### **Plastic bins**

Sturdy, plastic bins fit neatly into modular drawers to make counting, sorting and dispensing operations easier, more efficient.

Note: For conductive plastic bins and quarter trays, add C to part number.



#### **Quarter trays**

Quarter trays of molded plastic have 20 or 35 compartments to fit inside modular drawers to hold small parts and supplies.

See sizes and Part No. 10120 and 10121 in the chart to the left.

Trays are actually black, but shown in color for depth.



#### **Modular Drawer Cabinet Accessories Continued**

All partitions and dividers are smooth office gray in color





#### Individual dividers

To further expand the possibilities in creating your own drawer design, we offer a variety of individual dividers. Use them with front-to-back partitions to make compartments of all sizes.

#### Spaces across drawers:

 $22^{1/2"}$  W — 24 spaces, 200 lbs. cab. (400 lbs. – 23 sp.) 30" W — 32 spaces, 36" W — 40 spaces, 45" W — 48 spaces,\*

60" W — 68 spaces\*

\*Requires one extra partition per drawer


#### **Dividers**

Width	For 3" High Drawers	For 4 <sup>1/2</sup> " High Drawers	For 6" High and Larger Drawers
Divider Height	2"	3"	41/2"
33/32" (4 spaces)	8834	8844	8854
4 <sup>11/16</sup> " (6 spaces)	8835	8845	8855
69/32" (8 spaces)	8836	8846	8856
7 <sup>7/8</sup> " (10 spaces)	8837	8847	8857
9 <sup>7/16</sup> " (12 spaces)	8838	8848	8858
12 11/16" (16 spaces)	8839	8849	8859



#### **Electrical power center**

Compact, with 4 outlets, On-Off switch, 15 Amp breaker, 15ft. cord with ground. Easy to install where you need it. Power Center #229-4



#### Leveler Kit

Part No. 10067 - 2 per lift channel required
Equipto announces a leveling feature for
modular cabinets. Developed for applications
where floors are uneven, the leveling device
provides 5/8" of vertical adjustment with a
15-degree swivel foot offering optimum stability.
Rated at 1,500 lbs. of static loading, each
leveler can accommodate the most stringent
loading requirements.

#### **Partitions**

Ribbed and slotted partitions fit neatly into drawers, running full depth of drawer from front-to-back or full width from side to side. Adjustable in 3/4" increments, they may be used alone, or with dividers. Metal screws supplied for fastening to drawer bottoms. Since 30"-wide drawers are symmetrical, partitions may also be used from side-to-side.

#### Full depth partitions (front to back)

Partition Height	To Fit Drawer Height	To Fit 18" Deep Drawers	To Fit 24" Deep Drawers	To Fit 27³/₄" Deep Drawers
2"	3"	8780N	8790N	8726
3"	41/2"	8781N	8791N	8727
41/2"	6" and up	8782N	8792N	8728

#### Full width partitions (left to right)

Partition Height	To fit Drawer height	To fit Cabinet width	Part. No.
2"	3"	36"	8770
3"	4 1/2"	36"	8771
4 ½"	6" & up	36"	8772
2"	3"	45"	8743
3"	41/2"	45"	8744
41/2"	6" & up	45"	8745
2"	3"	60''	8736
3"	41/2"	60''	8737
41/2"	6" & up	60''	8738



Label Holder for individual dividers Part No. 6609

#### **Anchor bolt**

These bolting options allow you to anchor a modular drawer cabinet to either concrete or wood floors.

Part No.	Description
MDC-CFAK	concrete anchor bolts
MDC-WFAK	wood anchor bolts





MDC-CFAK

MDC-WFAK



#### Shelving cabinets (60" W x 273/4" D)

Officialling capiffets (00 W X 27	D)
Description	Part No.
331/2"H cabinet with one adjustable shelf	4492
38" H cabinet with one adjustable shelf	46078
44" H cabinet with one adjustable shelf	4493
59" H cabinet with two adjustable shelves	4495
Extra shelf	16300
Sliding doors w/lock	
33 <sup>1/2"</sup> H for #4492	4490-33
44" H for #4493	4490-44
59" H for #4495	4490-59
Hardwood top	
30" D x 60" W Ships knocked down	441-5W






#### Order modular cabinets to compliment shelving. Here are typical arrangements. Many more are possible.

- Heavy steel counter units engineered for simple assembly in continuous rows, or easy combination with modular drawer cabinets.
- · Ideal for factory issue areas, warehouse or workshop.
- · Provides continuous counter space with shelving
- Cabinets come with middle shelf 57" long
- Shelf has capacity of 1000 pounds and adjusts on 1<sup>1/2</sup>" centers
- · Optional counter tops available
- · Use with modular drawer cabinets to have parts readily available
- See pg 62 for hardware for securing side-by-side cabinets
- · Stacking kit 7751-4

Depths and widths are engineered to match up perfectly with modular drawer cabinets. Choose shelving units  $33^{1/2^\circ}$  44" or 59" high, with adjustable shelves ( $1^{1/2^\circ}$  centers) of removable, ribbed decking. Each shelf offers over 1,000 lbs. capacity for heavy, bulk loads.





A standard color chart is available at the beginning of each section with a more detailed one on page 141.

# EQUIPTO

# FOD/Heavy Duty Mobile Tool Control Cabinets

Mobile Tool Control Cabinets consist of a single, double or triple modular unit with forklift tubes and a caster base. Can be towed or moved with a forklift. Select from four available tops. Drawers are furnished in eight standard heights and have a 400 lb. capacity. Thumb latches are equipped for safety during transportation. Includes frame, base, casters, top and handle only. Order drawers on pg. 48 and 49. Available drawer height value is  $28^{1/2}$ , 95 points.



- · Flush doors available in four heights
- · Single, double and triple shadow boxes offered
- · Lexan panels provide visibility to shadow boxes
- · Sliding door frame has roller bearings and lock
- · Stainless steel pull handle
- · Heavy duty polyurethane tread casters with sealed roller bearings
- Use for foreign object damage (F.O.D.) applications

#### Shadow box units

Part No.	Description
4195	Type "1" Single Vertical Display 15"D x 30"W x 30"H
4196	Type "2" Double Vertical Display 15"D x 60"W x 30"H
Box is 243/8"D a	at Base.

#### **Foam Inserts**

Part No.	Description
010099-1	for 30" wide drawer
010099-2	for 45" wide drawer
010099-3	for 60" wide drawer
Customize you	ur foam inserts to highlight removed tools



and help improve tool accountability.

# Foreign object damage cabinets

#### F.O.D. Workstation 30"D overall

Includes frame, base, casters, top and handle only. Order drawers on pg. 48 and 49. Available drawer height value is 281/2"; 95 points.

Description:	Part No.
A. Single workstation (not	pictured) 30" W
Plastic laminate top	4191P
Painted steel top	4191PS
Stainless steel top	4191SS
Hardwood top	4191W

B. Double workstation 60" W	
Plastic laminate	4192P
Painted steel	4192PS
Stainless steel	4192SS
Hardwood top	4192W

C. Triple workstation 90" W	
Plastic laminate	4193P
Painted steel	4193PS
Stainless steel	4193SS
Hardwood top	4193W

For 45" or 60" cabinet sections please contact Equipto Inside Sales.



#### Swinging doors (Flush mount)

Description	Points
19 <sup>1/2</sup> " high	65
22 <sup>1/2</sup> " high	75
24" high	80
281/2" high	95
20 mgm	00
Description	Use with
Description	Use with
Description Stationary shelf	Use with Flush door
	19 <sup>1/2</sup> " high 22 <sup>1/2</sup> " high



# **Tool Cabinets**

Modular Tool Cabinets offer the ability for different storage uses within the same cabinet. With the options including drawers, a door, and a shelf, the uses for a tool cabinet are limitless. Featuring 400 lb drawer capacities, multiple hard top surfaces to choose from, and the ability to add casters for mobility, a tool cabinet is the perfect choice for any application.

- · Standard brushed aluminum handles with black end caps
- Single lock system for all drawers
- · Doors are keyed differently

#### **Tool Cabinet configurations**

Add "M" at end of Part No. to make the unit mobile. Mobile units includes lock-in/lock-out feature, casters and push handle. Cabinet locks are included.

33" H x 60" W x 27 <sup>3/4</sup> " D			
	Description		
Part No.	Left Cabinet Drawers	Right Cabinet Drawers	
MDCDB330104	(1) - 3", (2) -5 <sup>1/4</sup> ", (1) -9"	(3)-3", (2)-3 <sup>3/4</sup> ", (1)-6"	
MDCDB330203	(2) -3", (1)-4 <sup>1/2</sup> ", (1)-12"	(2)-3", (1)-3 <sup>3/4</sup> ", (1)-5 <sup>1/4</sup> ", (1)-7 <sup>1/2</sup> "	
MDCDB330303	(2)-3", (1)-3 <sup>3/4</sup> ", (1)-5 <sup>1/4</sup> ", (1)-7 <sup>1/2</sup> "	(2)-3", (1)-3 <sup>3/4</sup> ", (1)-5 <sup>1/4</sup> ", (1)-7 <sup>1/2</sup> "	
MDCDB330404	(3)-3", (2)-3 <sup>3/4</sup> ", (1)-6"	(3)-3", (2)-3 <sup>3/4</sup> ", (1)-6"	
MDCDB3302SD0	(2) -3", (1)-4 <sup>1/2</sup> ", (1)-12"	Door, with no shelves	
MDCDB3303SD0	(2)-3", (1)-3 <sup>3/4</sup> ", (1)-5 <sup>1/4</sup> ", (1)-7 <sup>1/2</sup> "	Door, with no shelves	
MDCDB3304SD0	(3)-3", (2)-3 <sup>3/4</sup> ", (1)-6"	Door, with no shelves	

38" H x 60" W x 27 <sup>3/4</sup> " D		
	Description	
Part No.	Left Cabinet Drawers	Right Cabinet Drawers
MDCDB381111	(2)-4 <sup>1/2</sup> ", (1)-6", (1)-12"	(2)-4 <sup>1/2</sup> ", (1)-6", (1)-12"
MDCDB381212	(1)-4 <sup>1/2</sup> ", (1)-6", (1)-7 <sup>1/2</sup> ", (1)-9"	(1)-4 <sup>1/2</sup> ", (1)-6", (1)-7 <sup>1/2</sup> ", (1)-9"
MDCDB381311	(1)-3", (2)-4 <sup>1/2</sup> ", (1)-6", (1)-9"	(2)-4 <sup>1/2</sup> ", (1)-6", (1)-12"
MDCDB381413	(3)-3", (1)-4 <sup>1/2</sup> ", (1)-6", (1)-7 <sup>1/2</sup> "	(1)-3", (2)-4 <sup>1/2</sup> ", (1)-6", (1)-9"
MDCDB381514	(4)-3", (2)-4 <sup>1/2</sup> ", (1)-6"	(3)-3", (1)-4 <sup>1/2</sup> ", (1)-6", (1)-7 <sup>1/2</sup> "
MDCDB3814SD1	(3)-3", (1)-4 <sup>1/2</sup> ", (1)-6", (1)-7 <sup>1/2</sup> "	(1)-3" drawer, 2 Shelves, 1 Door
MDCDB3815SD2	(4)-3", (2)-4 <sup>1/2</sup> ", (1)-6"	2 Shelves, 1 Door

44" H x 60" W x 27 <sup>3/4</sup> " D			
Part No.	Description Left Cabinet Drawers	Right Cabinet Drawers	
MDCDB442325	(1)-4 <sup>1/2</sup> ", (2)-6", (1)-7 <sup>1/2</sup> ", (1)-9"	(3)-3", (1)-4 <sup>1/2</sup> ", (2)-6", (1)-7 <sup>1/2</sup> "	
MDCDB442424	(1)-3", (2)-4 <sup>1/2</sup> ", (2)-6", (1)-9"	(1)-3", (2)-4 <sup>1/2</sup> ", (2)-6", (1)-9"	
MDCDB442523	(3)-3", (1)-4 <sup>1/2</sup> ", (2)-6", (1)-7 <sup>1/2</sup> "	(1)-4 <sup>1/2</sup> ", (2)-6", (1)-7 <sup>1/2</sup> ", (1)-9"	
MDCDB442622	(4)-3", (2)-4 <sup>1/2</sup> ", (2)-6"	(2)-4 <sup>1/2</sup> ", (2)-6", (1)-12"	
MDCDB4427SD4	(4)-3", (2)-4 <sup>1/2</sup> ", (2)-6"	2 Shelves, 1 Door, 1 Lock	
MDCDB4425SD3	(3)-3", (1)-4 <sup>1/2</sup> ", (2)-6", (1)-7 <sup>1/2</sup> "	(2)-3" drawers, 2 Shelves, 1 Door	
MDCDB4426SD4	(4)-3", (2)-4 <sup>1/2</sup> ", (2)-6"	2 Shelves, 1 Door	
MDCDB4425SD4	(3)-3", (1)-4 <sup>1/2</sup> ", (2)-6", (1)-7 <sup>1/2</sup> "	2 Shelves, 1 Door	

59" H x 60" W x 27 <sup>3/4</sup> " D			
Dort No.	Description	Right Cabinet Drawers	
Part No.	Left Cabinet Drawers		
MDCDB593236	$(1)-3$ ", $(1)-4^{1/2}$ ", $(2)-6$ ", $(1)-7^{1/2}$ ", $(1)-9$ ", $(1)-12$ "	$(4)-3$ ", $(2)-4^{1/2}$ ", $(1)-6$ ", $(1)-7^{1/2}$ ", $(1)-13^{1/2}$ "	
MDCDB593335	(1)-4 <sup>1/2</sup> ", (2)-6", (3)-7 <sup>1/2</sup> ", (1)-9"	(3)-3", (1)-4 <sup>1/2</sup> ", (2)-6", (1)-9", (1)-13 <sup>1/2</sup> "	
MDCDB593434	(1)-3", (2)-4 <sup>1/2</sup> ", (2)-6", (2)-7 <sup>1/2</sup> ", (1)-9"	(1)-3", (2)-4 <sup>1/2</sup> ", (2)-6", (2)-7 <sup>1/2</sup> ", (1)-9"	
MDCDB593533	(3)-3", (1)-4 <sup>1/2"</sup> , (2)-6", (1)-9", (1)-13 <sup>1/2"</sup>	(1)-4 <sup>1/2</sup> ", (2)-6", (3)-7 <sup>1/2</sup> ", (1)-9"	
MDCDB593632	(4)-3", $(2)$ -4 <sup>1/2"</sup> , $(1)$ -6", $(1)$ -7 <sup>1/2"</sup> , $(1)$ -13 <sup>1/2"</sup>	(1)-3", (1)-4 <sup>1/2"</sup> , (2)-6", (1)-7 <sup>1/2"</sup> , (1)-9", (1)-12"	
MDCDB5935SD5	(3)-3", (1)-4 <sup>1/2"</sup> , (2)-6", (1)-9", (1)-13 <sup>1/2"</sup>	(1)-3" drawer, 2 Shelves, 1 Door	
MDCDB5936SD6	(4)-3", (2)-4 <sup>1/2</sup> ", (1)-6", (1)-7 <sup>1/2</sup> ", (1)-13 <sup>1/2</sup> "	(2)-3" drawer, 2 Shelves, 1 Door	
MDCDB5934SD7	(1)-3", (2)-4 <sup>1/2</sup> ", (2)-6", (2)-7 <sup>1/2</sup> ", (1)-9"	2 Shelves, 1 Door	

A standard color chart is available at the beginning of each section with a more detailed one on page 141.




Special configuration shown, highlighting an optional lock-in/lock-out drawer feature.

# Contact Equipto Inside Sales for custom configuration options.

Accessories	
Stainless Steel Top	MDCC-60S
Double Bank Cabinet Lock	4101DB

# **Drawer Options**



See page 134 for Tool Holders

Fits Modular

8633

8634

8635 and up

S8603

S8604

S8605 and up

S8610

S8611

S8612 and up

Cabinet Width

30

36"



#### **Support Brackets for Modular Drawer**

Catalog # 1 per

4129

4128

4127

4129-18

4128-18

4127-18

4129-24

4128-24

4127-24

NC Shank

33/4"

43/8"

51/8"

33/4"

43/8"

51/8"

33/4"

43/8"

51/8"

**Drawer Height** 

3"

43/8"

6" and up

41/2"

6" and up

3" 43/8"

6" and up

Modular drawer support brackets attach easily to side panels of any EQUIPTO modular drawer to permit up to four loaded NC tool trays.

Max no. of 61/4"

4

3



#### **Modular Drawer Option**

For larger NC tools with greater height than can be accommodated in standard module drawer cabinet units, simply order "open" cabinets and add drawers as needed. Swinging doors provide a finished appearance, plus single-lock security for contents.








#### **Calibration Stand**

Specifically designed steel units for use at calibration stations, maintenance areas, etc. Holds two tool trays with easy access. Rests securely on bench top or counter. Trays not included; order trays and holders above.

4106 28"W x 15"D x 12"H

#### 5' High Shelf Unit (Not shown)

Steel unit holds 6 tool trays in 3 stepped levels for easy visibility. Levels adjustable up or down on 11/2" centers. Trays not included; order above.







#### Tool Tray for 36"-wide Shelving

Move tray number 4109-36 between 331/4" long carts, 367/8" wide drawer cabinets and 36" wide V-Grip shelving (as shown with support brackets 4130-24 for 24"D or 4130-18 for 18"D shelving).



#### **Available Standard Colors**



Textured

Putty



Textured Dove Gray



Textured Black







Textured Cherry Red



Textured Regal Blue







Smooth (Wire Shelving Only) Office Gray



Smooth Reflective White



Textured Evergreen

## **Design Benefits & Features**

Simple, effective, safe.

Hundreds of combinations available.

Stack cabinets for maximum storage capacity in smaller areas.

Smaller units can be hung or stacked anywhere.

Smooth-rolling cart casters, swivel and rigid.

Durable and versatile drawers.

#### **Space Utilization Advantages**

Convenient, attractive, secure storage.

Ideal for storing parts near required areas or quickly moving tools, parts, and supplies.

Broad selection of sizes and divider configurations to offer exact storage solutions.

## **Market Applications**

Automotive - service, parts, office, supplies and display.

Education - office, supplies and maintenance.

Healthcare - maintenance, office and supplies.

Maintenance - service, parts and supplies.

Manufacturing - work cells, maintenance, office and supplies.

Military - office, supplies, service, maintenance, and parts.

Retail - display, office and back room storage.


Museum - small artifact and supply storage.



# **Shelf Drawers**

#### Little gem shelf drawers

An Equipto exclusive, Little Gem 1<sup>1/4"</sup> high drawers are more popular than ever. They're simply the most efficient way to store and retrieve small parts. Designed to stack and interchange with other drawers, Little Gem drawers and cabinets combine the best of Equipto quality and versatility for effective small-item organization.



**Type A** drawers feature 8 dividers (adjustable every 19/16") and a total of 12 curved-front compartments.

**Type B** drawers feature 16 compartments with 6 adjustable (13/4" centers) dividers.

**Type H** drawers are built like Type A, but 17" deep with 6 rows of compartments. Total of 18 compartments.

All little gem shelf drawer dividers are a galvanized steel.



#### **Cutaway View**

Type A and H drawers have "cash drawer" design for easy picking of tiny parts.

Type B drawers have a flat bottom with dividers



1/1B/1H 2/2B/2H



3/3B/3H 6/6B/6H



15/15B/15H

#### Individual drawers

			Height	Part No.	Part No. with	Divider
Width	Depth	Height	of Stop	w/o Dividers	Dividers as Shown	To Fit
11"	11"	11/4"	11/2"	Type A 8520	Type A 8522	8730
11"	11"	11/4"	11/2"	Type B 8521	Type B 8523	8731
11"	17"	11/4"	11/2"	Type H 8530	Type H 8531	8730

# Cabinets with type A drawers

Drawer Height	Drawer Width	Drawer Depth	No. of Drawers	No. of Compartments	Cabinet Height	Part No.
11/4"	11"	11"	2	24 (max. 56)	31/4"	1
11/4"	11"	11"	4	48 (max. 112)	61/2"	2
11/4"	11"	11"	6	72 (max. 168)	93/4"	3
11/4"	11"	11"	12	144 (max. 336)	193/4"	6

#### Cabinets with type B drawers

		-)												
Drawer Height	Drawer Width	Drawer Depth	No. of Drawers	No. of Compartments	Cabinet Height	Part No.								
11/4"	11"	11"	2	32 (max. 72)	31/4"	1B								
11/4"	11"	11"	4	64 (max. 144)	61/2"	2B								
11/4"	11"	11"	6	96 (max. 216)	93/4"	3B								
11/4"	11"	11"	12	192 (max. 432)	193/4"	6B								

# Cabinets with type H drawers

Drawer Height	Drawer Width	Drawer Depth	No. of Drawers	No. of Compartments	Cabinet Height	Part No.
11/4"	11"	17"	2	36 (max. 84)	31/4"	1H
11/4"	11"	17"	4	72 (max. 168)	61/2"	2H
11/4"	11"	17"	6	108 (max. 252)	93/4"	3H
11/4"	11"	17"	12	216 (max. 504)	193/4"	6H


# 135/8"H x 341/8"W Cabinets with 18 drawers

Drawer Height			Type of Drawer	No. of Compartments	Cabinet Height	Part No.
11/4"	11"	11"	Α	216 (max. 504)	12"	15
11/4"	11"	11"	В	288 (max. 648)	12"	15B
11/4"	11"	17"	Н	324 (max. 756)	12"	15H

# 2" high shelf drawers

Equipto's rugged 2" drawers slide smoothly and evenly with just fingertip effort. With the added convenience of dividers, the 2" Equipto drawer provides an unbeatable value.

\*All dividers are smooth office gray finish





Equipto 3<sup>1/8"</sup> drawers offer the widest variety of capacities and combinations ever built into drawer systems.







Drawers on this page will fit any shelving on 41/2" centers and all makes of 36" wide shelving.

Whether purchased singularly, in multiples for shelving inserts, or in convenient cabinets, Equipto 2" drawers with rigid, quilted sides bring convenience, efficiency and long-term durability.

# 2" High shelf drawers

Width	Depth	Height	Height of Stop	Number of Drawers to Make Row Across 3' Wide Shelf	For Shelves Spaced on Centers	Straight Drawer No.	Divider to Fit*
41/4"	11"	2"	21/2"	8		8532	8732
41/4"	17"	2"	21/2"	8	Use Frame	8533	8732
55/8"	11"	2"	21/2"	6		8534	8734
5 <sup>5/8</sup> "	17"	2"	21/2"	6		8535	8734

Note: Drawers ordered individually are not supplied with dividers. Order dividers as desired.

# 34<sup>1/8</sup>"W x 10<sup>5/8</sup>"H Cabinets

Drawer Height	Drawer Width	Cabinet Depth	No. of Drawers	No. of Compartments	Part No. 12" Deep	Part No. 18" Deep
2"	41/4"	12"	32	96	32	33
2"	55/8"	12"	24	72	34	35
2"	41/4"	12"	16	96	36	37
2"	55/8"	12"	12	72	36	37

All units shipped with 2 dividers per drawer.

Note: The above cabinets fit all makes of 36" wide shelving.

# 31/8"H Shelf drawers

Width	Depth	Height	Number of Drawers to Make Row Across 3' Wide Shelf	For Shelves Spaced on Centers	Drawer No.	Straight Divider to fit	
55/8"	11"	31/8"	6	41/2"	8505	8720	
55/8"	17"	31/8"	6	41/2"	8540	8720	

Note: Drawers ordered individually are not supplied with dividers. Order dividers as desired. Drawers have bright plated finish on handles.

# 23"W x 9<sup>3/8</sup>"H Cabinets

	Cabinet Height		No. of Drawers	Drawer Compartments	Catalog Type	Part No.
23"	93/8"	12"	8	24	8505	8

Unit is shipped with 2 dividers per drawer. Drawers have bright plated finish on handles.

# 34<sup>1/8</sup>"W x 13<sup>5/8</sup>"H Cabinets

Cabinet Depth	No. of Drawers	No. of Compartments	Drawer Type	Cabinet (drawers included) Part No.						
12"	18	54	8505	11						
18"	18	54	8540	22						
12"	14	42	8505	12						
	4	48	Little Gem A							
18"	14	42	8540	12H						
	4	72	Little Gem H							
12"	14	42	8505	12B						
	4	64	Little Gem B							
12"	6	18	8505	14						
	12	144	Little Gem A							
18"	6	18	8540	14H						
	12	216	Little Gem H							
12"	6	18	8505	14B						
	12	192	Little Gem B							

Units supplied with 2 dividers per drawer.

Note: The above cabinets fit all makes of 36" wide shelving. Drawers have a bright plated finish on handle (not shown)

A standard color chart is available at the beginning of each section with a more detailed one on page 141.

EQUIPTO

# EQUIPTO



# 31/8" High shelf drawers

One-piece construction with curved handle, reinforced fronts; label holders (full-width on fronts) on both drawers and dividers; embossed bottoms for easy sliding; front and rear drawer stops for pull out, tilt down part retrieval. Insert individual drawers and small cabinets in shelving; stack cabinets high and wide — along walls — back-to-back for partitions — or in rows.

Hundreds of combinations are available for inserting drawers and drawer cabinets into existing shelving (individual drawers shown here.) For example, arranging #8539, #8563 and #8566 drawers in 8-across, 4-across and 3-across patterns converts 36" wide shelf to clean, safe drawer units. Create in-shelf drawers wherever you need them, without replacing existing shelving.



#### 31/8"H Individual drawers

Width	Depth of Stop	Height	Height to Make Row Across	Number of Drawers Spaced on Centers	For Shelves to Fit	Drawer No.	Straight Divider 3' Wide Shelf
41/4"	11"	31/8"	37/8"	8	41/2"	8504	8709
41/4"	17"	31/8"	37/8"	8	41/2"	8539	8709
83/8"	11"	31/8"	37/8"	4	41/2"	8553	8753
83/8"	17"	31/8"	37/8"	4	41/2"	8563	8753
111/4"	11"	31/8"	37/8"	3	41/2"	8556	8756
111/4"	17"	31/8"	37/8"	3	41/2"	8566	8756


Note: Drawers ordered individually are not supplied with dividers. Order dividers as desired.



3411 Also available in 3 and 4 across

Drawers on this page will fit any shelving on 4<sup>1/2</sup>" centers and all makes of 36" wide shelving.

Note: Drawers ordered individually are not supplied with dividers. Order dividers as desired.



#### 34<sup>1/8</sup>"W x 13<sup>5/8</sup>"H Cabinets

Oakinat	D	D	No. of	No. of		
Cabinet Depth	Drawer Width	Drawer Depth	No. of Drawers	No. of Compartments	Part No.	
12"	41/4"	11"	24 (8 per row)	72	3411	
18"	41/4"	17"	24 (8 per row)	72	3417	
12"	83/8"	11"	12 (4 per row)	36	3426	
18"	83/8"	17"	12 (4 per row)	36	3486	
12"	111/4"	11"	9 (3 per row)	27	3420	
18"	111/4"	17"	9 (3 per row)	27	3480	

Note: All units in table supplied with 2 dividers per drawer.

- · Easy-to-read labelholder on each slanted top divider
- Straight divider design adjusts easily on 1" center; keeps parts from creeping within drawer
- Drawer front has label holder for easy identification
- · Full-width, curved handle for quick, fingertip access in bright plated finish

# 36"W x 43<sup>1/8</sup>"H Iron Grip shelving with drawers (Counter High)

Cabinet Width	Cabinet Depth	No. of Drawers	No. of Compartments	Drawer type	Part No.
36"	12"	54	162	8505	1164AD
36"	18"	54	162	8540	1854

Units supplied with 2 dividers per drawer.


Drawer cabinets 431/8" and 84" high furnished with white side and back panels.



# 45/8" High shelf drawers

Equipto construction is strong enough for smaller units to be hung or stacked anywhere.

Larger units form convenient countertop work surfaces or efficient wall systems.



Consider these quality Equipto features; sturdy, one-piece construction with top 2" double thickness steel; built-in, curved handle with full-width label holder; drawer stops both front and rear; adjustable, lock-in dividers with label holders.

Then consider versatility: Insert single drawers and smaller, welded-frame cabinets  $(34^{1/8}"$  width) directly into shelving. Stack or hang shorter cabinets anywhere. Use taller units, as free-standing structures.

Insert drawers into your existing shelving in various combinations, #8561 (6-across), #8564 (4-across) and #8567 (3-across) illustrated here. Drawers and small cabinets fit easily between uprights and sit securely on shelving.



3629/3689



3626/3686



3620/3680



3351 3352 3361 3362

## 45/8"H Individual drawers

Width	Depth	Height of Stop	Height	Number of Drawers to Make Row Across 3' Wide Shelf	For Shelves Spaced on Centers	Drawer No.	Straight Divider to Fit
5 <sup>5/8</sup> "	11"	45/8"	5 <sup>3/8</sup> "	6	6"	8551	8751
5 <sup>5/8</sup> "	17"	45/8"	53/8"	6	6"	8561	8751
83/8"	11"	45/8"	53/8"	4	6"	8554	8754
8 <sup>3/8</sup> "	17"	4 <sup>5/8</sup> "	5 <sup>3/8</sup> "	4	6"	8564	8754
111/4"	11"	45/8"	53/8"	3	6"	8557	8757
111/4"	17"	45/8"	53/8"	3	6"	8567	8757

Note: Drawers ordered individually are not supplied with dividers. Order dividers as desired.

# 341/8" W x 193/4"H Cabinets

Cabinet Depth	Drawer Width	Drawer Depth	No. of Drawers	No. of Compartments	Part No.
12"	55/8"	11"	18	54	3629
18"	5 <sup>5/8</sup> "	17"	18	54	3689
12"	83/8"	11"	12	36	3626
18"	83/8"	17"	12	36	3686
12"	111/4"	11"	9	27	3620
18"	111/4"	17"	9	27	3680

Note: All units have 2 dividers per drawer

# 36"W x 43<sup>1/8</sup>"H Iron Grip shelving with drawers (Counter High)

Cabinet Depth	Drawer Width	Drawer Depth	No. of Drawers	No. of Compartments	Part No.
12"	111/4"	11"	21 (7 rows of 3)	63	3350
18"	111/4"	17"	21 (7 rows of 3)	63	3360
12"	83/8"	11"	28 (7 rows of 4)	84	3351
18"	83/8"	17"	28 (7 rows of 4)	84	3361
12"	5 <sup>5/8</sup> "	11"	42 (7 rows of 6)	126	3352
18"	5 <sup>5/8</sup> "	17"	42 (7 rows of 6)	126	3362

Note: All units have 2 dividers per drawer.

Drawer cabinets 31/2" and 7' high furnished with white end panels.

Drawers on this page will fit any shelving on 6" centers and all makes of 36" wide shelving.

Note: Cabinet units are shipped with 2 dividers per drawer.

Individual drawers are supplied without dividers; order separately as desired.



# 6<sup>1/8</sup>" High shelf drawers

The highest Equipto drawer - big and rugged, yet simply designed. Ideal for tools, dies, chucks, hardware and hundreds of other boxed, canned or bulk items. Available in 3 widths and 2 depths, these large drawers will handle just about anything you choose to put in them. Simple, effective, safe.

All dividers are smooth office gray in color.

# 8562 8565 8568

# 61/8"H Individual drawers

Width	Depth	Height	Height of Stop	Number of Drawers to Make Row Across 3' Wide Shelf	For Shelves Spaced on Centers	Part No.	Straight Divider to Fit
5 <sup>5/8</sup> "	11"	61/8"	67/8"	6	71/2"	8552	8752
55/8"	17"	61/8"	67/8"	6	71/2"	8562	8752
83/8"	11"	61/8"	67/8"	4	71/2"	8555	8755
83/8"	17"	61/8"	67/8"	4	71/2"	8565	8755
111/4"	11"	61/8"	67/8"	3	71/2"	8558	8758
111/4"	17"	61/8"	67/8"	3	71/2"	8568	8758

Note: Drawers ordered individually are not supplied with dividers. Order dividers as desired.

# 36"W x 43<sup>1/8</sup>"H Iron Grip shelving with drawers

12" depth			
Drawer Width	Drawer Depth	No. of Drawers	Part No.
111/4"	11"	15 (3/row)	3370
83/8"	11"	20 (4/row)	3371
5 <sup>5/8</sup> "	11"	30 (6/row)	3372
18" depth	1		
111/4"	17"	15 (3/row)	3380
83/8"	17"	20 (4/row)	3381
55/8"	17"	30 (6/row)	3382

Note: All units supplied with 2 straight dividers per drawer.



# 36"W x 84"H Iron Grip shelving with drawers

12" depth			
Drawer Width	Drawer Depth	No. of Drawers	Part No.
111/4"	11"	33 (3/row)	3970
83/8"	11"	44 (4/row)	3971
55/8"	11"	66 (6/row)	3972
18" depth			
111/4"	17"	33 (3/row)	3980
83/8"	17"	44 (4/row)	3981
5 <sup>5/8</sup> "	17"	66 (6/row)	3982

Note: All units supplied with 2 straight dividers per drawer.



Drawers on this page will fit any shelving on 71/2" centers and all makes of 36" wide shelving.

#### **Pick Racks**



- · One bin fits drawer units and open Pick Rack.
- · Go from stock to sales area just by exchanging bins.
- Rearrange displays in moments.
- · Contents are completely visible.



Put your parts and products where the action is: near the assembly line, at the point of purchase, wherever quick access is needed for sales or production. Parts and products can be put in a bin as received, stocked in cabinets, brought to the point of use, and leftovers returned to stock - all without ever leaving the original bin



To remove bins, lift front up.

# Mobile base kit

Steel panel base 30" x 365/8" has 4 swivel casters on corners and 2 rigid casters in center to hold two pick racks placed back to back for easy movement and pivot around tight corners. Order Pick Racks with bins at right. Part No. 1186






















	L
	#
	L
	#
	‡
	‡
	‡
	#
	#
	#
	#
	#
	#
*	#
	#
	4

Bin Description	Unit Heig 38 <sup>5/8</sup> "	ht — Part N 43 <sup>1/8</sup> "	lo. 60"	72"	84"
Little Gem A 11" W x 1 <sup>1/4</sup> " H #8520	30303 8 Rows 24 Dwrs.	30403 9 Rows 27 Dwrs.	30503 12 Rows 36 Dwrs.	30603 14 Rows 42 Dwrs.	
Little Gem B 11" W x 1 <sup>1/4</sup> " H #8521	30313 8 Rows 24 Dwrs.	30413 9 Rows 27 Dwrs.	30513 12 Rows 36 Dwrs.	30613 14 Rows 42 Dwrs.	30713 17 Rows 51 Dwrs.
#8532 4 <sup>1/4"</sup> W x 2" H	30328 6 Rows 48 Dwrs.	30428 6 Rows 48 Dwrs.	30528 9 Rows 72 Dwrs.	30628 11 Rows 88 Dwrs.	30728 13 Rows 104 Dwrs.
#8534 5 <sup>5/8</sup> " W x 2" H	30326 6 Rows 36 Dwrs.	30426 6 Rows 36 Dwrs.	30526 9 Rows 54 Dwrs.	30626 11 Rows 66 Dwrs.	30726 13 Rows 78 Dwrs.
#8505 5 <sup>5/8</sup> " W x 3 <sup>1/8</sup> " H	30336 4 Rows 24 Dwrs.	30436 5 Rows 30 Dwrs.	30536 7 Rows 42 Dwrs.	30636 8 Rows 48 Dwrs.	30736 10 Rows 60 Dwrs.
#8553 8 <sup>3/8</sup> " W x 3 <sup>1/8</sup> " H	30334 4 Rows 16 Dwrs.	30434 5 Rows 20 Dwrs.	30534 7 Rows 28 Dwrs.	30634 8 Rows 32 Dwrs.	
#8556 11 <sup>1/4</sup> " W x 3 <sup>1/8</sup> " H	30333 4 Rows 12 Dwrs.	30433 5 Rows 15 Dwrs.	30533 7 Rows 21 Dwrs.	30633 8 Rows 24 Dwrs.	30733 10 Rows 30 Dwrs.
#8551 5 <sup>5/8</sup> " W x 4 <sup>5/8</sup> " H	30346 3 Rows 18 Dwrs.	30446 4 Rows 24 Dwrs.	30546 6 Rows 36 Dwrs.	30646 7 Rows 42 Dwrs.	30746 8 Rows 48 Dwrs.
#8554 8 <sup>1/8</sup> " W x 4 <sup>5/8</sup> " H	30344 3 Rows 12 Dwrs.	30444 4 Rows 16 Dwrs.	30544 6 Rows 24 Dwrs.	30644 7 Rows 28 Dwrs.	
#8557 11 <sup>1/4</sup> " W x 4 <sup>5/8</sup> " H	30343 3 Rows 9 Dwrs.	30443 4 Rows 12 Dwrs.	30543 6 Rows 18 Dwrs.	30643 7 Rows 21 Dwrs.	30743 8 Rows 24 Dwrs.
#8552 5 <sup>5/8</sup> " W x 6 <sup>1/8</sup> " H	30366 3 Rows 18 Dwrs.	30466 3 Rows 18 Dwrs.	30566 5 Rows 30 Dwrs.	30666 6 Rows 36 Dwrs.	
#8555 8 <sup>3/8</sup> " W x 6 <sup>1/8</sup> " H	30364 3 Rows 12 Dwrs.		30564 5 Rows 20 Dwrs.	30664 6 Rows 24 Dwrs.	
#8558 11 <sup>1/4</sup> " W x 6 <sup>1/8</sup> " H	30363 3 Rows 9 Dwrs.	30463 3 Rows 9 Dwrs.		30663 6 Rows 18 Dwrs.	

<sup>\*</sup> Order dividers for these bins separately



# **Available Standard Colors**







Textured Dove Gray



Textured Black



Textured Bright Yellow



Textured Cherry Red



Textured Regal Blue







Smooth



Smooth Reflective White



Textured Evergreen

## **Design Benefits & Features**

Modular design facilitates easy assembly, allowing future reconfiguration and expansion.

Mobile carriages are rated to carry a maximum of 1000 lbs. per linear foot.

Mechanical-assist controls enable operator to move 10,000 lbs. with minimal effort.

All-track drive ensures uniform movement of carriages.

Modular platform provides for re-leveling rails after installation.

Accommodates all versatile V-Grip shelving and rack components.

#### **Space Utilization Advantages**

Avoid the cost of new construction by doubling storage capacity in the same footprint.

Free valuable floor space for other operations without sacrificing storage capacity.

Integration with V-Grip maximizes flexibility to store small and bulk items together.

#### **Market Applications**

Manufacturing - maintenance, parts, supplies, R&D, tool room.

Automotive - archival records, parts departments.

Healthcare - pharmacy, maintenance, supplies, radiology.

Education - athletic equipment, maintenance, supplies.

Military - parts/supplies, maintenance, vehicle service, flight maintenance, weapon racks.

Law enforcement - property and evidence, supplies, uniforms.


Retail - backroom storage, supplies.

Museum - artifact storage and security.



# Mobile Aisle Systems

Equipto's mobile aisle system combines the benefits of high-density storage with the flexibility of V-Grip Shelving, modular drawer and bulk rack. By reducing the number of access aisles, you can save as much as 50% of your floor space or double your storage capacity in the same space you are currently using.



#### C. Modular drawers 18"D & 24"D

in 48 standard sizes and 200 or 400lb. capacity.

optimum flow of air and light.

#### D. Manual drive system

grab and pull function.

#### E. Ramp

available in standard 12" or 24" to accommodate ADA requirements.

#### F. Modular platform

surface mounted, leveled tracks and choice of decking.

#### G. Open/Mechanical style drive column

cost effective while providing greater visibility of items stored in the mobile aisle system.

#### H. Closed/Mechanical style drive

requires a minimal effort to move 10,000 lbs. of load.


# I. Heavy duty wire or solid shelves

# J. Fixed Carriage (not shown)

are mounted directly to the tracks or put on the floor using raised foot brackets.

Mechanical assisted system utilizes a driveshaft/gear chain arrangement to permit easy movement of heavyweight loads. Carriages are operated mechanically by means of an exclusive ergonomically designed hand wheel which prevents snagging clothing. It requires less strength and energy to operate. It's as easy to turn as the power steering in your car.

A locking feature can be added for extra security.





Designing your Mobile Aisle System

Every Mobile Aisle is a customer specific engineered product. A basic sketch of the area and mobile aisle system should be provided, indicating the overall dimensions of the area or room, including doorways, columns, and other obstructions. Please provide basic size and shelving requirements to ensure accurate quoting.

Please contact Equipto to have a specific unit built to fit your needs.



Select the appropriate carriages by width and length

You have 3 options:

- · Fixed Carriage
- · Manual Mobile Carriage
- · Mechanical Assist Mobile Carriage



Available Lengths: (in feet)

3',4' and 6' to 36' - not available in 5'

Manual Carriage does not exceed 12' length

#### **Available Widths:**

· Fixed Carriage

12", 15", 18", 24", 30", 36", 48"

· Manual Carriage

18", 24", 30", 36", 48"

· Mechanical Assist Carriage

18", 24", 30", 36", 48", 60"

# **Decking**

Mobile Aisle Units offer two decking options:

• Tuffdeck (standard option - shown in image below)

Length

Plywood



# Shelving


Please refer to V-Grip Shelving starting on Page 5 for options.

Width



# 2nd - Select your Drive Panel

Available Styles: Open and Closed - Open Style Drive Panel is the default selection.



#### **Open/Mechanical Drive Panel**

Steel Only

Available widths:

18", 24", 30", 36", 48", 60"

Height:



# **Closed/Mechanical Drive Panel**

Steel or Laminate

Available widths:

18", 24", 30", 36", 48", 60"

Height:

Steel: 60", 78", 85", 90", 97"

Laminate: 78", 85", 90"

60" widths are only available in 85" heights.

#### Select your Drive Panel - cont'd





#### **Fixed Drive Panel**

Steel or Laminate

Available widths:

12", 15", 18", 24", 30", 36", 48"

Height:

Steel: 60", 78", 85", 90", 97" Laminate: 78", 85", 90"



Approx. Height: 41/2

#### **Manual Drive Panel**

Steel or Laminate

Available widths:

18", 24", 30", 36", 48"

Height:

Steel: 78", 85", 90" Laminate: 78", 85", 90"


#### **Drive Shaft End Covers**

#### Available Widths:

12", 15", 18", 24", 30", 36", 48", 60"

**Note:** Finished End Covers are an inexpensive option to add-on to the end of the carriage to cover mechanical components (drive shaft) extending beyond carriage. This part can be used in place of an end panel but WILL NOT cover the shelving ends.

\*Available for Fixed Carriages or opposite end of Manual or Mechanical apps.



# Mobile Aisle Systems - Accessories

#### **Anti Tip Brackets**

#### Available Widths:

18", 24", 30", 36", 48", 60"

# Use this guideline to determine if anti-tip brackets are required:

18" wide carriage - use if shelving height is over 48"

24" wide carriage - use if shelving height is over 72"

30" wide carriage - use if shelving height is over 96"

36" wide carriage - use if shelving height is over 120"

48" wide carriage - use if shelving height is over 168"

# Use the following guideline to determine the quantity of anti-tip brackets needed:

One Required per Mechanical / Manual carriage 3'-6' in length

Two Required per Mechanical / Manual carriage 7'-24' in length

Three Required per Mechanical / Manual carriage 25'-36' in length

#### **Raised Foot Brackets**

For fixed carriages located on the floor.

Raised Foot Bracket - Order 2 per track.

Hardware for Brackets - Order 2 per bracket.

## **Sprocket Options**

Heavy load sprocket option Fast travel sprocket option Bumper extensions



#### **Deck Skirting**

Available Length: 6'

**Note:** Deck skirt covers the exposed areas at the end of the track. The skirts attach to the decking and are manufactured in 6ft. sections. The last section is cut to length in the field to match installation requirements.

# **Locking Options**

3 options:

Normal or Keyed Alike

**Track Base Lock** - Keyed lock located on the carriage base, locking into the track. This is the only lock that can be used on manual carriages.

MOBLOCK - Keyed panel lock to secure carriage.

Available upon request. Typically used in last carriage. Users can collapse the system, lock the last carriage, and the entire system is secured (must use closed-style shelving). Ideal for high-security items.

Panel Lock - Safety Feature used to lock hand wheel before entering an aisle. Included with each mechanical drive panel (Not Keyed).

Panel lock shown in photo to the left.

Mobile Aisles 78



# Motorized Pallet Rack Mobile Aisle System



- Fully motorized operation including safety sensors
- Rows up to 50' in length
- Capacity up to 75,000 lbs. per row



Mobile aisle system configured to use weapons storage cabinets (see pages 139-140)









79 Mobile Aisles



# Clubstor® Specialized Golf Club Storage

Clubstor® is the premier golf bag storage system. It was developed to offer space saving solutions for country club bag storage rooms. With over 30 years experience and over 500 installations worldwide, Clubstor® is your golf bag storage solution! Clubstor® products are backed with a structural lifetime warranty to the original purchaser. We make every effort to provide you with the best service and highest quality products to meet your specific needs.

# **Stationary Units**

- · Stores 67% more bags in the same space.
- · Drastically reduces golf bag retrieval time.
- · Provides optimum ventilation to eliminate mildew.
- Middle shelf is adjustable in height, up or down, to fit difficult storage situations.
- Fabricated from all prime steel construction, with no wood components.





Single Sided, 2 Tier Clubstor® (82"H)

Onigic Clac	a, z rici Olabotol	(02 11)	
Part Number	Depth x Length	Weight	
370-1240	15"x50"	97 lbs.	
370-1260	15"x60"	109 lbs.	
370-1270	15"x72"	123 lbs.	
370-1280	15"x84"	137 lbs.	
370-1290	15"x100"	157 lbs	





3	.,	(,	
Part Number	Depth x Length	Weight	
370-0583	15"x50"	63 lbs.	
370-0585	15"x60"	84 lbs.	
370-0590	15"x72"	95 lbs.	
370-0595	15"x84"	107 lbs.	
370-0580	15"x100"	122 lbs.	



Double Sided, 2 Tier Clubstor® (82"H)

Part Number	Depth x Length	Weight
370-0220	30"x50"	150 lbs.
370-0230	30"x60"	170 lbs.
370-0240	30"x72"	194 lbs.
370-0250	30"x84"	217 lbs.
370-0200	30"x100"	250 lbs.



Double Sided, 1 Tier Clubstor® (57"H)

Part Number	Depth x Length	Weight
370-0520	30"x50"	97 lbs.
370-0530	30"x72"	134 lbs.
370-0532	30"x84"	150 lbs.
370-0533	30"x100"	171 lbs.

Mobile Aisles 80

# Clubstor® Specialized Mobile Aisles for Golf Club Storage

#### **Mobile Units**

- Stores 67% more bags in the same space.
- · Drastically reduces golf bag retrieval time.
- · Provides optimum ventilation to eliminate mildew.
- · Middle shelf is adjustable in height, up or down, to fit difficult storage situations.
- · Fabricated from all prime steel construction, with no wood components.



Tandem Double Sided, 1 Tier

# Mobile Double Sided, 1 Tier Clubstor®

Part Number	Depth x Length	Weight
370-0535	30"x50"	113 lbs.
370-0540	30"x60"	135 lbs.
370-0544	30"x72"	158 lbs.
370-0548	30"x84"	174 lbs.
370-0550	30"x100"	195 lbs.

In addition, (2) pairs of End Stops and (2) pairs of Track must be ordered for each mobile unit. Contact Equipto Inside Sales.

# Mobile Tandem, Double Sided, 1 Tier Clubstor®

Part Number	Depth x Length	Weight
370-0555	50"x72"	195 lbs.
370-0557	60"x72"	285 lbs.
370-0560	72"x72"	316 lbs.
370-0570	84"x84"	347 lbs.

In addition, (4) pairs of End Stops and (4) pairs of Track must be ordered for each mobile unit. Contact Equipto Inside Sales.



Tandem Double Sided, 2 Tier

# Mobile Double Sided, 2 Tier Clubstor®

Part Number	Depth x Length	Weight
370-0310	30"x50"	154 lbs.
370-0320	30"x60"	174 lbs.
370-0330	30"x72"	200 lbs.
370-0340	30"x84"	223 lbs.
370-0350	30"x100"	254 lbs.


In addition, (2) pairs of End Stops and (2) pairs of Track must be ordered for each mobile unit. Contact Equipto Inside Sales.

# Mobile Tandem, Double Sided, 2 Tier Clubstor®

Part Number	Depth x Length	Weight
370-0410	50"x50"	321 lbs.
370-0420	50"x60"	344 lbs.
370-0430	50"x72"	375 lbs.
370-0440	60"x60"	367 lbs.
370-0450	60"x72"	419 lbs.
370-0460	72"x72"	303 lbs.
370-0463	72"x84"	396 lbs.
370-0465	84"x84"	472 lbs.

In addition, (4) pairs of End Stops and (4) pairs of Track must be ordered for each mobile unit. Contact Equipto Inside Sales.









# **Available Standard Colors**



Textured

Putty



Dove Gray





Textured Black











Textured Cherry Red

Textured Regal Blue









Mirror Silver Smooth (Wire Shelving Only) Office Gray



Smooth Reflective White



Textured Evergreen

# **Design Benefits & Features**

Modular, free-standing, assembled platform.

Wide variety of decking options.

High capacity, 125 lbs. per square foot.

Rugged coating/coordinating colors.

Integrates with all Equipto systems/accessories.

Designed according to OSHA, BOCA and IBC guidelines.

#### **Space Utilization Advantages**

Increase space by at least 100%.

Easy to reconfigure, move or expand.

Avoid expensive construction.

Maximize space floor to ceiling and wall to wall.

#### **Market Applications**

Automotive - large and bulk parts, supplies, archives.

Education - athletic equipment, supplies, and maintenance.

Healthcare - supplies and maintenance.

Maintenance - tool cribs and parts inventory.

Manufacturing - warehouse, archival, parts/supplies and maintenance.

Military - service, maintenance, and parts/supplies storage.

Retail - display areas and backroom storage.



# **Platform**

# Need more space, but don't want to move or add on?

Double or triple your floor space with Equipto pre-fabricated Platforms! These rugged elevated floors, walkways and stairways add valuable area where you need it, at a fraction of the cost of acquiring new buildings. Because of their modular design, Equipto platforms are economical, quickly installed and can even be re-configured on your premises as your requirements change. They are designed to integrate with other Equipto products to provide one-source space savings that are custom tailored for your individual application. Every place from aircraft hangars to warehouses to factories will benefit from the space saving solutions provided with Equipto platforms!

- · Double floor capacity
- · Modular design lets you add units as needed
- · Cost-effective
- · Customized solution to the problem of limited space
- · Less expensive than leasing or Construction
- · Move them within your facility
- · Relocation to other facilities is easy
- · Prefabricated for immediate use











# 1st - Design your Platform

#### Select your Platform module

- 1. Select Platform Module and Flooring.
- 2. Select Stairways and Platforms.
- 3. Select Railings, Drop Gates and Accessories.

#### Sketch and define specifications, then contact Equipto.

Please contact Equipto Inside Sales with a sketch and details of what you need, and we will customize

a Platform to fit your needs. Parts list and examples are for reference purposes only.

Seismic code conformity available upon request.

# Generation IV Platform Selection Chart - Most Popular Sizes (must add flooring suffix - see below)

	Length-	<b>-</b> 4'	6'	8'	10'	12'	16'	20'	Platform uprights - triangular
8' High	Width 4' 6' 8' 10'	480404 480604 480804 481004	480406 480606 480806 481006	480408 480608 480808 481008	480410 480610 480810 481010	480412 480612 480812 481012	480416 480616 480816 481016	480420 480620 480820 481020	4' H 5204 6' H 5206 8' H 5208 9' H 5209
9' High	Width 4' 6' 8' 10'	490404 490604 490804 491004	490406 490606 490806 491006	490408 490608 490808 491008	490410 490610 490810 491010	490412 490612 490812 491012	490416 490616 490816 491016	490420 490620 490820 491020	10' H 5210 12' H 5212 Platform uprights - square
10' High	Width 4' 6' 8' 10'	410404 410604 410804 411004	410406 410606 410806 411006	410408 410608 410808 411008	410410 410610 410810 411010	410412 410612 410812 411012	410416 410616 410816 411016	410420 410620 410820 411020	8' H 5218 9' H 5219 10' H 5220 12' H 5222
12' High	Width 4' 6' 8' 10'	420404 420604 420804 421004	420406 420606 420806 421006	420408 420608 420808 421008	420410 420610 420810 421010	420412 420612 420812 421012	420416 420616 420816 421016	420420 420620 420820 421020	Note: for seismic and 16' or 20' Width beam corners.  Tubular brace for exterior corners
10' 421004 421006 421008 421010 421012 421016 421020  Custom sizes available upon request.							72 1020	6424 - Use with beams less than 16' long 6485 - Use with beams 16' and longer	

NOTE: STANDARD LOAD CAPACITY IS 125LBS./SQ.FT. UNIFORMLY DISTRIBUTED (150LBS./SQ.FT. IN SEISMIC ZONE 0).

# 2nd - Choose Flooring

4 types to choose from:

Choose Platform Module:

PG - Perferated Steel Grating

SG - Solid Steel Grating

LD2 - No Deck, beams on 2' centers\*

LD4 - No Deck, beams on 4' centers\*

Platform Module Part Number + Suffix = Part No. Ex: 490812LD2

# Anti-Skid Tuffdeck Bar Grating Perforated Steel Grating Solid Steel Grating Anti-Skid Tuffdeck Bar Grating Perforated Steel Grating Solid Steel Grating

# \*Platform floor options

With LD2 Modules: No Deck, Beams on 2' centers Part No. Description

10217 Tuffdeck 4' x 8' x 11/8"

With LD4 Mod Part No.	dules: No Deck, Beams on 4' centers Description
10218	Tuffdeck 4' x 8' x 3/4" Use with RFD
10248PLY	Plywood 4' x 8' x 3/4" Use with RFD
RFD	1sq. ft. roofdeck (for 3/4" Tuffdeck or Ply
BRG	1sq. ft. bar grating (no subfloor required
Contact Equi	nto Inside Sales for fire retardant Tuffdeck

# 3rd - Add Railings and Drop Gates



# **Generation IV Railing and Kick Plate**

Rail posts are side-mounted to the platform beams and are available in 2-rail and 3-rail sections of 2', 4', 5', 6' & 8'.

## **Generation II Railing and Kick Plate**

Rail posts (3" x 3") mount to the platform decking surface. Individual rail channels and kick plates are available in lengths of 30", 42", 45", 57", 69", 72", 90" & 93".

(these measurements do not include the posts).



# **Drop gates**


Pivots upward - no floor space needed to operate gate.

Height	Gate Width	Part No.						
42"	44"	78134G						
42"	68"	78136G						
42"	88"	78138G						
Note: Gate 78138G is made								
up of tw	up of two 44" frames.							
One ope	ens to e	each side.						

Drop gate requires clearance on one or both sides equal to the gates width.

# Accessories

#### Extension posts and stacking brackets



## **Optional extension posts**

Optional Extension Posts (Part No. 9510) permit adjustment of platforms in 2" increments up to 2 feet higher than standard to accommodate tall machines, additional Equipto products, or a sloping floor. Order with original Platform to ensure that proper posts without footplates are provided. Four required for each Platform module.



#### Platform stacking bracket

Brackets (4 required) fasten upper and lower posts to permit double-decking of same-size platforms.

Part No. 7720 - 4" x 4" x 3"H

#### **Slotted Angle**

Equipto Slotted Angle is the frontrunner in creating steel framing systems. Visualize it, cut it, then bolt it. Build structures to do exactly what you want them to do, with almost no limit to the number of ways it can be assembled.

#### Capacity (lbs.) per beam length

	Supusity (ibo.	, po		•						
	Configuration	2'	3'	4'	5'	6'	7'	8'	9'	10'
A.	Single Pieces Short Legs Down	1139	759	569	455	379	325	284	253	227
В.	Single Pieces Long Legs Up	3547	1576	886	568	396	289	222	175	_
C.	Single Pieces Long Legs Down	3547	2365	1771	1327	1014	777	587	427	312
D.	Narrow Channels	6385	4256	3192	2553	2129	1824	1598	1418	1277
E.	T-Beams	7094	4729	3547	2837	2365	2026	1775	1576	1418
F.	Broad Channels	10417	6945	5208	4167	3388	2617	2002	1489	1087
G.	Broad Channels with Stiffeners	10417	6945	5208	4167	3472	2976	2604	2315	2092
н.	J-Beams	15145	10097	7572	6058	5048	4326	3785	3366	2831
I.	I-Beams	20835	13890	10416	8334	6945	5952	5208	4629	4166

Note: Capacities in the Table above are for angle used as horizontal beams, in lbs. of distributed load. For load concentrated in center of beam, reduce capacity by 50%. Capacities are per pair of beams; All figures are in lbs. of steady load, with a safety factor of 1.67. For shock or lateral thrust, add braces as needed. Where shown, connecting stiffeners should not be spaced over 3 ft. apart. I-beams and other multiple angles should be bolted together every 12".



Shipping							
Description	Weight (lbs.)	Part No.					
Bundle of 10							
super duty angles	175	5712-10					
11/2" x 3"c x 12 gaug	е						
(.104''), 12' long							



#### **Corner gusset**

when used as corner brace, this 2" x 7<sup>7/8"</sup> gusset adds strength and rigidity to slotted angle units.

#### **Horizontal Capacities**

A.	WHELL OF
B.	A S
C.	A STATE OF THE PARTY OF THE PAR
D.	
_	The same of the sa











# **Platforms**

# "Stack-of-Stairs"

Equipto can build a "stack-of-stairs" and platform landings to almost any height. Contact Equipto Inside Sales for a quote!

	Description	Platform Width	Platform Depth	Floor Height	Part No.
A.	Platform for Straight			6'	970-06
	Through Use	48"	48"	8'	970-08
	Order 36" Wide Stairs	;		10'	970-10
В.	Platform for 90° Turn,		402	6'	970-06
	Left or Right	48"	48"	8'	970-08
	Order 36" Wide Stairs	<b>;</b>		10'	970-10
C.	Platform for 180° Turn	١		6'	971-06
	Order 36" Wide Stairs	96"	48"	8'	971-08
				10'	971-10

- · Maximize space
- Double or triple capacity without sacrificing valuable floor space
- Building up is more economical and efficient than building out
- · Solidly supported by welded uprights
- · Precision engineered
- Significantly increased productivity and profits
- Prefabricated platforms designed according to OSHA, BOCA and IBC guidelines.
- 125 lbs. per sq. ft. of uniformly distributed weight.
- 150 lbs. per sq. ft. in seismic zone 0 only





Platform landing is used for straight through passage with stairway proceeding upward.





For a 90° angle, this platform landing configuration assembles either to right or left.





The 180° turn platform is used in tight areas to conserve space.



# **Pre-configured Mezzanines**

#### **Mezzanines**

# Need more space, but don't want to move or add on?

Double or triple your floor space with Equipto pre-fabricated mezzanines! These rugged elevated floors, walkways and stairways add valuable area where you need it, at a fraction of the cost of acquiring new buildings. Because of their modular design, Equipto mezzanines are economical, quickly installed and can even be re-configured on your premises as your requirements change.

- · Double floor capacity
- Modular design lets you add units as needed
- Less expensive than leasing or Construction
- Relocation to other facilities is easy
- Prefabricated for immediate use
- 36" wide stairway to 4' x 4' landing

They are designed to integrate with other Equipto products to provide one-source space savings that are custom tailored for your individual application. Every place from aircraft hangars to warehouses to factories will benefit from the space saving solutions provided with Equipto mezzanines!



## Decking options include:



Tuffdeck



Bar





Perforated Steel Grating

Solid Steel Grating

Grating Rendered image is for visual purposes only. Final product will vary slightly.

Height	Type of Decking	(n: 10'x10'	MEZZANINE DIMENSIONS ot including 4'x4' stair landing 10'x 20'	) 8'x12'
8'	Bar Grating	1010-8GMEZ-BG-15	1020-8GMEZ-BG-15	1208-8GMEZ-BG-15
8'	Perforated Steel Grating	1010-8GMEZ-PG-15	1020-8GMEZ-PG-15	1208-8GMEZ-PG-15
8'	Anti-skid Tuffdeck	1010-8GMEZ-RT-15	1020-8GMEZ-RT-15	1208-8GMEZ-RT-15
8'	Solid Steel Grating	1010-8GMEZ-SG-15	1020-8GMEZ-SG-15	1208-8GMEZ-SG-15
12'	Bar Grating	1010-12GMEZ-BG-15	1020-12GMEZ-BG-15	1208-12GMEZ-BG-15
12'	Perforated Steel Grating	1010-12GMEZ-PG-15	1020-12GMEZ-PG-15	1208-12GMEZ-PG-15
12'	Anti-skid Tuffdeck	1010-12GMEZ-RT-15	1020-12GMEZ-RT-15	1208-12GMEZ-RT-15
12'	Solid Steel Grating	1010-12GMEZ-SG-15	1020-12GMEZ-SG-15	1208-12GMEZ-SG-15

Contact your local Equipto Sales Rep to design a custom mezzanine platform!



#### Galvanized steel floor grating

Assures non-skid safety for high load capacities, with minimum deflection.

An exceptionally high strength-to-weight ratio makes it suitable for the most demanding jobs with unlimited versatility. Strong, fast to install, and available in sizes appropriate for everything from trench coverings to floors for entire Platform structures.

# Part Numbers and stock sizes for Perforated Steel Grating

Width and Flange Lengths of Panels (Actual Length 1/4" Less Than Shown)								
	24"	30"	36"	48"	72"	96"	120"	144"
7 <sup>1/4</sup> " x 1 <sup>1/2</sup> " for 7 <sup>1/2</sup> " centers	16362	16361	16363	16364	16366	16368	16370	16372
8 <sup>3/4</sup> " x 1 <sup>1/2</sup> " for 9" centers	16162	16161	16163	16164	16166	16168	16170	16172*
11 <sup>7/8"</sup> x 1 <sup>1/2"</sup> for 12" centers	16142*	16141*	16143*	16144*	16146*	16148*	16150*	16152*

<sup>\*</sup> For solid grating in these sizes only, add SG to Catalog No.



#### **Grating Splicer (pair)**

Splicers connect two grating panels end-to-end, without having ends over supports.

Part No. 9549-2

# Grating Anchor (close-up shown on right)

Dish-shaped Anchors permit recessed bolt attachment of hanging lights, etc., to decking.

Part No. 10315


Bolt and Nut are required for each grating anchor

Part No. 13194 (5/16" x 2" bolt)

#### Stair treads

For interior or exterior use, Equipto perforated grating stair treads provide sure traction and maximum rigidity. Exclusive, non-skid treads with 11/2" flange are self-cleaning and virtually maintenance free. Galvanized construction provides lasting, corrosion-resistant wear.

Width	Length	Height	Part No.
71/4"	24"	11/2"	16362WS
71/4"	30"	11/2"	16361WS
71/4"	36"	11/2"	16363WS
71/4"	48"	11/2"	16364WS
83/4"	24"	11/2"	16162WS
83/4"	30"	11/2"	16161WS
83/4"	36"	11/2"	16163WS
83/4"	48"	11/2"	16164WS
117/8"	24"	11/2"	16142WS
117/8"	30"	11/2"	16141WS
117/8"	36"	11/2"	16143WS
11 <sup>7/8</sup> "	48"	11/2"	16144WS



- · High strength one-piece channel construction
- Cutting marks are provided on 6" centers to simplify on-the-job measurements and cutting
- Perforated oval hole grating provides raised nubs for 360° traction and safe walking





Stair Treads



16362WS 16162WS




Angle Cutter - 10213

## Equipto angle cutter

One stroke makes a clean cut. Strong enough to make thousands of cuts through both Heavy and Super Duty angle. Top Blade Part No. 2711,

Lower Blade Part No. 2710.







# Stairways, Ship's Ladders and Bridges



# NEW Stairways Meet New OSHA Standards

- · Contoured hand rail and post design
- Over 200 sizes designed to meet or exceed OSHA or IBC standards
- Galvanized steel stairway systems for safe, convenient access to all levels
- Savings to you in time and money
- · Completely prefabricated for quick assembly
- One-third the cost of building your own unit from structural steel
- · Adaptable to all types of installations
- Prefabricated for indoor use, permanent or temporary
- Heights from 3' to 12' 3" with four tread widths available
- · Non-skid, perforated, galvanized grating
- Stairways are hot dipped galvanized except for railings which come in safety yellow only.
- Landing Anchor Bracket supplied pre-drilled 3" to 4<sup>1/2</sup>" for mounting stairways to landings
- Base Anchor Bracket supplied pre-drilled
   3" bracket for mounting stairways at base






# **NEW OSHA Stairways**


Rise	Run	24" Tread	30" Tread	36" Tread	48" Tread
Min/Max	Min/Max	Width	Width	Width	Width
		Part No.	Part No.	Part No.	Part No.
3'2"/3'8"	3'3"/3'7"	1724S04	1730S04	1736S04	1748S04
3'11"/4'5"	4'0"/4'5"	1724S05	1730S05	1736S05	1748S05
4'6"/5'1"	5'0"/5'4"	1724S06	1730S06	1736S06	1748S06
5'2"/5'9"	5'9"/6'3"	1724S07	1730S07	1736S07	1748S07
5'10"/6'6"	6'7"/7'1"	1724S08	1730S08	1736S08	1748S08
6'7"/7'2"	7'6"/7'11"	1724S09	1730S09	1736S09	1748S09
7'3"/7'11"	8'3"/8'9"	1724S10	1730S10	1736S10	1748S10
8'0"/8'8"	9'1"/9'7"	1724S11	1730S11	1736S11	1748S11
8'9"/9'5"	9'11"/10'5"	1724S12	1730S12	1736S12	1748S12
9'6"/10'10"	11'7"/12'6"	1724S14	1730S14	1736S14	1748S14
10'11"/12'2"	13'0"/14'3"	1724S16	1730S16	1736S16	1748S16

Overall width of stairway is 121/2" greater than tread width.




# **Landing Anchor Bracket (Supplied)**

Pre-drilled, 3" to 41/2", for mounting stairways to landings.



# **Base Anchor Bracket (Supplied)**

Pre-drilled, 3" bracket for mounting



# stairways at base.



Rise Min/Max	Run Min/Max	36" Tread Width	48" Tread Width
		Part No.	Part No.
3'0"/3'6"	4'8"/4'11"	1536IBC5	1548IBC5
3'7"/4'0"	5'7"/5'11"	1536IBC6	1548IBC6
4'1"/4'7"	6'6"/6'10"	1536IBC7	1548IBC7
4'8"/5'1"	7'5"/7'10"	1536IBC8	1548IBC8
5'2"/5'10"	8'4"/8'10"	1536IBC9	1548IBC9
6'0"/7'0"	10'1"/10'9"	1536IBC11	1548IBC11
7'1"/8'2"	12'0"/12'9"	1536IBC13	1548IBC13
8'3"/9'4"	13'10"/14'6"	1536IBC15	1548IBC15
9'5"/10'6"	15'8"/16'4"	1536IBC17	1548IBC17
10'7"/12'3"	18'5"/19'4"	1536IBC20	1548IBC20



# Stair tread solid panels to close vertical rise:

(Order one per stair tread)

30" 1730SRC 36" 1736SRC 48" 1748SRC



1536URC-M 48" 1548URC-M

# Catwalks and Walkways





Ideal for machinery repair, inspection or observation, Equipto Bridge Catwalks can be combined with stairways and ship's ladders to create structures. Versatile, pre-fabricated for easy assembly and engineered for maximum safety and performance.

- Catwalks feature rugged platform frames, 42" high safety railings and 4" high kickplates
- Choose ship's ladders or stairways for access
- 3 pre-configured heights, multiple lengths with add-on units available

Note: Stairways and ship's ladders should be ordered equal to or narrower than catwalk width.

# **NEW OSHA Stairways**

Unit Height	Tread Width	Overall Width	Horizontal Stair Run	Stairway Part No.
6'	36"	481/2"	6'11"	1736S08
8'	36"	481/2"	9'6"	1736S11
10'	36"	481/2"	12'0"	1736S14

# Ship's Ladders

Unit Height	Tread Width	Overall	Horizontal Stair Run	Ladder Part No.
6'	30"	35"	29"	1530L06
8'	30"	35"	35"	1530L08
10'	30"	35"	41"	1530L10

Vertical Clear	Walkway Length	Walkway Width	Catwalk Part No.
631/2"	2'	48"	976S02
631/2"	4'	48"	976S04
631/2"	6'	48"	976S06
631/2"	8'	48"	976S08
631/2"	10'	48"	976S10
60 <sup>3/4</sup> "	12'	48"	976S12
58"	16'	48"	976S16
56"	20'	48"	976S20
	63 <sup>1/2*</sup> 58"	63 <sup>1/2*</sup> 2' 63 <sup>1/2*</sup> 4' 63 <sup>1/2*</sup> 6' 63 <sup>1/2*</sup> 8' 63 <sup>1/2*</sup> 10' 60 <sup>3/4*</sup> 12' 58" 16'	63 <sup>1/2"</sup> 2' 48" 63 <sup>1/2"</sup> 4' 48" 63 <sup>1/2"</sup> 6' 48" 63 <sup>1/2"</sup> 8' 48" 63 <sup>1/2"</sup> 10' 48" 60 <sup>3/4"</sup> 12' 48" 58" 16' 48"

8' high unit				
97 <sup>5/8</sup> "	871/2"	2'	48"	977S02
97 <sup>5/8</sup> "	871/2"	4'	48"	977S04
97 <sup>5/8</sup> "	871/2"	6'	48"	977S06
97 <sup>5/8</sup> "	871/2"	8'	48"	977S08
97 <sup>5/8</sup> "	871/2"	10'	48"	977S10
97 <sup>5/8</sup> "	843/4"	12'	48"	977S12
97 <sup>5/8</sup> "	82"	16'	48"	977S16
97 <sup>5/8</sup> "	80"	20'	48"	977S20

10' high unit				
121 <sup>5/8</sup> "	1111/2"	2'	48"	978S02
1215/8"	1111/2"	4'	48"	978S04
1215/8"	1111/2"	6'	48"	978S06
1215/8"	1111/2"	8'	48"	978S08
1215/8"	1111/2"	10'	48"	978S10
1215/8"	108 <sup>3/4</sup> "	12'	48"	978S12
1215/8"	106"	16'	48"	978S16
121 <sup>5/8</sup> "	104"	20'	48"	978S20

# Ship's Ladders and Bridges

Equipto's Ship's Ladders provide safe, multi-level access up or down to platforms, roofs, platforms, pits, trenches and wells. Extended hand rails and non-skid treads provide added safety.

- · New hand rail design
- · Ideal where space is at a premium
- Deep, non-skid treads provide firm footing
- Wide hand rails (2<sup>1/2</sup>") extend 42" above top stair tread
- Coordinate with many other Equipto products

Note: The actual floor height is dependant on material being used for the flooring of the platform/landing. Add the following to "Flooring support height" for:

Bar grating - 1"

Perforated/solid grating - 11/2"

Tuffdeck - 11/8"

Tuffdeck & roofdeck - 21/4"

# Ship's Ladders

For Floor Heights of:	Horiz. Run	Tread Width	Overall Width	Part No.
4' to	1'11"	24"	31"	1524L04
4'10"	1'11"	30"	37"	1530L04
4'11" to	2'2"	24"	31"	1524L05
5'10"	2'2"	30"	37"	1530L05
5'11" to	2'5"	24"	31"	1524L06
6'10"	2'5"	30"	37"	1530L06
6'11" to	2'8"	24"	31"	1524L07
7'9"	2'8"	30"	37"	1530L07
7'10" to	2'11"	24"	31"	1524L08
8'9"	2'11"	30"	37"	1530L08
8'10"	3'2"	24"	31"	1524L09
to 9'8"	3'2"	30"	37"	1530L09
9'9" to	3'5"	24"	31"	1524L10
10'8"	3'5"	30"	37"	1530L10
10'9"	3'8"	24"	31"	1524L11
to 11'8"	3'8"	30"	37"	1530L11



Rise from tread to tread – approx. 11<sup>1/2</sup>". The tread is 1<sup>1/2</sup>" in height. The opening is about 10". (space between steps)


# **Crossover Bridges**

Prefabricated crossover bridges provide safe walkways over conveyors, ducts, pipes and other obstacles. Use them for observation platforms - in plants or out in the field.

- · Ready-made for fast assembly,no cutting or welding
- · Galvanized, non-skid steps and platform
- · Designed to meet OSHA standards
- · Distributed load capacity of 125 lbs. per square foot
- 24" Stair Tread for Crossover Bridge does not meet OSHA standards

#### Ship's Ladder Crossover Bridges

Omp o E	addor oro	000 TO: D.	lagoo		
A Vertical Clearance	B Length at 36" Height	C Overall Height	D Overall Length	Part No. 24" Tread Width	Part No. 30" Tread Width
42"	34"	7'2"	5'9"	1524X04	1530X04
54"	40"	8'1"	6'3"	1524X05	1530X05
65"	46"	9'1"	6'10"	1524X06	1530X06
77"	52"	10'1"	7'4"	1524X07	1530X07
88"	59"	11'0"	7'10"	1524X08	1530X08
100"	65"	12'0"	8'4"	1524X09	1530X09
112"	71"	12'11"	8'10"	1524X10	1530X10
123"	77"	13'11"	9'5"	1524X11	1530X11




Ship's Ladder Crossover Bridge

# **Stair Crossover Bridges**

B Length at 36" Height	C Overall Height	D Overall Length	Part No. 24" Stair Tread is 36 <sup>1/2</sup> " Overall	Part No. 30" Stair Tread is 42 <sup>1/2</sup> " Overall	Part No. 36" Stair Tread is 48 <sup>1/2</sup> " Overall
_	6'4"	10'8"	1724B04	1730B04	1736B04
4'65/32"	7'05/8"	12'4"	1724B05	1730B05	1736B05
6'21/2"	7'91/8"	14'0"	1724B06	1730B06	1736B06
7'10 <sup>23/32</sup> "	8'5 <sup>5/8</sup> "	15'9"	1724B07	1730B07	1736B07
9'629/32"	9'21/8"	17'5"	1724B08	1730B08	1736B08
11'3 <sup>1/8</sup> "	9'109/16"	19'1"	1724B09	1730B09	1736B09
12'11 <sup>5/16</sup> "	10'63/4"	20'9"	1724B10	1730B10	1736B10
14'7 <sup>17/32</sup> "	11'31/4"	22'5"	1724B11	1730B11	1736B11
	Length at 36" Height  - 4'65/32" 6'21/2" 7'1023/32" 9'629/32" 11'31/8" 12'115/16"	Length at 36" Height Height  - 6'4"  4'65'32" 7'05'8"  6'21'2" 7'91'8"  7'1023'32" 8'55'8"  9'629'32" 9'21'8"  11'31'8" 9'109'16"  12'115'16" 10'63'4"	Length at 36" Height Height Length  - 6'4" 10'8" 4'65'32" 7'05'8" 12'4" 6'21'2" 7'91'8" 14'0" 7'1023'32" 8'55'8" 15'9" 9'629'32" 9'21'8" 17'5" 11'31'8" 9'109'16" 19'1" 12'115'16" 10'63'4" 20'9"	B C D 24" Stair Length at 36" Height Height Length 361/2" Overall  - 6'4" 10'8" 1724B04 4'65/32" 7'05/8" 12'4" 1724B05 6'21/2" 7'91/8" 14'0" 1724B06 7'1023/32" 8'55/8" 15'9" 1724B07 9'629/32" 9'21/8" 17'5" 1724B08 11'31/8" 9'109/16" 19'1" 1724B09 12'115/16" 10'63/4" 20'9" 1724B10	B         C         D         24" Stair         30" Stair           Length at 36" Height         Overall Height         Tread is 36"/2" Overall         Tread is 421"2" Overall           -         6'4"         10'8"         1724B04         1730B04           4'65'32"         7'05'8"         12'4"         1724B05         1730B05           6'21'2"         7'91'8"         14'0"         1724B06         1730B06           7'1023/32"         8'55'8"         15'9"         1724B07         1730B07           9'629'32"         9'21'8"         17'5"         1724B08         1730B08           11'31'8"         9'109'16"         19'1"         1724B09         1730B09           12'115'16"         10'63'4"         20'9"         1724B10         1730B10

Items on this page hot dip galvanized except railings, which are safety yellow.



Stair Crossover Bridge

Other stairway designs are available — ask your customer service representative.



#### **Available Standard Colors**



Textured Putty



Textured Dove Gray



Textured Black



Textured **Bright Yellow** 



Textured Cherry Red



Textured Regal Blue



Mirror Silver (Wire Shelving Only) Office Gray



Smooth



Smooth Reflective White



Textured Evergreen

## **Design Benefits & Features**

Electrical, fluid and air supplies in convenient locations

Wide selection on sizes and styles

High capacity tops and drawers

Continuous row assemblies

Wood, steel, stainless steel, laminate and ESD (anti-static) tops

Production boosters, mobile kits, drawers and locks

# **Space Utilization Advantages**

Efficiently organize work areas

Tools and storage space are combined into one area

Ergonomic design increases productivity

# **Market Applications**

Automotive - service, parts and office

Education - office and maintenance

Healthcare - labs, maintenance, and office

Maintenance - service and parts

Manufacturing - in-plant offices, work cells, and maintenance

Military - service, maintenance, and parts


Office - customer service, shipping/receiving



# Workcenters

Equipto workcenters provide years of useful, rugged and efficient space utilization. Select from wall mount or free-standing units, with or without drawers, and the largest variety of accessories to take advantage of your work space. Equipto's extensive line of workcenters organize your work areas to make you more productive

- · Modular Drawer Cabinet workcenters maximize storage density
- · Closed and Pedestal Leg workcenters keep tools and parts out of sight
- · Open Leg workcenters provide economical work space
- Tech Bench workcenters offer a modern answer for keeping reels, hoses, manuals and computer monitors neat and organized
- · Equipto workcenters make flexible use of drawers and cabinets





Mobile workcenters can be easily moved and configured to create a custom designed work area.



Closed leg workcenters give service bays a uniform, streamlined appearance.



# **Tech Bench Workcenters**

The Equipto Tech Bench combines essential service facility equipment and Hi-tech storage functionality to organize every aspect of a technician's workspace





Concealed reel holder compartments, sliding lift control drawers and retractable cabinet doors provide a professional, streamlined appearance.



## **Lift Control Drawer**

Provides hidden compartment to mount the lift control power unit and easily slides out to provide quick and convenient access for servicing.



## **Lower Bench Cabinets**

Neatly organize and conceal reel holders for air, water and lubricants behind removable sliding cabinet doors. Prevent dirt, trash and debris from collecting and obstructing reel unwinding and rewinding.



# **Monitor Enclosure**

Offers eye-level storage compartment for service computer monitor. Retractable keyboard tray adjusts to individual user level and is center mounted under the monitor enclosure.



# **Tech Bench Workcenters - Preconfigured Units**




# Select the lower bench unit

Select the sliding door or removable panel lower bench configuration; Available in 4', 5', 6', 8' and 10' lengths.

# **Stainless Steel Top - Preconfigured Units**

16 gauge solid steel over wood core, wall-mount workcenter with a one piece top and integral backstop. Cabinets feature sliding/removable doors for storage or servicing of equipment. Includes knockouts for electrical outlets and hoses. (Electrical outlets and hoses not included). Standard cover plates are included, specialty cover plates are listed in the Optional Accessories section on page 99.






# Sliding door lower bench units

Part No.	Description
TBL10S-55DN	Includes two 60" sliding door bench units with a 10' stainless steel top - 120"W x 30"D x 283/4"H
TBL10S-44DE	Includes two 48" sliding door bench units with one 12" overhang on each end with a stainless steel top - 120"W x 30"D x 283/4"H
TBL10S-44DC	Includes two 48" sliding door bench units with one 24" center opening with a stainless steel top - 120"W x 30"D x 283/4"H
TBL8S-44DN	Includes two 48" sliding door bench units with a 8' stainless steel top - 96"W x 30"D x 283/4"H
TBL8S-33DE	Includes two 36" sliding door bench units with one 12" overhang on each end with a stainless steel top - 96"W x 30"D x 283/4"H
TBL6S-5DE	Includes one 60" sliding door bench unit with one 12" overhang with a stainless steel top - 72"W x 30"D x 283/4"H
TBL5S-5DN	Includes one 60" sliding door bench unit with a 5' stainless steel top - 60"W x 30"D x 283/4"H
TBL4S-3DE	Includes one 36" sliding door bench unit with one 12" overhang with a stainless steel top - 48"W x 30"D x 283/4"H

#### Removable door lower bench units

Part No.	Description
TBL10S-55PN	Includes two 60" removable panel bench units with a 10' stainless steel top - 120"W x 30"D x 283/4"H
TBL10S-44PE	Includes two 48" removable panel bench units with one 12" overhang on each end with a stainless steel top - 120"W x 30"D x 283/4"H
TBL10S-44PC	Includes two 48" removable panel bench units with one 24" center opening with a stainless steel top - 120"W x 30"D x 283/4"H
TBL8S-44PN	Includes two 48" removable panel bench units with a 8' stainless steel top - 96"W x 30"D x 283/4"H
TBL8S-33PE	Includes two 36" removable panel bench units with one 12" overhang on each end with a stainless steel top - 96"W x 30"D x 283/4"H
TBL6S-5PE	Includes one 60" removable panel bench unit with one 12" overhang with a stainless steel top - 72"W x 30"D x 283/4"H
TBL5S-5PN	Includes one 60" removable panel bench unit with a 5' stainless steel top - 60"W x 30"D x 283/4"H
TBL4S-3PE	Includes one 36" removable panel bench unit with one 12" overhang with a stainless steel top - 48"W x 30"D x 283/4"H





# **Optional Painted Steel Top - Preconfigured units**

Painted 16 gauge solid steel over a wood core, wall-mount work center with a one piece top and integral backstop.

Cabinets feature sliding/removable doors for storage or servicing of equipment.

Includes knockouts for electrical outlets and hoses. (Electrical outlets and hoses not included).

Standard cover plates are included, specialty cover plates are listed in the Optional Accessories section on page 99.

# Sliding door lower bench units

Part No.	Description	
TBL10P-55DN	Includes two 60" sliding door bench units with a 10' painted steel top - 120"W x 30"D x 283/4"H	
TBL10P-44DE	Includes two 48" sliding door bench units with one 12" overhang on each end with a painted steel top - 120"W x 30"D x 283/4"H	
TBL10P-44DC	Includes two 48" sliding door bench units with one 24" center opening with a painted steel top - 120"W x 30"D x 283/4"H	
TBL8P-44DN	Includes two 48" sliding door bench units with a 8' painted steel top - 96"W x 30"D x 283/4"H	
TBL8P-33DE	Includes two 36" sliding door bench units with one 12" overhang on each end with a painted steel top - 96"W x 30"D x 283/4"H	
TBL6P-5DE	Includes one 60" sliding door bench unit with one 12" overhang with a painted steel top - 72"W x 30"D x 283/4"H	
TBL5P-5DN	Includes one 60" sliding door bench unit with a 5' painted steel top - 60"W x 30"D x 283/4"H	
TBL4P-3DE	Includes one 36" sliding door bench unit with one 12" overhang with a painted steel top - 48"W x 30"D x 283/4"H	

#### Removable panel lower bench units

Part No.	Description
TBL10P-55PN	Includes two 60" removable panel bench units with a 10' painted steel top - 120"W x 30"D x 283/4"H
TBL10P-44PE	Includes two 48" removable panel bench units with one 12" overhang on each end with a painted steel top - 120"W x 30"D x $28^{3/4}$ "H
TBL10P-44PC	Includes two 48" removable panel bench units with one 24" center opening with a painted steel top - 120"W x 30"D x 283/4"H
TBL8P-44PN	Includes two 48" removable panel bench units with a 8' painted steel top - 96"W x 30"D x 283/4"H
TBL8P-33PE	Includes two 36" removable panel bench units with one 12" overhang on each end with a painted steel top - $96$ "W x $30$ "D x $28^{3/4}$ "H
TBL6P-5PE	Includes one 60" removable panel bench unit with one 12" overhang with a painted steel top - 72"W x 30"D x 283/4"H
TBL5P-5PN	Includes one 60" removable panel bench unit with a 5' painted steel top - 60"W x 30"D x 28 <sup>3/4</sup> "H
TBL4P-3PE	Includes one 36" removable panel bench unit with one 12" overhang with a painted steel top - 48"W x 30"D x 283/4"H

#### examples shown on previous page

# **Tech Bench Workcenter - Preconfigured Units**



# Select the upper cabinet unit

Available in 4', 5', 6', 8' and 10' lengths.


Wall-mount cabinet unit with your choice of retractable sliding cabinet and/or gas shock door, and one 24" monitor enclosure with retracting keyboard tray.


Part No.	Description
TBU10-4M4	Includes two 48" storage cabinets and one 24" monitor cabinet - 120"W x 15"D x 21"H
TBU8-3M3	Includes two 36" storage cabinets and one 24" monitor cabinet - 96"W x 15"D x 21"H
TBU6-M4	Includes one 48" storage cabinet and one 24" monitor cabinet - 72"W x 15"D x 21"H
TBU5-M3	Includes one 36" storage cabinet and one 24" monitor cabinet - 60"W x 15"D x 21"H
TBU4-M2	Includes one 24" storage cabinet and one 24" monitor cabinet - 48"W x 15"D x 21"H
TBU-SMK-16	Bracket to mount to 161/2" deep Aerial Shelf, comes in pairs, need 1 pair per aerial
TBU-SMK-13	Bracket to mount to 131/2" deep Aerial Shelf, comes in pairs, need 1 pair per aerial

For GAS SHOCK attachment, "GS" is added to the end of the base upper cabinet part number. If you would like to have multiple door options, please contact Equipto Inside Sales for a customized quote.











TBU6-M4

TBU5-M3





TBU10-4M4

A standard color chart is available at the beginning of each section with a more detailed one on page 141.



# Back Braces - for wall mount units only

Uni-strut or equivalent structural channels and appropriate hardware are required to hang upper and lower cabinets from wall and are not provided. Back braces are required on lower cabinets for wall hanging only.

Part No.	Description
TBWMK-2	size of brace - 24"
TBWMK-3	size of brace - 36"
TBWMK-4	size of brace - 48"
TBWMK-5	size of brace - 60"

## Free-standing kits

Part No.	Description
TBFSK-2	Free Standing Kit - 24"
TBFSK-3	Free Standing Kit - 36"
TBFSK-4	Free Standing Kit - 48"
TBFSK-5	Free Standing Kit - 60"

## For lower units only

Description	
TBFSK-2L	Free Standing Kit - 24"
TBFSK-3L	Free Standing Kit - 36"
TBFSK-4L	Free Standing Kit - 48"
TBFSK-5L	Free Standing Kit - 60"



# **Tech Bench Workcenter - Accessories**

Select desired accessories. For additional lift control drawer options, contact Equipto Inside Sales.

#### **Optional Accessories**

Part No.	Description			
Contact Equipto Inside	e Sales reps for proper lift control parts			
TBCW-2 (S*)	Painted Steel Chaseway - 24"W			
TBCW-3 (S*)	Painted Steel Chaseway - 36"W			
TBCW-4 (S*)	Painted Steel Chaseway - 48"W			
TBCW-5 (S*)	Painted Steel Chaseway - 60"W			
TBCW-6 (S*)	Painted Steel Chaseway - 72"W			
TBCW-8 (S*)	Painted Steel Chaseway - 96"W			
TBCW-10 (S*)	Painted Steel Chaseway - 120"W			
******************	for Otalialana Otala Observani			

<sup>\*</sup>Add "S" to end of PN for Stainless Steel Chaseway

Part No.	Description
TBRM-3	Rubber Mat - 36"W
TBRM-4	Rubber Mat - 48"
TBRM-5	Rubber Mat - 60"
TBRM-6	Rubber Mat - 72"
TBRM-8	Rubber Mat - 96"
TBRM-10	Rubber Mat - 120"
TBRK	4 pc. Roller Kit
TBCP-NE	Cover Plate (No Electric)
TBCP-WE	Cover Plate (With Electric)
TBCP-LR	Cover Plate For Light Reel
TBCP-RK	Standard Cover Plate
TBLHS-2	Lower Half Shelf - 24"
TBLHS-3	Lower Half Shelf - 36"
TBLHS-4	Lower Half Shelf - 48"
TBLHS-5	Lower Half Shelf - 60"

# **Tech Bench Workcenter - Modular Components**

# **Upper cabinet components**

Part No.	Description		
TBU-2	Upper Cabinet - 24"		
TBU-M	Upper Monitor Cabinet - 24"	(Add QV at end fo quick view door)	
TBU-3	Upper Cabinet - 36"		
TBU-4	Upper Cabinet - 48"		
TBU-2GS	Upper Cabinet w/ gas shocks - 24"		
TBU-MGS	Upper Monitor Cabinet w/ gas shocks - 24"		
TBU-3GS	TBU-3GS Upper Cabinet w/ gas shocks - 36"		
TBU-4GS Upper Cabinet w/ gas shocks - 48"			
Note: Upper Cabinet Units have an 18" high clearance when the cabinet doors are retracted.			

# **Upper cabinets**



# Lower cabinet components

Part No.	Description
TBL-2P	With Removable Panel - 24
TBL-3P	With Removable Panel - 36
TBL-4P	With Removable Panel - 48
TBL-5P	With Removable Panel - 60
TBL-3D	With Sliding Doors - 36"
TBL-4D	With Sliding Doors - 48"
TBL-5D	With Sliding Doors - 60"
TBLCD-SC	Side Cover for
	Lift Control Drawer
Motor Louis	r banab tan nat inaludad

Note: Lower bench top not included.


#### Lower bench tops steel/wood core

Lower	belich tops steel/wood core
Part No.	Description
TBT-3P	Painted Steel Top - 36"
TBT-4P	Painted Steel Top - 48"
TBT-5P	Painted Steel Top - 60"
TBT-6P	Painted Steel Top - 72"
TBT-8P	Painted Steel Top - 96"
TBT-10P TBT-3S	Painted Steel Top - 120" Stainless Steel Top - 36"
TBT-4S	Stainless Steel Top - 48"
TBT-5S	Stainless Steel Top - 60"
TBT-6S	Stainless Steel Top - 72"
TBT-8S	Stainless Steel Top - 96"
TBT-10S	Stainless Steel Top - 120"

Note: Lower Bench Tops have a rear overhang of  $1^{1/4}$ " and a front overhang of  $4^{1/2}$ ".


#### **Lower Cabinets**


Panel Front



ff a	. 60	0.00	10	0.1	TAL
110					1
-					
1					-







# **EquiptoBay Workcenters**

# Self configured tech bench systems

The EQUIPTO Bay is a modular Workbench system which can be preconfigured in numerous designs according to individual customer requirements.

All features can be used in a single or double bench setup. Please contact Equipto Inside Sales to build your bench today!

## Features:

- · Versatile Preconfigured Workbench Systems
- Lower Workbench provided with Sliding Doors or Reel Cabinets
- · Stainless Steel Counters and Chaseway
- · Lockable Double Bank Tool Cabinets
- 200 lb. Drawer Weight Capacity
- · Drawers lined with Rubber Protection Mats
- · Tool Cart Lockers to Store and Secure Tools
- Tool Carts available with Optional Wheel Locks
- · Adaptable to facility space restrictions
- · Ease of installation and assembly
- · Ability to relocate and modify for expansion
- Modular Design
- · Various color options available

## Benefits:

- Economical Standard Preconfigured Work Units
- Can be used in service, maintenance or production areas
- Provides a safe and organized work environment (OSHA)
- · Ergonomic design
- · Green Compliant



# EQUIPTO



#### **Lift Control Drawer**

#### Part No. Available Sizes:

1L1A 12"W x 27<sup>3/4</sup>"D x 37<sup>1/8</sup>"H When ordering, please specify Power Unit Brand and Part Number



#### Hose Reel Bench Unit

with removable front panel  $27^{3/4}$  D x  $37^{1/8}$  H

Part No.	Available Sizes:
1R2	24"W - 2 Hose reels
1R3	36"W - 3 Hose reels
2R3	(2) 36"W - 3 Hose reels
1R4	48"W - 4 Hose reels
2R4	(2) 48"W - 4 Hose reels
1R5	60"W - 5 Hose reels
2R5	(2) 60"W - 5 Hose reels



#### **Sevice Cart Locker**

Service cart included with locker

zes:
zes:

1N2 24"W x 27<sup>3/4</sup>"D x 37<sup>1/8</sup>"H 2N2 (2) 24"W x 27<sup>3/4</sup>"D x 37<sup>1/8</sup>"H

#### **EQUIPTO SERVICE CART**

Part No. Available Sizes:

SVC-1 18<sup>1/8</sup>"W x 22<sup>1/8</sup>"D x 34"H 11621 3" wheel lock for

3" wheel lock for one cart caster



#### Sliding Door Bench Unit Kick plate cover is not shown, but is included

Part No. Available Sizes:

1S3 36"W x 27<sup>3/4</sup>"D x 37<sup>1/8</sup>"H 2S3 (2) 36"W x 27<sup>3/4</sup>"D x 37<sup>1/8</sup>"H 1S4 48"W x 27<sup>3/4</sup>"D x 37<sup>1/8</sup>"H 2S4 (2) 48"W x 27<sup>3/4</sup>"D x 37<sup>1/8</sup>"H 1S5 60"W x 27<sup>3/4</sup>"D x 37<sup>1/8</sup>"H 2S5 (2) 60"W x 27<sup>3/4</sup>"D x 37<sup>1/8</sup>"H



# Double Bank Tool Cabinet Kick plate cover is not shown, but is included

Drawer Sizes:

44"H X 60" WIDE: 30"W: (4) 3", (6) 4.5", (2) 6", (2) 7.5" AND 60"W: (1) 4.5" 59"H X 60" WIDE: 30"W: (4) 3", (10) 4.5", (4) 6", (2) 7.5" AND 60"W: (1) 4.5"

 Part No.
 Available Sizes:

 EBMDB44-1
 60"W x 273/4"D x 44"H

 EBMDB59-1
 60"W x 273/4"D x 59"H



#### **Modular Cabinets**

Drawers sizes include: (1)3"H, (1)6"H, (1)7<sup>1/2</sup>"H, (1)12"H

Part No.	Available Sizes:
1M2A	24"W x 27 <sup>3/4</sup> "D x 37 <sup>1/8</sup> "H
2M2A	(2) 24"W x 27 <sup>3/4</sup> "D x 37 <sup>1/8</sup> "H
1M3A	36"W x 27 <sup>3/4</sup> "D x 37 <sup>1/8</sup> "H
2M3A	(2) 36"W x 27 <sup>3/4</sup> "D x 37 <sup>1/8</sup> "H
1M4A	48"W x 27 <sup>3/4</sup> "D x 37 <sup>1/8</sup> "H
2M4A	(2) 48"W x 27 <sup>3/4</sup> "D x 37 <sup>1/8</sup> "H

22<sup>1/2</sup>", 30", and 45" Cabinets used with Fillers for 24", 36" and 45" Widths

Note: Alternative drawer configurations available by contacting EQUIPTO.



# **Upper Storage Cabinets**Retractable sliding cabinet doors

Part No. Cabinets Included:

EBUC-3M3 (2)36"W, (1)24"W monitor cabinet w/ retracting keyboard tray
EBUC-4M (1)48"W, (1)24"W monitor cabinet w/ retracting keyboard tray
EBUC-4M4 (2)48"W, (1)24"W monitor cabinet w/ retracting keyboard tray
EBUC-2M2 (2)24"W, (1)24"W monitor cabinet w/ retracting keyboard tray

EBUC-33 (2)36"W x 15"D x 21"H EBUC-44 (2)48"W x 15"D x 21"H

#### **Stainless Steel Wood Core Top**

All tops include matching chaseway

P	art	No.	App	licat	ion:
---	-----	-----	-----	-------	------

S5	30"D x 60"W x $1^{5/8}$ " thick to be used with a 5' bench
S6	30"D x 72"W x 15/8" thick: to be used with 6' bench
S8	30"D x 96"W x $1^{5/8}$ " thick: to be used with 8' bench
S10	$30$ "D x $120$ "W x $1^{5/8}$ " thick: to be used with $10$ ' bench

# Gas Spring lift cabinet doors Part No. Cabinets Included:

EBUC-3M3GS (2)36"W, (1)24"W monitor cabinet w/ retracting keyboard tray

EBUC-33GS (2)36"W x 15"D x 21"H

EBUC-2M2GS (2)24"W, (1)24"W monitor cabinet w/ retracting keyboard tray EBUC-4MGS (1)48"W, (1)24"W monitor cabinet w/ retracting keyboard tray

EBUC-44GS (2)48"W x 15"D x 21"H

EBUC-4M4GS (2)48"W, (1)24"W monitor cabinet w/ retracting keyboard tray



# Modular Drawer Cabinet Workcenters

Optimize work areas by combining work and storage space into a modular drawer cabinet workcenter. With capacity up to 400 lbs per drawer, and single or double cabinet configurations, these workcenters are designed to last a lifetime.

# **Modular Drawer Cabinet Workcenter - Preconfigured Units**

- · All workcenters are 30" deep
- 22<sup>1/2</sup>" wide cabinets feature "Quiet Ride<sup>tm</sup>" Drawers with 200 lb. capacity per drawer
- 30" wide cabinets with 400 lb. capacity per drawer
- Choice of Equipto vivid colors to enhance work environment
- Knockouts in legs provide for safe, convenient electrical hookup
- · Lower recessed shelf
- · 140 sizes and styles
- Design Efficient workcenters to fit your specific needs
- Choice of 6 tops available in 3 lengths
- · Choice of 3 pedestals



# Tops

#### Choice of 6 tops:

Tempered hardboard bonded to 12 gauge steel; Plastic laminate (color: cloud spectrum); ESD (anti-static, color: cloud spectrum - not shown); 3/8" resin wood bonded to wood block core; 12 gauge (.104") steel (painted red in photo); solid laminated hardwood.








Height	Cabinet	Length	Steel With	Wood	Top Bonded	Hardboard With	ESD
	Model No.		Backstop	Hardwood	Wood	Backstop	Anti-Static
22 <sup>1/2</sup> " W	Cabinets						
34"	4273	5'	2578U5	2578-5W	2578-5B	2578U5M	2578-5C
		6'	2578U6	2578-6W	2578-6B	2578U6M	2578-6C
		8'	2578U8	2578-8W	2578-8B	2578U8M	2578-8C
291/2"	4263	5'	2563U5	2563-5W	2563-5B	2563U5M	2563-5C
		6'	2563U6	2563-6W	2563-6B	2563U6M	2563-6C
		8'	2563U8	2563-8W	2563-8B	2563U8M	2563-8C
34"	4273	5'	2568U5	2568-5W	2568-5B	2568U5M	2568-5C
		6'	2568U6	2568-6W	2568-6B	2568U6M	2568-6C
		8'	2568U8	2568-8W	2568-8B	2568U8M	2568-8C
30" W C	abinets						
291/2"	4443	5'	2561U5	2561-5W	2561-5B	2561U5M	2561-5C
		6'	2561U6	2561-6W	2561-6B	2561U6M	2561-6C
		8'	2561U8	2561-8W	2561-8B	2561U8M	2561-8C
34"	4433	5'	2566U5	2566-5W	2566-5B	2566U5M	2566-5C
		6'	2566U6	2566-6W	2566-6B	2566U6M	2566-6C
		8'	2566U8	2566-8W	2566-8B	2566U8M	2566-8C







			Steel	Wood Top		Hardboard	
Height	Cabinet Model No.	Length	With Backstop	Hardwood	Bonded Wood	With Backstop	ESD Anti-Static
30" W	Cabinets		Dackstop	Harawoou	***************************************	Dackstop	Anti-Static
34"	4433	5'	2586U5	2586-5W	2586-5B	2586U5M	2586-5C
		6'	2586U6	2586-6W	2586-6B	2586U6M	2586-6C
		8'	2586U8	2586-8W	2586-8B	2586U8M	2586-8C
34"	4433	5'	2576U5	2576-5W	2576-5B	2576U5M	2576-5C
		6'	2576U6	2576-6W	2576-6B	2576U6M	2576-6C
		8'	2576U8	2576-8W	2576-8B	2576U8M	2576-8C
291/2"	4443	8'	2591U8	2591-8W	2591-8B	2591U8M	2591-8C
34"	4433	8'	2596U8	2596-8W	2596-8B	2596U8M	2596-8C

All 8' benches in this Modular Drawer Workcenter section are on 8' centers with an 8' top. Pages 111-112 feature Workcenter Accessories for these benches.

# EQUIPTO

# **Closed Leg Workcenters**

Equipto closed leg benches combine high-efficiency bench features with the important benefits of cabinet space. Choose from more than 200 sizes and styles and a range of features to match your exact needs. Rugged structural unit designed for tough use with the flexibility for adding accessories.

Closed Leg Workcenter - Preconfigured Units Benches are all 30" deep and 34" high.















			l Tops	Wood 1		Hardboard		ESD
Series	Length	Bacl With	kstop Without	Hardwood	Bonded Wood	Back With	stop Without	Anti-Static
	ies - Inclu			Harawoou	Wood	with	Without	
	4'	270U4	270D4	270-4W	270-4B	270U4M	270D4M	270-4C
	5'	270U5	270D5	270-5W	270-5B	270U5M	270D5M	270-5C
	6'	270U6	270D6	270-6W	270-6B	270U6M	270D6M	270-6C
	8'	270U8	270D8	270-8W	270-8B	270U8M	270D8M	270-8C
275 Ser	ies - Inclu	ıdes Dooi	rs & 1 Shel	f (top photo)				
	4'	275U4	275D4	275-4W	275-4B	275U4M	275D4M	275-4C
	5'	275U5	275D5	275-5W	275-5B	275U5M	275D5M	275-5C
	6'	275U6	275D6	275-6W	275-6B	275U6M	275D6M	275-6C
	8'	275U8	275D8	275-8W	275-8B	275U8M	275D8M	275-8C
280 Ser	ies - Inclu	ıdes 1 Sh	elf & 1 Dra	wer				
	4'	280U4	280D4	280-4W	280-4B	280U4M	280D4M	280-4C
	5'	280U5	280D5	280-5W	280-5B	280U5M	280D5M	280-5C
	6'	280U6	280D6	280-6W	280-6B	280U6M	280D6M	280-6C
	8'	280U8	280D8	280-8W	280-8B	280U8M	280D8M	280-8C
		Steel	LTons	Wood Tops		Hardboard	on Steel	
Steel Tops								
					onded			ESD Anti Statio
Series	Length		kstop Without	Bo		Back		ESD Anti-Static
		Bacl With	kstop Without	Bo	onded Vood	Backs With	stop	
		Bacl With	kstop Without	Bo Hardwood V	onded Vood	Backs With	stop Without	
	ries - Ope	Bacl With n Backed	kstop Without Bench , Ir	Hardwood V	onded Vood helf And 1	Backs With \	stop Without 210D4M	Anti-Static
	ries - Ope	Backed With n Backed 210U4	kstop Without I Bench , Ir 210D4	Hardwood V ncludes 1 Half S 210-4W	onded Vood helf And 1 210-4B	Backs With N Drawer 210U4M	stop Without 210D4M 210D5M	Anti-Static 210-4C
	ries - Ope 4' 5'	Back With n Backed 210U4 210U5	kstop Without Bench , Ir 210D4 210D5	Hardwood V ncludes 1 Half S 210-4W 210-5W	onded Vood helf And 1 210-4B 210-5B	Backs With N Drawer 210U4M 210U5M	210D4M 210D5M 210D6M	Anti-Static 210-4C 210-5C
210 Se	ries - Ope 4' 5' 6' 8'	Back With n Backed 210U4 210U5 210U6 210U8	Without Bench, Ir 210D4 210D5 210D6 210D8	Hardwood V icludes 1 Half S 210-4W 210-5W 210-6W 210-8W	onded Vood helf And 1 210-4B 210-5B 210-6B 210-8B	Backs With V Drawer 210U4M 210U5M 210U6M	210D4M 210D5M 210D6M	210-4C 210-5C 210-6C
210 Se	ries - Ope 4' 5' 6' 8'	Back With n Backed 210U4 210U5 210U6 210U8	Without Bench, Ir 210D4 210D5 210D6 210D8	Hardwood V icludes 1 Half S 210-4W 210-5W 210-6W	onded Vood helf And 1 210-4B 210-5B 210-6B 210-8B	Backs With V Drawer 210U4M 210U5M 210U6M	210D4M 210D5M 210D6M 210D8M	210-4C 210-5C 210-6C
210 Se	4' 5' 6' 8'	Back With n Backed 210U4 210U5 210U6 210U8 n Backed	Without Bench, In 210D4 210D5 210D6 210D8 Bench, Ir	Hardwood V ncludes 1 Half S 210-4W 210-5W 210-6W 210-8W ncludes 1 Half S	onded Vood helf And 1 210-4B 210-5B 210-6B 210-8B	Backs With N Drawer 210U4M 210U5M 210U6M 210U8M	210D4M 210D5M 210D6M 210D8M	210-4C 210-5C 210-6C 210-8C
210 Se	4' 5' 6' 8' ries - Ope	Back With n Backed 210U4 210U5 210U6 210U8 n Backed 215U4	Without  Bench , In  210D4  210D5  210D6  210D8  Bench , In  215D4	Hardwood V ncludes 1 Half S 210-4W 210-5W 210-6W 210-8W ncludes 1 Half S 215-4W	210-6B 210-8B 210-8B 210-8B 215-4B	Backs With N Drawer 210U4M 210U5M 210U6M 210U8M	210D4M 210D5M 210D6M 210D8M 210D8M	210-4C 210-5C 210-6C 210-8C 215-4C
210 Se	4' 5' 6' 8' ries - Ope 4' 5'	Back With n Backed 210U4 210U5 210U6 210U8 n Backed 215U4 215U5	Without Bench, Ir 210D4 210D5 210D6 210D8 Bench, Ir 215D4 215D5	Hardwood V ncludes 1 Half S 210-4W 210-5W 210-6W 210-8W ncludes 1 Half S 215-4W 215-5W	210-4B 210-5B 210-8B 210-8B <b>helf</b> 215-4B	Backs With N Drawer 210U4M 210U5M 210U6M 210U8M 215U4M 215U5M	210D4M 210D5M 210D6M 210D8M 210D8M 215D4M 215D5M 215D6M	210-4C 210-5C 210-6C 210-8C 215-4C 215-5C
210 Se	ries - Ope 4' 5' 6' 8' ries - Ope 4' 5' 6' 8'	Back with n Backed 210U4 210U5 210U6 210U8 n Backed 215U4 215U5 215U6 215U8	kstop Without Bench , In 210D4 210D5 210D6 210D8 Bench , In 215D4 215D5 215D6 215D8	210-4W 210-5W 210-6W 210-8W 215-4W 215-5W 215-6W	210-4B 210-5B 210-6B 210-8B helf 215-4B 215-5B 215-6B 215-8B	Backs With N Drawer 210U4M 210U5M 210U8M 215U4M 215U5M 215U6M	210D4M 210D5M 210D6M 210D8M 210D8M 215D4M 215D5M 215D6M	210-4C 210-5C 210-6C 210-8C 215-4C 215-5C 215-6C
210 Se	ries - Ope 4' 5' 6' 8' ries - Ope 4' 5' 6' 8'	Back with n Backed 210U4 210U5 210U6 210U8 n Backed 215U4 215U5 215U6 215U8	kstop Without Bench , In 210D4 210D5 210D6 210D8 Bench , In 215D4 215D5 215D6 215D8	210-4W 210-5W 210-6W 210-8W 210-8W 215-4W 215-5W 215-6W 215-8W	210-4B 210-5B 210-6B 210-8B helf 215-4B 215-5B 215-6B 215-8B	Backs With N Drawer 210U4M 210U5M 210U8M 215U4M 215U5M 215U6M	210D4M 210D5M 210D6M 210D8M 210D8M 215D4M 215D5M 215D6M 215D6M	210-4C 210-5C 210-6C 210-8C 215-4C 215-5C 215-6C
210 Se	ries - Ope 4' 5' 6' 8' ries - Ope 4' 5' 6' 8'	Backed 210U4 210U5 210U6 215U4 215U5 215U6 215U8 sed Backed Backe	Without  Bench , In  210D4  210D5  210D6  210D8  Bench , In  215D4  215D5  215D6  215D8  d Bench ,	Hardwood V ncludes 1 Half S 210-4W 210-5W 210-6W 210-8W ncludes 1 Half S 215-4W 215-5W 215-6W 215-8W Includes 1 Full	210-4B 210-5B 210-6B 210-8B helf 215-4B 215-5B 215-6B 215-8B Shelf	Backs With N Drawer 210U4M 210U5M 210U8M 215U4M 215U5M 215U6M 215U8M	210D4M 210D5M 210D6M 210D8M 215D4M 215D5M 215D6M 215D6M 215D8M	210-4C 210-5C 210-6C 210-8C 215-4C 215-5C 215-6C 215-8C
210 Se	ries - Ope 4' 5' 6' 8' ries - Ope 4' 5' 6' 8' ries - Clos 4' 5'	## Backed 210U4 210U5 210U6 210U8 ## Backed 215U4 215U5 215U6 215U8 ## Seed Backed 265U4 265U5	Without  Bench , In  210D4  210D5  210D6  210D8  Bench , In  215D4  215D5  215D6  215D8  d Bench ,  265D4	210-4W 210-5W 210-6W 210-8W 210-8W 215-4W 215-5W 215-8W 215-8W 215-8W 215-8W 265-4W	210-4B 210-5B 210-6B 210-8B helf 215-4B 215-5B 215-8B 215-8B 215-8B 265-4B	Backs With V Drawer 210U4M 210U5M 210U6M 210U8M 215U4M 215U5M 215U6M 215U8M	210D4M 210D5M 210D6M 210D8M 215D4M 215D5M 215D6M 215D6M 215D8M	210-4C 210-5C 210-6C 210-8C 215-4C 215-5C 215-6C 215-8C 265-4C 265-5C
210 Se	ries - Ope 4' 5' 6' 8' ries - Ope 4' 5' 6' 8' ries - Clos	## Backed 210U4 210U5 210U6 210U8 ## Packed 215U4 215U5 215U6 215U8 ## Packed 265U4	Without Bench, In 210D4 210D5 210D6 210D8 Bench, In 215D4 215D5 215D6 215D8 ed Bench, 265D4	210-4W 210-5W 210-6W 210-8W 210-8W 215-4W 215-6W 215-6W 215-8W Includes 1 Full 265-4W	210-4B 210-5B 210-6B 210-8B helf 215-4B 215-6B 215-6B 215-8B Shelf 265-4B	Backs With N Drawer 210U4M 210U5M 210U6M 210U8M 215U4M 215U5M 215U6M 215U8M	210D4M 210D5M 210D6M 210D6M 210D8M 215D4M 215D5M 215D6M 215D6M 215D8M	210-4C 210-5C 210-6C 210-8C 215-4C 215-6C 215-6C 215-8C

Casters for 4' Wide: 2205-4, 5' Wide: 2205-5, 6' Wide: 2205-6

On 8' benches, the legs are on 6' centers. The top overhangs legs 1' on each side. Pages 111-113 feature Productivity Enhancements for these benches.

# **Closed Leg Cabinet**

Bench with doors Part No. 295 34"H x 36"W x 263/8"D

- Double doors, chrome locking handle, and two shelves provide convenient space for supplies
- · Ideal for small office copiers, postage meters, fax machines, etc.



### **Pedestal Workcenters**

Equipto Pedestal Benches offer the perfect bench/cabinet combination and feature strong, rugged work surfaces, lower shelf space and lockable cabinets and drawers. Customize with accessories and over 180 combinations of height, length, depth, and top surfaces.


### **Pedestal Workcenter - Preconfigured Units**



- · Choice of 6 tops available in 4 lengths
- · Lower recessed shelf
- Door cabinets have middle shelf
- All benches are 30" deep
- · All Cabinets are 34"H x 15"W














	Steel Tops		Wood To	ops	Hardboard	on Steel	ESD	
		Bac	kstop		Bonded	Backs	top	Anti-Static
Series	Length	With	Without	Hardwood	Wood	With V	Vithout	
250 Se	ries - Incl	udes 2 D	oor Pedes	tals				
	4'	250U4	250D4	250-4W	250-4B	250U4M	250D4M	250-4C
	5'	250U5	250D5	250-5W	250-5B	250U5M	250D5M	250-5C
	6'	250U6	250D6	250-6W	250-6B	250U6M	250D6M	250-6C
	8'	250U8	250D8	250-8W	250-8B	250U8M	250D8M	250-8C
255 Se	ries - Incl	udes 1 D	rawer Ped	estal And 1 Do	or Pedestal			
	4'	255U4	255D4	255-4W	255-4B	255U4M	255D4M	255-4C
	5'	255U5	255D5	255-5W	255-5B	255U5M	255D5M	255-5C
	6'	255U6	255D6	255-6W	255-6B	255U6M	255D6M	255-6C
	8'	255U8	255D8	255-8W	255-8B	255U8M	255D8M	255-8C
260 Se	ries - Incl	udes 2 D	rawer Ped	estals				
	4'	260U4	260D4	260-4W	260-4B	260U4M	260D4M	260-4C
	5'	260U5	260D5	260-5W	260-5B	260U5M	260D5M	260-5C
	6'	260U6	260D6	260-6W	260-6B	260U6M	260D6M	260-6C
	8'	260U8	260D8	260-8W	260-8B	260U8M	260D8M	260-8C

On 8' benches, the legs are on 6' centers. The top overhangs legs 1' on each side. Pages 111 and 112 Feature Productivity Enhancements for These Benches.

	Steel Tops Backstop			Wood Tops Bonded		Hardboard on Steel  Backstop	
Series Leng		Without	Hardwood	Wood	With	Without	
240 Series -	Includes 1 C	Closed Leg	And 1 Door P	edestal			
4'	240U4	240D4	240-4W	240-4B	240U4N	/I 240D4M	240-4C
5'	240U5	240D5	240-5W	240-5B	240U5N	Л 240D5M	240-5C
6'	240U6	240D6	240-6W	240-6B	240U6N	/I 240D6M	240-6C
8'	240U8	240D8	240-8W	240-8B	240U8N	/I 240D8M	240-8C
245 Series -	Includes 1 C	losed Leg	And 1 Drawer	Pedestal			
4'	245U4	245D4	245-4W	245-4B	245U4N	И 245D4M	245-4C
5'	245U5	245D5	245-5W	245-5B	245U5N	И 245D5M	245-5C
6'	245U6	245D6	245-6W	245-6B	245U6N	И 245D6M	245-6C
8'	245U8	245D8	245-8W	245-8B	245U8N	Л 245D8M	245-8C

On 8' benches, the legs are on 6' centers. The top overhangs legs 1' on each side. Pages 111 and 112 feature Accessories for these benches.

Flush locks not included. (Part No. 10405 for each drawer) or user supplied padlock.




### **Tops**

### Choice of 6 tops:

tempered hardboard bonded to 12 gauge steel; plastic laminate (color: cloud spectrum); ESD

(anti-static, color: cloud spectrum - Not shown); 3/8" resin wood bonded to wood block core; 12 gauge (.104") steel; solid laminated hardwood. For drawer specifications see pg. 111.



As many as 9 drawers (6 in the 4' unit) can be added to the 210 and 215 series benches.



# Adjustable Height Iron-I Workcenters

Equipto's Iron-I workcenters are completely adjustable and are available in 2 depths and 4 lengths with over 35 varying leg heights! You can choose from 5 standard tops to customize to your specific requirements


- Adjustable height 26" to 44"
- Three-way adjustable shelf
- Electrical, air and fluid power knockouts on each leg
- Heavy-Duty cantilever leg design eliminates obstruction of corner leg design







**Fully Adjustable** Leg heights from 26" to 44" in 1/2" increments.



Adjust position Shelf can be adjusted to be closer to front or back of bench.



**Electric power** Each bench has knockouts for 8 electrical outlets. Knockouts are in both top and bottom of each leg.



Adjustable slope Shelf can be sloped toward front or toward rear of bench.



Adjustable height Shelf can be located in any one of 3 height positions.



Air or fluid power Each bench has 4 knockouts for Air or Fluid power. Knockouts are in both top and bottom of leg.



**Optional levelers** Each bench leg can be equipped with an optional leveler to achieve exact height and level needed. Part No. 11650-04

Pages 111-113 feature Productivity Enhancements for these benches.



### Adjustable Height Iron-I Workcenter - Preconfigured Units

- Lower shelf adjusts to three heights and tilts front or back to fit your application
- · More than 450 pre-configured options
- · Back and side rails keep parts on top of workcenter
- Adjustable from 26" to 36" or from 34" to 44" in 1/2" increments to meet your exact height requirements
- · Aerial shelf adds space for increased productivity
- Depending on type of top, workbench will support up to 1,800 lbs.

### Iron-I Bench without shelf

			Cto	I Tono	Wood T		Hardboard	l on Stool	
				el Tops	Wood T				ESD
			Bac	kstop		Bonded	Back	stop	Anti-Static
Depth	Height	Length	With	Without	Hardwood	Wood	With	Without	
30" De	oth								
	26"	4'	421U4	421D4	421-4W	421-4B	421U4M	421D4M	421-4C
	to	5'	421U5	421D5	421-5W	421-5B	421U5M	421D5M	421-5C
	36"	6'	421U6	421D6	421-6W	421-6B	421U6M	421D6M	421-6C
	30	8'	421U8	421D8	421-8W	421-8B	421U8M	421D8M	421-8C
		0	42100	42100	421-0VV	421-0D	42 I UOIVI	42 I DOIVI	421-00
	34"	4'	422U4	422D4	422-4W	422-4B	422U4M	422D4M	422-4C
	to	5'	422U5	422D4 422D5	422-5W	422-5B	422U5M	422D5M	422-5C
	44"	6'	422U6	422D6	422-6W	422-6B	422U6M	422D6M	422-6C
		8'	422U8	422D8	422-8W	422-8B	422U8M	422D8M	422-8C
36" De	oth								
	26"	4'	431U4	431D4	431-4W	431-4B	431U4M	431D4M	431-4C
	to	5'	431U5	431D5	431-5W	431-5B	431U5M	431D5M	431-5C
	36"	6'	431U6	431D6	431-6W	431-6B	431U6M	431D6M	431-6C
	30	8'	431U8	431D8	431-8W	431-8B	431U8M	431D8M	431-8C
		O	43100	43100	431-000	431-00	43100101	43 I DOW	431-00
	34"	4'	432U4	432D4	432-4W	432-4B	432U4M	432D4M	432-4C
	to	5'	432U5	432D5	432-5W	432-5B	432U5M	432D5M	432-5C
	44"	6'	432U6	432D3	432-6W	432-6B	432U6M	432D6M	432-6C
	44	8'							
		8	432U8	432D8	432-8W	432-8B	432U8M	432D8M	432-8C




Iron-I Bench without lower shelf

8' bench legs are on 6' centers. The top overhangs legs 1' on each side.

Pages 111-113 feature Productivity Enhancements for these benches.

### Iron-I Bench with lower shelf

			Steel Tops Backstop		Wood 1	Wood Tops Bonded		d on Steel kstop	ESD
Depth	Height	Length	With	Without	Hardwood	Wood	With	Without	Anti-Static
30" De	pth								
	26"	4'	423U4	423D4	423-4W	423-4B	423U4M	423D4M	423-4C
	to	5'	423U5	423D5	423-5W	423-5B	423U5M	423D5M	423-5C
	36"	6'	423U6	423D6	423-6W	423-6B	423U6M	423D6M	423-6C
		8'	423U8	423D8	423-8W	423-8B	423U8M	423D8M	423-8C
	34"	4'	424U4	424D4	424-4W	424-4B	424U4M	424D4M	424-4C
	to	5'	424U5	424D5	424-5W	424-5B	424U5M	424D5M	424-5C
	44"	6'	424U6	424D6	424-6W	424-6B	424U6M	424D6M	424-6C
		8'	424U8	424D8	424-8W	424-8B	424U8M	424D8M	424-8C
36" De	pth								
	26"	4'	433U4	433D4	433-4W	433-4B	433U4M	433D4M	433-4C
	to	5'	433U5	433D5	433-5W	433-5B	433U5M	433D5M	433-5C
	36"	6'	433U6	433D6	433-6W	433-6B	433U6M	433D6M	433-6C
		8'	433U8	433D8	433-8W	433-8B	433U8M	433D8M	433-8C
	0.41	41	40.41.14	40.45.4	40.4.4144	40.4 AD	40.411.414	40.4D.4M	404.40
	34"	4'	434U4	434D4	434-4W	434-4B	434U4M	434D4M	434-4C
	to	5'	434U5	434D5	434-5W	434-5B	434U5M	434D5M	434-5C
	44"	6'	434U6	434D6	434-6W	434-6B	434U6M	434D6M	434-6C
		8'	434U8	434D8	434-8W	434-8B	434U8M	434D8M	434-8C



Pages 111-113 feature Productivity Enhancements for these benches.



Iron-I Bench with lower shelf



### Adjustable Height Iron-I Workcenter - Preconfigured Units cont'd

### Iron-I Bench with lower shelf and rails

iron-i B	elicii w	itii iowe	er sneir and ra	115			
				Wood 1	Tops		
	Height	Length	Steel with Backstop	Hardwood	Bonded Wood	Hardboard with Backstop	ESD Anti-Static
30" Dep	oth						
	26"	4'	425U4	425-4W	425-4B	425U4M	425-4C
	to	5'	425U5	425-5W	425-5B	425U5M	425-5C
	36"	6'	425U6	425-6W	425-6B	425U6M	425-6C
		8'	425U8	425-8W	425-8B	425U8M	425-8C
	34"	4'	426U4	426-4W	426-4B	426U4M	426-4C
	to	5'	426U5	426-5W	426-5B	426U5M	426-5C
	44"	6'	426U6	426-6W	426-6B	426U6M	426-6C
		8'	426U8	426-8W	426-8B	426U8M	426-8C
36" Dep	oth						
	26"	4'	435U4	435-4W	435-4B	435U4M	435-4C
	to	5'	435U5	435-5W	435-5B	435U5M	435-5C
	36"	6'	435U6	435-6W	435-6B	435U6M	435-6C
		8'	435U8	435-8W	435-8B	435U8M	435-8C
	34"	4'	436U4	436-4W	436-4B	436U4M	436-4C
	to	5'	436U5	436-5W	436-5B	436U5M	436-5C
	44"	6'	436U6	436-6W	436-6B	436U6M	436-6C
		8'	436U8	436-8W	436-8B	436U8M	436-8C



Iron-I Bench with lower shelf, and side and back rails

8' bench legs are on 6' centers. The top overhangs legs 1' on each side.

Pages 111-113 feature Productivity Enhancements for these benches.

### Iron-I Bench with lower shelf, aerial shelf, drawer, and rails

				Wood T	ops		
			Steel		Bonded	Hardboard	ESD
Depth	Height	Length	with Backstop	Hardwood	Wood	with Backstop	Anti-Static
30" Dep	oth						
		4'	427U4	427-4W	427-4B	427U4M	427-4C
	26"	5'	427U5	427-5W	427-5B	427U5M	427-5C
	to	6'	427U6	427-6W	427-6B	427U6M	427-6C
	36"	8'	427U8	427-8W	427-8B	427U8M	427-8C
	34"	4'	428U4	428-4W	428-4B	428U4M	428-4C
	to	5'	428U5	428-5W	428-5B	428U5M	428-5C
	44"	6'	428U6	428-6W	428-6B	428U6M	428-6C
		8'	428U8	428-8W	428-8B	428U8M	428-8C
36" Dep	ath						
30 Del	Juli	41	407114	407 4144	407.4D	40711414	107.10
	00"	4'	437U4	437-4W	437-4B	437U4M	437-4C
	26"	5'	437U5	437-5W	437-5B	437U5M	437-5C
	to	6'	437U6	437-6W	437-6B	437U6M	437-6C
	36"	8'	437U8	437-8W	437-8B	437U8M	437-8C
	34"	4'	438U4	438-4W	438-4B	438U4M	438-4C
	to	5'	438U5	438-5W	438-5B	438U5M	438-5C
	44"	6'	438U6	438-6W	438-6B	438U6M	438-6C
	77	8'	438U8	438-8W	438-8B	438U8M	438-8C
		3	40000	400-000	-100-0D	-10000IVI	400-00

 $8^{\prime}$  bench legs are on  $6^{\prime}$  centers. The top overhangs legs  $1^{\prime}$  on each side.

Pages 111-113 feature Productivity Enhancements for these benches.



Iron-I Bench with lower shelf, aerial shelf, drawer and rails

# EQUIPTO

### **Teardown Bench**

### Teardown Bench features and benefits

- Ideal for working on transmissions, small engines and hydraulic components
- · Reinforced work surface will stand up to years of heavy use
- Top has a 3/4" high retaining lip on all sides tapering to the rear center to a 1/2" threaded and plumbed drain
- Optional caster kit consists of 4 swivel 7<sup>1/2</sup>"H casters
- 1/2" threaded drain nipple allows for connection of a hose to divert fluid to a storage container; or capture fluid with an optional fluid container kit



### **Teardown Benches**

Part No.	Description	Depth	Width	Leg Height	
2301DT	Steel Top	30"	48"	29"	
2303DT	Steel Top	30"	48"	34"	
2311DT	Steel Top	30"	60"	29"	
2313DT	Steel Top	30"	60"	34"	
2301DTSS	Stainless Steel Top	30"	48"	29"	
2303DTSS	Stainless Steel Top	30"	48"	34"	
2311DTSS	Stainless Steel Top	30"	60"	29"	
2313DTSS	Stainless Steel Top	30"	60"	34"	



Part No.	Description	Depth	Width	Height	
2304DT	Support Channels for Drawer or Fluid Container	-	48"	-	
2305DT	Support Channels for Drawer or Fluid Container	-	60"	-	
2307DT	Fluid Container Kit-White*	22"	11"	7"	
221DT	Drawer Kit*	23"	15"	61/4"	
2203	Caster Kit	30"	-	-	
6120	Bottom Shelf	127/8"	48"		
6121	Bottom Shelf	127/8"	60"		

\*Kit support channels are required when ordering a fluid container kit or a drawer kit.

If both kits are ordered for the same bench, only one set of kit support channels is needed.



2307DT Fluid Container Kit



221DT - Drawer Kit



2203 - Caster Kit

### Wall mount Open Leg Bench

Wood Tops											
		Steel Tops		Bonded	Hardboard	ESD					
Depth	Length	With Backstop	Hardwood	Wood	With Backstop	Anti-Static					
30" Dep	oth										
	30"	2340U3	2340-3W	2340-3B	2340U3M	_					
	4'	2340U4	2340-4W	2340-4B	2340U4M	2340-4C					
	5'	2340U5	2340-5W	2340-5B	2340U5M	2340-5C					
	6'	2340U6	2340-6W	2340-6B	2340U6M	2340-6C					
	8'	2340U8	2340-8W	2340-8B	2340U8M	2340-8C					

36" Depth						
(	30"	2345U3	2345-3W	2345-3B	2345U3M	_
4	4'	2345U4	2345-4W	2345-4B	2345U4M	2345-4C
į	5'	2345U5	2345-5W	2345-5B	2345U5M	2345-5C
(	6'	2345U6	2345-6W	2345-6B	2345U6M	2345-6C
8	8'	2345U8	2345-8W	2345-8B	2345U8M	2345-8C

- · Easy to anchor to wall
- · Clean-up of work area is easy
- · Efficient use of wall space





# **Open Leg Workcenters**

### Open Leg Workcenter - 2200 series

work space with economy and endurance.

A simple and convenient way to achieve efficient 
This basic unit is designed to boost your productivity over years and years of demanding use.

				el Top kstop	Wood Tops Bonded		Hardboard Backstop		ESD	
Depth	Height	Length	With	Without	Hardwood	Wood	With	Without	Anti-Stati	
30" Dep	oth									
	29"	4'	2221U4	2221D4	2221-4W	2221-4B	2221U4M	2221D4M	2221-4C	
		5'	2221U5	2221D5	2221-5W	2221-5B	2221U5M	2221D5M	2221-5C	
		6'	2221U6	2221D6	2221-6W	2221-6B	2221U6M	2221D6M	2221-6C	
		8'	2221U8	2221D8	2221-8W	2221-8B	2221U8M	2221D8M	2221-8C	
	311/4"	4'	2222U4	2222D4	2222-4W	2222-4B	2222U4M	2222D4M	2222-4C	
		5'	2222U5	2222D5	2222-5W	2222-5B	2222U5M	2222D5M	2222-5C	
		6'	2222U6	2222D6	2222-6W	2222-6B	2222U6M	2222D6M	2222-6C	
		8'	2222U8	2222D8	2222-8W	2222-8B	2222U8M	2222D8M	2222-8C	
	34"	4'	2223U4	2223D4	2223-4W	2223-4B	2223U4M	2223D4M	2223-4C	
		5'	2223U5	2223D5	2223-5W	2223-5B	2223U5M	2223D5M	2223-5C	
		6'	2223U6	2223D6	2223-6W	2223-6B	2223U6M	2223D6M	2223-6C	
		8'	2223U8	2223D8	2223-8W	2223-8B	2223U8M	2223D8M	2223-8C	
6" Dep	oth									
	29"	4'	2231U4	2231D4	2231-4W	2231-4B	2231U4M	2231D4M	2231-4C	
		5'	2231U5	2231D5	2231-5W	2231-5B	2231U5M	2231D5M	2231-5C	
		6'	2231U6	2231D6	2231-6W	2231-6B	2231U6M	2231D6M	2231-60	
		8'	2231U8	2231D8	2231-8W	2231-8B	2231U8M	2231D8M	2231-8C	
	311/4"	4'	2232U4	2232D4	2232-4W	2232-4B	2232U4M	2232D4M	2232-4C	
		5'	2232U5	2232D5	2232-5W	2232-5B	2232U5M	2232D5M	2232-5C	
		6'	2232U6	2232D6	2232-6W	2232-6B	2232U6M	2232D6M	2232-6C	
		8'	2232U8	2232D8	2232-8W	2232-8B	2232U8M	2232D8M	2232-8C	
	34"	4'	2233U4	2233D4	2233-4W	2233-4B	2233U4M	2233D4M	2233-4C	
		5'	2233U5	2233D5	2233-5W	2233-5B	2233U5M	2233D5M	2233-5C	
		6'	2233U6	2233D6	2233-6W	2233-6B	2233U6M	2233D6M	2233-60	
		8'	2233U8	2233D8	2233-8W	2233-8B	2233U8M	2233D8M	2233-8C	



Open leg bench without lower shelf

### Open Leg Workcenter - 2300 series

As rugged as the basic open leg unit, with the added feature of a spacious lower shelf. The 2300 series provides superior strength, with built-in versatility for adapting, adding on and custom building to match bench capability to your work needs.

				el Top kstop	Wood T	ops Bonded		lboard kstop	ESD
Depth	Height	Length	With	Without	Hardwood	Wood	With	Without	Anti-Static
30" Dep	oth								
	29"	4'	2321U4	2321D4	2321-4W	2321-4B	2321U4M	2321D4M	2321-4C
		5'	2321U5	2321D5	2321-5W	2321-5B	2321U5M	2321D5M	2321-5C
		6'	2321U6	2321D6	2321-6W	2321-6B	2321U6M	2321D6M	2321-6C
		8'	2321U8	2321D8	2321-8W	2321-8B	2321U8M	2321D8M	2321-8C
	311/4"	4'	2322U4	2322D4	2322-4W	2322-4B	2322U4M	2322D4M	2322-4C
		5'	2322U5	2322D5	2322-5W	2322-5B	2322U5M	2322D5M	2322-5C
		6'	2322U6	2322D6	2322-6W	2322-6B	2322U6M	2322D6M	2322-6C
		8'	2322U8	2322D8	2322-8W	2322-8B	2322U8M	2322D8M	2322-8C
	34"	4'	2323U4	2323D4	2323-4W	2323-4B	2323U4M	2323D4M	2323-4C
		5'	2323U5	2323D5	2323-5W	2323-5B	2323U5M	2323D5M	2323-5C
		6'	2323U6	2323D6	2323-6W	2323-6B	2323U6M	2323D6M	2323-6C
		8'	2323U8	2323D8	2323-8W	2323-8B	2323U8M	2323D8M	2323-8C
36" Dep	th								
	29"	4'	2331U4	2331D4	2331-4W	2331-4B	2331U4M	2331D4M	2331-4C
		5'	2331U5	2331D5	2331-5W	2331-5B	2331U5M	2331D5M	2331-5C
		6'	2331U6	2331D6	2331-6W	2331-6B	2331U6M	2331D6M	2331-6C
		8'	2331U8	2331D8	2331-8W	2331-8B	2331U8M	2331D8M	2331-8C
	311/4"	4'	2332U4	2332D4	2332-4W	2332-4B	2332U4M	2332D4M	2332-4C
		5'	2332U5	2332D5	2332-5W	2332-5B	2332U5M	2332D5M	2332-5C
		6'	2332U6	2332D6	2332-6W	2332-6B	2332U6M	2332D6M	2332-6C
		8'	2332U8	2332D8	2332-8W	2332-8B	2332U8M	2332D8M	2332-8C
	34"	4'	2333U4	2333D4	2333-4W	2333-4B	2333U4M	2333D4M	2333-4C
		5'	2333U5	2333D5	2333-5W	2333-5B	2333U5M	2333D5M	2333-5C
		6'	2333U6	2333D6	2333-6W	2333-6B	2333U6M	2333D6M	2333-6C
		8'	2333U8	2333D8	2333-8W	2333-8B	2333U8M	2333D8M	2333-8C



Open leg bench with lower shelf

8' bench legs are on 6' centers. The top overhangs legs 1' on each side.

Pages 111-113 feature Productivity Enhancements for these benches.



### Open Leg Workcenters - 2400 series

Carefully engineered for rugged use with 3 sides of the top enclosed, and a bottom shelf. Equipto Series 2400 Open Leg Workcenters are extremely versatile units. Completely modular, completely flexible - with variations to match any work area requirements. A full range of easily-added accessories further expands your options.

				Wood 1	Горѕ		
			Steel		Bonded	Hardboard	ESD
Depth	Height	Length	with Backstop	Hardwood	Wood	with Backstop	Anti-Static
30" Dep	oth						
	29"	4'	2421U4	2421-4W	2421-4B	2421U4M	2421-4C
		5'	2421U5	2421-5W	2421-5B	2421U5M	2421-5C
		6'	2421U6	2421-6W	2421-6B	2421U6M	2421-6C
		8'	2421U8	2421-8W	2421-8B	2421U8M	2421-8C
	311/4"	4'	2422U4	2422-4W	2422-4B	2422U4M	2422-4C
		5'	2422U5	2422-5W	2422-5B	2422U5M	2422-5C
		6'	2422U6	2422-6W	2422-6B	2422U6M	2422-6C
		8'	2422U8	2422-8W	2422-8B	2422U8M	2422-8C
	34"	4'	2423U4	2423-4W	2423-4B	2423U4M	2423-4C
		5'	2423U5	2423-5W	2423-5B	2423U5M	2423-5C
		6'	2423U6	2423-6W	2423-6B	2423U6M	2423-6C
		8'	2423U8	2423-8W	2423-8B	2423U8M	2423-8C
36" Dep	oth						
	29"	4'	2431U4	2431-4W	2431-4B	2431U4M	2431-4C
		5'	2431U5	2431-5W	2431-5B	2431U5M	2431-5C
		6'	2431U6	2431-6W	2431-6B	2431U6M	2431-6C
		8'	2431U8	2431-8W	2431-8B	2431U8M	2431-8C
	311/4"	4'	2432U4	2432-4W	2432-4B	2432U4M	2432-4C
		5'	2432U5	2432-5W	2432-5B	2432U5M	2432-5C
		6'	2432U6	2432-6W	2432-6B	2432U6M	2432-6C
		8'	2432U8	2432-8W	2432-8B	2432U8M	2432-8C
	34"	4'	2433U4	2433-4W	2433-4B	2433U4M	2433-4C
		5'	2433U5	2433-5W	2433-5B	2433U5M	2433-5C
		6'	2433U6	2433-6W	2433-6B	2433U6M	2433-6C
		8'	2433U8	2433-8W	2433-8B	2433U8M	2433-8C



Open leg bench with lower shelf and side and back rails

Replace the letter at the end of the part numbers with a "P" to order with a plastic laminate top. Ex. 2423-6C to 2423-6P

An open, modular style unit with standard features that increase bench efficiency. Open Leg Workcenters - 2500 series Everything you need to accommodate your situation — with 3 sides enclosed,

				Wood 7	Tops		
Depth	Height	Length	Steel with Backstop	Hardwood	Bonded Wood	Hardboard with Backstop	ESD Anti-Statio
0" De	oth						
	29"	4'	2521U4	2521-4W	2521-4B	2521U4M	2521-4C
		5'	2521U5	2521-5W	2521-5B	2521U5M	2521-5C
		6'	2521U6	2521-6W	2521-6B	2521U6M	2521-6C
		8'	2521U8	2521-8W	2521-8B	2521U8M	2521-8C
	31 <sup>1/4</sup> "	4'	2522U4	2522-4W	2522-4B	2522U4M	2522-4C
		5'	2522U5	2522-5W	2522-5B	2522U5M	2522-5C
		6'	2522U6	2522-6W	2522-6B	2522U6M	2522-6C
		8'	2522U8	2522-8W	2522-8B	2522U8M	2522-8C
	34"	4'	2523U4	2523-4W	2523-4B	2523U4M	2523-4C
		5'	2523U5	2523-5W	2523-5B	2523U5M	2523-5C
		6'	2523U6	2523-6W	2523-6B	2523U6M	2523-6C
		8'	2523U8	2523-8W	2523-8B	2523U8M	2523-8C
" De	oth						
	29"	4'	2531U4	2531-4W	2531-4B	2531U4M	2531-4C
		5'	2531U5	2531-5W	2531-5B	2531U5M	2531-5C
		6'	2531U6	2531-6W	2531-6B	2531U6M	2531-6C
		8'	2531U8	2531-8W	2531-8B	2531U8M	2531-8C
	311/4"	4'	2532U4	2532-4W	2532-4B	2532U4M	2532-4C
		5'	2532U5	2532-5W	2532-5B	2532U5M	2532-5C
		6'	2532U6	2532-6W	2532-6B	2532U6M	2532-6C
		8'	2532U8	2532-8W	2532-8B	2532U8M	2532-8C
	34"	4'	2533U4	2533-4W	2533-4B	2533U4M	2533-4C
		5'	2533U5	2533-5W	2533-5B	2533U5M	2533-5C



Open leg bench with lower shelf, side and back rails, aerial shelf and a drawer

2533U6

2533U8

6'

Pages 111-113 feature Productivity Enhancements for these benches.

2533-6W

2533-8W

A standard color chart is available at the beginning of each section with a more detailed one on page 141.

2533U6M

2533U8M

2533-6C

2533-8C

2533-6B

2533-8B

<sup>8&#</sup>x27; bench legs are on 6' centers. The top overhangs legs 1' on each side.

<sup>8&#</sup>x27; bench legs are on 6' centers. The top overhangs legs 1' on each side.



# **Workcenter Accessories**

### **Production Boosters**

- · Can be used on any work bench
- · Hands off use for manuals and instruments
- · Shelves adjust to any angle, tip toward front or back
- · Safely holds expensive test equipment
- · Can triple work surface

A.	14" High Unit	For 4' Bench	For 5' Bench	For 6' Bench
	With 1 Shelf	454T48	454T60	454T72
В.	24" High Unit	For 4' Bench	For 5' Bench	For 6' Bench
	With 1 Shelf	451T48	451T60	451T72
	With 2 Shelves	452T48	452T60	452T72
	With 3 Shelves	453T48	453T60	453T72
D.	36" High Unit	For 4' Bench	For 5' Bench	For 6' Bench
D.	36" High Unit With 1 Shelf	For 4' Bench 461T48	For 5' Bench 461T60	For 6' Bench 461T72
D.				
D.	With 1 Shelf	461T48	461T60	461T72
D.	With 1 Shelf With 2 Shelves	461T48 462T48	461T60 462T60	461T72 462T72

C.	Cabinet	
	13" D x 30" W x 27" H	Part No. 1734DI
	2 required for 5' bench	
	13" D x 36" W x 27" H 2 required for 6' bench	Part No. 1735DI
	None available for 4' benches	

NOTE: To order production booster with top shelf that can be tilted, substitute "—" for "T" in part number. Intermediate shelves are  $13^{1/2}$ " D x 44", 56" or 68" L Full length top shelves are  $13^{1/2}$ " D x 48", 60" or 72" L

### **Drawers**

Pilfer-proof, enclosed frame, in 2 widths and heights, for mounting up to 3 drawers wide and 3 drawers high with hasp and knockout for locks.





		-	
40	_		
	1		
			350
		/	
		454	T72 A







### **Aerial Shelf**

- · Added space
- · Gain a shelf without losing table top space

All are 12" D x 14" H (For aerial to have back panel add BP to end of Part #)

Part No. 226-30 - 30" W
Part No. 226-48 - 48" W
Part No. 226-60 - 60" W
Part No. 226-72 - 72" W
Part No. 850696-96 - 96" W




Drawer Size	For Bench Top Type	Starting Unit	Additional Unit	2-Drawer Stack	3-Drawer Stack
Regular Size Overall unit dimensions 15" W x 23 <sup>3/4</sup> " L x 6 <sup>1/4</sup> " H	Steel or Hardboard on steel	221	221A	221-2	221-3
Regular Size Overall unit dimensions 15" W x 23 <sup>3/4</sup> " L x 6 <sup>1/4</sup> " H	Wood, laminate, or ESD (Anti-Static)	221A	221A	221A2	221A3
Extra Large Overall unit dimensions 21 <sup>1/2"</sup> W x 23 <sup>3/4"</sup> L x 7 <sup>3/4"</sup> H	Steel or hardboard on steel	223	223A	223-2	223-3*
Extra Large Overall unit dimensions 21 <sup>1/2"</sup> W x 23 <sup>3/4"</sup> L x 7 <sup>3/4"</sup> H	Wood, laminate, or ESD (Anti-Static)	223A	223A	223A2	223A3*

\*Note: Fits only benches without bottom shelves

### **Accessories - continued**

Tops



Back Raii	— wood Top
	D 4 M

Description	Part No.
4' long	7404
5' long	7405
6' long	7406
8' long	7411
30" long	7407

### End Rail — Wood Top

Description	Part No.
30" left	7420L
30" right	7420R
36" left	7421L
36" right	7421R

### End Rail — Steel Top

Description	Part No.
30" left	7417L
30" right	7417R
36" left	7418L
36" right	7418R

### End Rail — Stainless Steel Top

Description	Part No.
30" left	7417LS
30" right	7417RS

Steel           Steel Top         4'         441U4         441U4SS         442U4           (12 gauge)         5'         441U5         441U5SS         442U5           With Backstop         6'         441U6         441U6SS         442U6           8'         441U8         441U8SS         442U8
(12 gauge) 5' 441U5 441U5SS 442U5 With Backstop 6' 441U6 441U6SS 442U6 8' 441U8 441U8SS 442U8
With Backstop 6' 441U6 441U6SS 442U6 8' 441U8 441U8SS 442U8
8' 441U8 441U8SS 442U8
0117 41 44404 4440400 11001
Steel Top 4' 441D4 441D4SS 442D4
(12 gauge) 5' 441D5 441D5SS 442D5
Without Backstop 6' 441D6 441D6SS 442D6
8' 441D8 441D8SS 442D8
Stainless Steel Top 4' 441-4SSW4 — — —
With Wood Core 5' 441-5SSW4 — —
1 <sup>5/8</sup> " thick 6' 441-6SSW4 — —
8' 441-8SSW4 — —
Hardboard 4' 441U4M — 442U4M
On Steel, 5' 441U5M — 442U5M
With Backstop 6' 441U6M — 442U6M
8' 441U8M — 442U8M
Hardboard 4' 441D4M — 442D4M
On Steel, 5' 441D5M — 442D5M
Without Backstop 6' 441D6M — 442D6M
8' 441D8M — 442D8M
Bonded 4' 441-4B — 442-4B
Wood, 5' 441-5B — 442-5B
1 <sup>3/4</sup> " thick 6' 441-6B — 442-6B
8' 441-8B — 442-8B
Hardwood 4' 441-4W — 442-4W
1 <sup>3/4</sup> " thick 5' 441-5W — 442-5W
6' 441-6W — 442-6W
8' 441-8W — 442-8W
ESD 4' 441-4C — 442-4C
(Anti-Static) 5' 441-5C — 442-5C
1 <sup>1/4</sup> " thick 6' 441-6C — 442-6C
8' 441-8C — 442-8C
Plastic Laminate* 4' 441-4P — 442-4P
1 <sup>1/4</sup> " thick 5' 441-5P — 442-5P
6' 441-6P — 442-6P
8' 441-8P — 442-8P

<sup>\*</sup> plastic laminate unable to span greater than 60" W without center support

### Closed Leg and Pedestal Workcenter - Accessories Only **Bench Shelves**

### **Pedestal for Benches**

Description	Part No.
Door pedestal (no top)	233LT
4-drawer pedestal (no top)	237LT

### **Legs for Benches**

Description	Part No.
Left hand closed leg panel	230L
Right hand closed leg panel	230R

Steel Top         4'         441U4         441U4SS         442U4           (12 gauge)         5'         441U5         441U5SS         442U5           With Backstop         6'         441U6         441U6SS         442U6           8'         441U8         441U8SS         442U8           Steel Top         4'         441D4         441D4SS         442D4           (12 gauge)         5'         441D5         441D5SS         442D5           Without Backstop         6'         441D6         441D6SS         442D6           8'         441D8         441D8SS         442D8           Stainless Steel Top         4'         441-4SSW4         —         —           With Wood Core         5'         441-5SSW4         —         —           15/8" thick         6'         441-5SSW4         —         —           Hardboard         4'         441U4M         —         442U4M           On Steel,         5'         441U5M         —         442U5M           With Backstop         6'         441U6M         —         442U6M           On Steel,         5'         441D5M         —         442U6M           On Steel,
With Backstop         6'         441U6         441U6SS         442U6           8'         441U8         441U8SS         442U8           Steel Top         4'         441D4         441D4SS         442D4           (12 gauge)         5'         441D5         441D5SS         442D5           Without Backstop         6'         441D6         441D6SS         442D6           8'         441D8         441D8SS         442D8           Stainless Steel Top         4'         441-4SSW4         —         —           With Wood Core         5'         441-5SSW4         —         —           15/8" thick         6'         441-6SSW4         —         —           8'         441-8SSW4         —         —         —           Hardboard         4'         441U4M         —         442U4M           On Steel,         5'         441U5M         —         442U5M           With Backstop         6'         441U6M         —         442U6M           Hardboard         4'         441D4M         —         442D5M           Without Backstop         6'         441D6M         —         442D6M           Without Backstop
Steel Top         4'         441U8         441U8SS         442U8           Steel Top         4'         441D4         441D4SS         442D4           (12 gauge)         5'         441D5         441D5SS         442D5           Without Backstop         6'         441D6         441D6SS         442D8           Stainless Steel Top         4'         441-4SSW4         —         —           With Wood Core         5'         441-5SSW4         —         —           15/8" thick         6'         441-6SSW4         —         —           Hardboard         4'         441-8SSW4         —         —           Hardboard         4'         441U4M         —         442U4M           On Steel,         5'         441U5M         —         442U5M           With Backstop         6'         441U6M         —         442U6M           Hardboard         4'         441D6M         —         442D6M           On Steel,         5'         441D6M         —         442D6M           Without Backstop         6'         441D6M         —         442D6M           Bonded         4'         441-4B         —         442-4B
Steel Top         4'         441D4         441D4SS         442D4           (12 gauge)         5'         441D5         441D5SS         442D5           Without Backstop         6'         441D6         441D6SS         442D6           8'         441D8         441D8SS         442D8           Stainless Steel Top         4'         441-4SSW4         —         —           With Wood Core         5'         441-5SSW4         —         —           15/8' thick         6'         441-6SSW4         —         —           Hardboard         4'         441U4M         —         442U4M           On Steel,         5'         441U5M         —         442U5M           With Backstop         6'         441U6M         —         442U6M           Hardboard         4'         441D8M         —         442D8M           Hardboard         4'         441D4M         —         442D4M           On Steel,         5'         441D5M         —         442D6M           Without Backstop         6'         441D6M         —         442D6M           Without Backstop         6'         441D6M         —         442D6M           Bo
(12 gauge)       5'       441D5       441D5SS       442D5         Without Backstop       6'       441D6       441D6SS       442D6         8'       441D8       441D8SS       442D8         Stainless Steel Top       4'       441-4SSW4       —       —         With Wood Core       5'       441-5SSW4       —       —         15/8' thick       6'       441-6SSW4       —       —         Hardboard       4'       441U4M       —       442U4M         On Steel,       5'       441U5M       —       442U5M         With Backstop       6'       441U6M       —       442U6M         Hardboard       4'       441D4M       —       442D4M         On Steel,       5'       441D5M       —       442D5M         Without Backstop       6'       441D6M       —       442D6M         Without Backstop       6'       441D8M       —       442D6M         Bonded       4'       441-4B       —       442-4B         Wood,       5'       441-5B       —       442-5B
Without Backstop         6'         441D6         441D6SS         442D6           8'         441D8         441D8SS         442D8           Stainless Steel Top         4'         441-4SSW4         —         —           With Wood Core         5'         441-5SSW4         —         —           15/8" thick         6'         441-6SSW4         —         —           Hardboard         4'         441U4M         —         442U4M           On Steel,         5'         441U5M         —         442U5M           With Backstop         6'         441U6M         —         442U6M           Hardboard         4'         441D4M         —         442D4M           On Steel,         5'         441D5M         —         442D5M           Without Backstop         6'         441D6M         —         442D6M           Without Backstop         6'         441D8M         —         442D8M           Bonded         4'         441-4B         —         442-4B           Wood,         5'         441-5B         —         442-5B
Stainless Steel Top       4'       441D8       441D8SS       442D8         Stainless Steel Top       4'       441-4SSW4       —       —         With Wood Core       5'       441-5SSW4       —       —         15/8" thick       6'       441-6SSW4       —       —         Hardboard       4'       441U4M       —       442U4M         On Steel,       5'       441U5M       —       442U5M         With Backstop       6'       441U6M       —       442U6M         Hardboard       4'       441D4M       —       442D4M         On Steel,       5'       441D5M       —       442D5M         Without Backstop       6'       441D6M       —       442D6M         Without Backstop       6'       441D8M       —       442D8M         Bonded       4'       441-4B       —       442-4B         Wood,       5'       441-5B       —       442-5B
Stainless Steel Top       4'       441-4SSW4       —       —         With Wood Core       5'       441-5SSW4       —       —         15/8° thick       6'       441-6SSW4       —       —         Hardboard       4'       441-8SSW4       —       —         Hardboard       4'       441U4M       —       442U4M         On Steel,       5'       441U5M       —       442U5M         With Backstop       6'       441U8M       —       442U8M         Hardboard       4'       441D4M       —       442D4M         On Steel,       5'       441D5M       —       442D5M         Without Backstop       6'       441D6M       —       442D6M         Bonded       4'       441-4B       —       442-4B         Wood,       5'       441-5B       —       442-5B
With Wood Core       5'       441-5SSW4       —       —         15/8" thick       6'       441-6SSW4       —       —         8'       441-8SSW4       —       —         Hardboard       4'       441U4M       —       442U4M         On Steel,       5'       441U5M       —       442U5M         With Backstop       6'       441U6M       —       442U8M         Hardboard       4'       441D4M       —       442D4M         On Steel,       5'       441D5M       —       442D5M         Without Backstop       6'       441D6M       —       442D6M         Bonded       4'       441-4B       —       442-4B         Wood,       5'       441-5B       —       442-5B
15/8" thick       6'       441-6SSW4       —       —         8'       441-8SSW4       —       —         Hardboard       4'       441U4M       —       442U4M         On Steel,       5'       441U5M       —       442U5M         With Backstop       6'       441U6M       —       442U6M         Hardboard       4'       441D4M       —       442D4M         On Steel,       5'       441D5M       —       442D5M         Without Backstop       6'       441D6M       —       442D6M         Bonded       4'       441-4B       —       442-4B         Wood,       5'       441-5B       —       442-5B
8'       441-8SSW4       —       —         Hardboard       4'       441U4M       —       442U4M         On Steel,       5'       441U5M       —       442U5M         With Backstop       6'       441U6M       —       442U6M         Hardboard       4'       441D4M       —       442D4M         On Steel,       5'       441D5M       —       442D5M         Without Backstop       6'       441D6M       —       442D6M         Bonded       4'       441-4B       —       442-4B         Wood,       5'       441-5B       —       442-5B
Hardboard 4' 441U4M — 442U4M On Steel, 5' 441U5M — 442U5M With Backstop 6' 441U6M — 442U6M Hardboard 4' 441D4M — 442D4M On Steel, 5' 441D5M — 442D5M Without Backstop 6' 441D6M — 442D6M Without Backstop 6' 441D6M — 442D6M Bonded 4' 441-4B — 442-4B Wood, 5' 441-5B — 442-5B
On Steel,       5'       441U5M       —       442U5M         With Backstop       6'       441U6M       —       442U6M         8'       441U8M       —       442U8M         Hardboard       4'       441D4M       —       442D4M         On Steel,       5'       441D5M       —       442D5M         Without Backstop       6'       441D6M       —       442D6M         Bonded       4'       441-4B       —       442-4B         Wood,       5'       441-5B       —       442-5B
With Backstop       6'       441U6M       —       442U6M         8'       441U8M       —       442U8M         Hardboard       4'       441D4M       —       442D4M         On Steel,       5'       441D5M       —       442D5M         Without Backstop       6'       441D6M       —       442D6M         8'       441D8M       —       442D8M         Bonded       4'       441-4B       —       442-4B         Wood,       5'       441-5B       —       442-5B
8'       441U8M       —       442U8M         Hardboard       4'       441D4M       —       442D4M         On Steel,       5'       441D5M       —       442D5M         Without Backstop       6'       441D6M       —       442D6M         8'       441D8M       —       442D8M         Bonded       4'       441-4B       —       442-4B         Wood,       5'       441-5B       —       442-5B
Hardboard       4'       441D4M       —       442D4M         On Steel,       5'       441D5M       —       442D5M         Without Backstop       6'       441D6M       —       442D6M         8'       441D8M       —       442D8M         Bonded       4'       441-4B       —       442-4B         Wood,       5'       441-5B       —       442-5B
On Steel,       5'       441D5M       —       442D5M         Without Backstop       6'       441D6M       —       442D6M         8'       441D8M       —       442D8M         Bonded       4'       441-4B       —       442-4B         Wood,       5'       441-5B       —       442-5B
Without Backstop       6'       441D6M       —       442D6M         8'       441D8M       —       442D8M         Bonded       4'       441-4B       —       442-4B         Wood,       5'       441-5B       —       442-5B
8'     441D8M     —     442D8M       Bonded     4'     441-4B     —     442-4B       Wood,     5'     441-5B     —     442-5B
Bonded 4' 441-4B — 442-4B Wood, 5' 441-5B — 442-5B
Wood, 5' 441-5B — 442-5B
, , , , , , , , , , , , , , , , , , , ,
1 <sup>3/4</sup> " thick 6' 441-6B — 442-6B
8' 441-8B — 442-8B
Hardwood 4' 441-4W — 442-4W
1 <sup>3/4</sup> " thick 5' 441-5W — 442-5W
6' 441-6W — 442-6W
8' 441-8W — 442-8W
ESD 4' 441-4C — 442-4C
(Anti-Static) 5' 441-5C — 442-5C
1 <sup>1/4</sup> " thick 6' 441-6C — 442-6C
8' 441-8C — 442-8C
Plastic Laminate* 4' 441-4P — 442-4P
1 <sup>1/4</sup> " thick 5' 441-5P — 442-5P
6' 441-6P — 442-6P
8' 441-8P — 442-8P

# EQUIPTO

### Convenience cube

12" x 12" x 12" cube. Protect fragile items or personalize a workcenter. Lock door with padlock or key lock. Part No. 121212



### Locks

Lock assembly fits all bench drawers and doors (padlock hasp is standard).

Description	Part No.	
Key lock	10405	
Keyed Alike	10405ka	

### **Number Plates**

Available for any number from 1 - 500 (please specify).

Number plate 13013



### **Electrical Power Center**

Compact, with 4 outlets, On-Off switch, 15 Amp breaker, 15 ft. cord with ground. Easy to install where you need it.

Part No. 229-4

Bench	Bench	Shelf		Bench	Bench	Shelf
Series No.	Length	Depth	Part No.	Series No.	Length	Depth
210 & 215 Series	4'	111/2"	6322	265 & 270 Series	4'	193/4"
	5'	111/2"	6323	275 & 280 Series	5'	193/4"
	6'	111/2"	6312	(Intermediate Shelves)	6'	193/4"
	8'	111/2"	6312		8'	193/4"
240 & 245 Series	4'	111/2"	6330	265 & 270 Series	4'	201/4"
	5'	111/2"	6334	275 & 280 Series	5'	201/4"
	6'	111/2"	6313	(Bottom Shelves)	6'	201/4"
	8'	111/2"	6313		8'	201/4"
250 Series	4'	111/2"	6332			
255 Series	5'	111/2"	6336			
260 Series	6'	111/2"	6314			
	8'	111/2"	6314			

# EQUIPTO




### **Bench Legs**

Depth	Height	Part No.
29"	26"- 36"	420L30
35"	26"- 36"	420L36
29"	34"- 44"	420H30
35"	34"- 44"	420H36

### **Iron-I Workcenter - Accessories**

Equipto Iron-I Benches have the flexibility for planned expansion. Our parts and accessories allow you to keep up with changing requirements.





The Iron-I's legs adjust from heights of 26" to 44" in 1/2" increments. All structural parts are 12 gauge (.104") steel. **Each leg will support 1,000 lbs.** 

### **Bench Base**

Length	Part No.
4'	6844
5'	6845
6'	6846

### **Swivel Caster Set (4)**

	· /
Part No.	Description
11649-04	non-locking
11649-04L	with lock
411649-04HR	hard rubber
411649-04HRL	hard rubber w/ lock


### **Leveler Set**

Quantity	Part No.
4	11650-04

### **Bottom Shelves**

Description	Part No.
13 <sup>1/2</sup> " x 48"	6054
13 <sup>1/2</sup> " x 60"	6055
13 <sup>1/2</sup> " x 72"	6056

### **Open Leg Workcenters - Accessories**



### . .

### Bench Legs

Welded, one-piece steel units seamed for strength and safety.

	_	
Depth	Height	Part No.
Nomina	I 30"	
281/2"	29"	9921
281/2"	311/4"	9922
281/2"	34"	9923
Nomina	I 36"	
341/2"	29"	9931
341/2"	311/4"	9932
341/2"	34"	9933

### **Back Stringers**

	3
Size	Part No.
4'	10251
5'	10252
6'	10253

### **Bottom Shelves**

Description	Part No.
12 <sup>7/8"</sup> x 4'	6120
12 <sup>7/8</sup> " x 5'	6121
127/8" v 6'	6122

### Mobile Caster Kit for Open Leg Bench

Mobile Kit adds 71/2" to the height of bench

Depth	Part No.
30"	2203
36"	2204

### **Closed Leg Bench Caster Sets**

Part No,	Description
2205-4	4' long bench
2205-5	5' long bench
2205-6	6' & 8' long bench

Caster kits include: (4) locking swivel casters 1200 total lb. capacity per set of 4



# **Equiptoflex Workcenters**

This is the most flexible technical workcenter available. Designed ergonomically for the 21st century, it changes with you. Three sizes of cabinets, four sizes of drawers, four sizes of doors and six choices of work surfaces mean almost limitless design options for you. Add to

that, electrical legs, bottom shelves, locks, aerial shelves with or without electrical outlets, and Equipto cabinets, and seating, and you have a total, flexible, technical workcenter. One that adapts to your changing requirements!

- These attractive workcenters compliment and enhance other Equipto workcenters and modular drawers.
- · 100% extention on drawers
- · Hinged Doors
- · Shelves
- · Quiet RideTM drawers
- · UL approved fused electrical outlets
- · ESD paint available
- · 6 work surfaces from which to choose
- · 100 lb. capacity per drawer
- · Pre-engineered units
- · Custom designed units
- · Built-in label holder
- · Optional unit locking mechanism
- · Leveling feet



### Use In:

Assembly

Maintenance

Manufacturing

Office

Hospitals

Mail Room

Packaging

Technical

Electronics

### Equipto Workcenters - Preconfigured Units - 360L (Left Return) and 360R (Right Return)



The right cabinet, in the main work surface area, consists of two 3"H drawers, one 6"H drawer and one 12"H file drawer.

In the left return area, the cabinet consists of two 12" H file drawers.

Main work area is 72"W x 36"D and return is 48"W x 30"D. Work surface is 30"H.

Model 360L - Plastic laminate top. (cloud spectrum)

Model 360LW - Picture shows wood top; optional aerial shelf with wood top is on page 117 and sold separately

To order unit with a right hand return instead of a right hand return order model 360R - Plastic laminate top. 360RW for Wood top

\*\*Wood Tops add 13/4" to the overall height of the bench.

Pullout Keyboard Tray 537

### Equiptoflex Workcenter - 29" Desk Height; 30" Deep

### 363 series

	٧	Vorkcenter Width	S
Work Surface Type	4'	5'	6'
Plastic Laminate	363R4P	363R5P	363R6P
ESD (Anti-Static)	363R4C	363R5C	363R6C
Hardwood	363R4W	363R5W	363R6W
Bonded Wood	363R4B	363R5B	363R6B

Left hand cabinet with two 3"H drawers; four 4"1/2"H drawers. Right hand cabinet with one full height 24"H door and one interior adjustable shelf. To order unit with cabinets reversed left to right, change letter in catalog number from "R" to "L". Bottom shelf on all workcenters. Drawer cabinet has central lock; door has individual lock.

#### 364 series

Workcenter Widths				
Work Surface Type	4'	5'	6'	
Plastic Laminate	364R4P	364R5P	364R6P	
ESD (Anti-Static)	364R4C	364R5C	364R6C	
Hardwood	364R4W	364R5W	364R6W	
Bonded Wood	364R4B	364R5B	364R6B	

Left hand cabinet with one 3"H drawer; two 41/2"H drawers; one 12" H hanging file drawer. Right hand cabinet with two 12"H doors and one adjustable shelf between doors. To order unit with cabinets reversed left to right, change letter in catalog number from "R" to "L". Bottom shelf on all work-centers. Drawer cabinet has central lock; doors have individual locks.

### 365 series

Left hand cabinet with two 3"H drawers; one 6"H drawer; one 12"H hanging file drawer. Right hand cabinet with two 6"H drawers; and one 12"H hanging file drawer. Bottom shelf on all workcenters. All units complete with cabinet locks.

### 366 series

	V	orkcenter Width	5
Work Surface Type	4'	5'	6'
Plastic Laminate	366L4P	366L5P	366L6P
ESD (Anti-Static)	366L4C	366L5C	366L6C
Hardwood	366L4W	366L5W	366L6W
Bonded Wood	366L4B	366L5B	366L6B
12 Gauge Steel	366L4T	366L5T	366L6T
Hardboard on Steel	366L4M	366L5M	366L6M

One cabinet with one 3"H drawer; two 41/2"H drawers; one 12"H hanging file drawer. One pedestal leg with UL approved fused electrical outlets. Bottom shelf on all workcenters. All units complete with cabinet lock. To order unit with cabinet reversed from left to right, change letter in catalog number from "L" to "R".

### 367 series

	V	orkcenter Width	S
Work Surface Type	4'	5'	6'
Plastic Laminate	367-4P	367-5P	367-6P
ESD (Anti-Static)	367-4C	367-5C	367-6C
Hardwood	367-4W	367-5W	367-6W
Bonded Wood	367-4B	367-5B	367-6B
12 Gauge Steel	367-4T	367-5T	367-6T
Hardboard on Steel	367-4M	367-5M	367-6M

Two pedestal legs with UL approved fused electrical outlets. Bottom shelf and modesty panel on all workcenters.

Page 117 features Productivity Enhancements for these benches.











### Equiptoflex Workcenter - Desk Height 331/2"; 30" Deep

# EQUIPTO













### 384 Series

Workcenter Width				
Work Surface Type	4'	5'	6'	
Plastic Laminate	384R4P	384R5P	384R6P	
ESD (Anti-Static)	384R4C	384R5C	384R6C	
Hardwood	384R4W	384R5W	384R6W	
Bonded Wood	384R4B	384R5B	384R6B	

Left hand cabinet with one drawer 412"H; four drawers 6"H. Right hand cabinet with one full height door, 2812"H. To order unit with cabinets reversed right to left, change letter in catalog number from "R" to "L". Bottom shelf on all workcenters. Drawer cabinet has central lock; door has individual lock.

### 385 Series

Workcenter Width				
Work Surface Type	4'	5'	6'	
Plastic Laminate	385-4P	385-5P	385-6P	
ESD (Anti-Static)	385-4C	385-5C	385-6C	
Laminated Maple	385-4W	385-5W	385-6W	
Hardwood	385-4B	385-5B	385-6B	
12 Gauge Steel	385-4T	385-5T	385-6T	
Hardboard on Steel	385-4M	385-5M	385-6M	

One cabinet with one drawer  $4^{1/2}$ H; four drawers 6"H. One cabinet with two drawers 3"H; one drawer  $4^{1/2}$ H; one drawer 6"H; one 12"H hanging file drawer. Bottom shelf on all workcenters. All units complete with cabinet locks.

### 386 Series

		Workcenter Width	
Work Surface Type	4'	5'	6'
Plastic Laminate	386R4P	386R5P	386R6P
ESD (Anti-Static)	386R4C	386R5C	386R6C
Hardwood	386R4W	386R5W	386R6W
Bonded Wood	386R4B	386R5B	386R6B
12 Gauge Steel	386R4T	386R5T	386R6T
Hardboard on Steel	386R4M	386R5M	386R6M

Left hand cabinet with one drawer 3"H; three drawers 41/2"H; two drawers 6"H. Right hand cabinet with one drawer 41/2"H; one door 24"H with one interior adjustable shelf. All units complete with door and cabinet locks. To order unit with cabinet reversed from right to left, change letter in catalog number from "R" to "L".

#### 387 Series

		Workcenter Width	
Work Surface Type	4'	5'	6'
Plastic Laminate	387R4P	387R5P	387R6P
ESD (Anti-Static)	387R4C	387R5C	387R6C
Hardwood	387R4W	387R5W	387R6W
Bonded Wood	387R4B	387R5B	387R6B
12 Gauge Steel	387R4T	387R5T	387R6T
Hardboard on Steel	387R4M	387R5M	387R6M

One cabinet with one 3"H drawer; three 41/2"H drawers; one 12"H hanging file drawer. Pedestal leg with UL approved fused electrical outlets. Bottom shelf on all workcenters. All units complete with cabinet lock. To order unit with cabinets reversed right to left, change letter in catalog number from "R" to "L".

#### 388 Series

000 001100			
		Workcenter Width	
Work Surface Type	4'	5'	6'
Plastic Laminate	388-4P	388-5P	388-6P
ESD (Anti-Static)	388-4C	388-5C	388-6C
Hardwood	388-4W	388-5W	388-6W
Bonded Wood	388-4B	388-5B	388-6B
12 Gauge Steel	388-4T	388-5T	388-6T
Hardboard on Steel	388-4M	388-5M	388-6M

With two pedestal legs with UL approved fused electrical outlets. Bottom shelf and modesty panel on all workcenters.

### 389 Series

		Workcenter Width	
Work Surface Type	4'	5'	6'
Plastic Laminate	389R4P	389R5P	389R6P
ESD (Anti-Static)	389R4C	389R5C	389R6C
Hardwood	389R4W	389R5W	389R6W
Bonded Wood	389R4B	389R5B	389R6B

Left hand cabinet with one 4<sup>1/2</sup>H drawer; two 6"H drawers; one 12"H door. Right hand cabinet with one full height 28<sup>1/2</sup>'H door with one adjustable interior shelf. To order unit with cabinets reversed right to left, change letter in catalog number from "R" to "L". Bottom shelf and 12"H plastic laminate aerial shelf with UL approved fused electrical outlet riser supports on all workcenters. (ESD (Anti-Static) top workcenter is furnished with ESD (Anti-Static) aerial shelf. To order steel aerial shelf, as shown, refer to accessories, page 117.)

### **Equiptoflex Workcenter - Accessories**

15" wide cabinets compliment your Equipto drawers by adding convenience and flexibility. Use them individually, on wheels or as flexible technical workcenters.

# Design your own Equipto workcenter



Frames for 15" wide cabinets

# shelf or panel (required).

Recessed lower shelf

Width	Two Cabinets	One Cabinet & One Leg	Two Legs
4'	470T4	471T4	472T4
5'	470T5	471T5	472T5
6'	470T6	471T6	472T6

# Add lower recessed

#### Full Height Modesty Panels

ruli neight wodesty raneis						
Height	Width	Part No.				
	4'	476-4				
24" H	5'	476-5				
	6'	476-6				
	4'	477-4				
29" H	5'	477-5				
	6'	477-6				
	4'	478-4				
33" H	5'	478-5				
	6'	478-6				

For Use in Equiptoflex workcenter:

Right	Hand	<b>Bench</b>	Cabinet

Height	No Lock	Top Lock	Points.			
331/2"	487NLR	487TLR	95			
29"	486NLR	486TLR	80			
24 <sup>1/2°</sup>	485NLR	485TLR	65			
Left Hand Bench Cabinet						

Select cabinet frames and/or pedestal legs.

Height	No Lock	Top Lock	Points.	
331/2"	487NLL	487TLL	95	
29"	486NLL	486TLL	80	
241/2"	485NLL	485TLL	65	


### Free Standing Cabinet (Not used with workcenter)

Height	No Lock	Top Lock	Points.	
331/2"	487NLE	487TLE	95	
29"	486NLE	486TLE	80	
241/2"	485NLE	485TLE	65	
A b a	aita inaluda lau	alina foot and an	a 273/4" Daan	

Caster kit available – #231

### Pedestal legs (3" w)

With		Without
Height	Electric Outlets	Electric Outlets
241/2"	495EL	495NE
29"	496EL	496NE
331/2"	497EL	497NE



Includes leveling feet. Equipto workcenter with

2 pedestal legs requires Steel Modesty Panel.

## pnd Fill cabinet frames with doors or drawers

Drawer Height	Part No.	Useable Height	Points
3"	541-10	29/16"	10
41/2"	542-15	41/16"	15
6"	543-20	59/16"	20
12"	547-40	119/16"	40
Door Height	Part No.	Useable Height	Points
12"	550L40*	12"	40
	550R40		
191/2"	553L65*	191/2"	65
	553R65		
24"	554L80*	24"	80
	554R80		
281/2"	555L95*	281/2"	95
	555R95		

# ▲ th Select work surface - 30" Deep

### **Tops**

Style	Length	30" Deep		
Steel Top	4'	441U4		
(12 gauge)*	5'	441U5		
With Backstop	6'	441U6		
Hardboard	4'	441U4M		
On Steel,	5'	441U5M		
With Backstop	6'	441U6M		
Bonded	4'	441-4B		
Wood,	5'	441-5B		
1 <sup>3/4</sup> " thick	6'	441-6B		
Laminated	4'	441-4W		
Hardwood	5'	441-5W		
1 <sup>3/4</sup> " thick	6'	441-6W		
/- // // -				
ESD (Anti-Static)	4'	441-4C		
1 <sup>1/4</sup> " thick	5'	441-5C		
	6'	441-6C		
Laminatad	4'	444.40		
Laminated	5'	441-4P 441-5P		
Plastic, 1 <sup>1/4</sup> " thick	6'	441-5P 441-6P		
I UHCK	U	44 1-07		

\*Note-Spacer channel #9240 is required at top of cabinet when any steel top is used.

# Add optional accessories.



Aerial shelf assembly (2 riser supports, shelf and back panel).

	Type of Shelf								
	Wood		Steel		Conductive		Plastic Laminate		
	w/elec.	w/o elec.	w/elec.	w/o elec.	w/elec.	w/o elec.	w/elec.	w/o elec.	
14"	High (de	pth of top	surface	is 13 <sup>1/2</sup> ")					
4'	464W4	466W4	464T4	466T4	464C4	466C4	464P4	466P4	
5'	464W5	466W5	464T5	466T5	464C5	466C5	464P5	466P5	
6'	464\M6	466W6	464T6	466T6	464C6	46606	464P6	466P6	

24'	24" High (depth of top surface is 16 <sup>1/2"</sup> )								
4'	467W4	469W4	467T4	469T4	467C4	469C4	467P4	469P4	
5'	467W5	469W5	467T5	469T5	467C5	469C5	467P5	469P5	
6'	467W6	469W6	467T6	469T6	467C6	469C6	467P6	469P6	

Add "W" to the end of the part number for wire back grid panel. (Available only in 14" height)

Note: Units with electrical include power in both left and right aerial shelf riser supports.

#### Gray cloth tackboard for aerial shelf

Back pane			
Width	4'	5'	6'
14" High 24" High	538-4 517210A	538-5 517211A	538-6 517212A


### Drawer dividers (left to right)

	Dianor dividoro (iore to right)					
Part No.						
8891						
8892						
8893						
	537					
(for computer keyboard)						
	3101					
	3103					
	539-05					
	540-05					
(for use with flange down steel tops)						
	4406					
(mobilizes any Equiptoflex cabinet)						
	8891 8892 8893 steel tops)					

Task Light (for under aerial shelf) 307 Spacer (for steel top) 9240 Paper label 224995 Mylar label cover 224994 Plastic end caps for handles (left) 993102L Plastic end caps for handles (right) 993102R

### Steel monitor risers

Sturdy Steel Monitor Risers elevate computer monitor above work area and create space for keyboard when not in use. Risers have soft rubber feet to eliminate marking desktops and can be painted to match Equipto workstation. Available in two sizes.



Note: Spacer channel #9240 is required at top of cabinet when any steel top is used. Full cabinet height door may not be used.





# **OmniVerse Workcenter**

OmniVerse is an all in one work center, versatile enough to allow you to customize to your needs.

The preconfigured workcenters below give you different options all in one part number. If you need any additional accessory, go to the Accessory page to add that item to your workcenter.

All benches come standard with a Hardwood Ash Top & (2) 6-outlet Electrical Rails. If you need to build a custom Workcenter head to the next three pages to configure one.

### **OmniVerse Workcenter - Preconfigured**

	•
Part No.	Description
OV6-CCD-001	6ft Bench w/Overhead light, Lower Shelf, (2) Lower cabinets, (1) Adjustable shelf, (1) Overhead cabinet & (8) 2"H x 4-1/4"W removable drawers
OV6-CLD-001	6ft Bench w/Overhead light, Lower Shelf, (1) Lower cabinet,(1)Leg, (1) Adjustable shelf, (1) Overhead cabinet & (8) 2"H x 4-1/4"W removable drawers

	(0) 2 11 X 4-1/4 W Telliovable diawers
Part No.	Description
OV6-CCD-002	6ft Bench w/Overhead light, Lower Shelf, (2) Lower cabinets, (1) Overhead cabinet, (1) Upper & (1) lower Pegboard back & (1) Lower Solid Back w/ Tack board
OV6-CLD-002	6ft Bench w/Overhead light, Lower Shelf, 1) Lower cabinet,(1) Leg, (1) Overhead cabinet, (1) Upper & (1) lower Pegboard back & (1) Lower Solid Back w/ Tack board

Part No.	Description
OV6-CCD-003	6ft Bench w/Overhead light, Lower Shelf, (2) Lower cabinets, (1) Overhead cabinet, (1) Lower Pegboard back, (1) Upper Solid Back & (1) Lower Solid Back w/ Tack board
OV6-CLD-003	6ft Bench w/Overhead light, Lower Shelf, 2) Lower cabinets, (1) Overhead cabinet, (1) Lower Pegboard back, (1) Upper Solid Back & (1) Lower Solid Back w/ Tack board

<sup>\*</sup>Each cabinet comes with (2) 3"H, (1) 4-1/2"H, (1) 6"H & (1) 12" H 200lb drawers.



OV6-CCD-001



OV6-CLD-001



OV6-CCD-002



OV6-CLD-002



OV6-CCD-003



OV6-CLD-003

Workcenters & All Accessories will come all in the one color you pick. If you would like items on your bench to be a different color, like pictured above, please contact your rep.

<sup>\*\*</sup>Comes with locks on lower cabinets.

<sup>\*\*\*</sup>Cabinet & Leg can be located on either end.



### **OmniVerse Workcenter - Custom**

The Workcenters below all have a Hardwood Ash top that comes with either two cabinets with a lower shelf or 1 cabinet and a leg with a lower shelf. Allowing you to customize your drawer sizes if need be. It also includes the bracing & lights in the back for overhead lighting and (2) 6-outlet electrical rails above your top.

Head to the accessories to add overhead cabinets, pegboard, tack board, removable drawers, tool holders, spool holders and much more to make your work center function the way you need it to..

**OV6-CLE**NO DRAWERS
30"D X 72"W X 84"H (DESK 35-1/8"H)

**OV6-CCE**NO DRAWERS
30"D X 72"W X 84"H (DESK 35-1/8"H)

**OV6-CLD\*** 30"D X 72"W X 84"H (DESK 35-1/8"H)

**OV6-CCD\***30"D X 72"W X 84"H (DESK 35-1/8"H)









\*Each cabinet comes w/ (2) 3"H, (1) 4-1/2"H, (1) 6"H & (1) 12" H 200lb drawers. You can not use a Steel or Stainless Steel (no wood core) top on these benches. Cabinet & Leg can be located on either end. Workcenters & All Accessories will come all in the one color you pick. If you would like items on your bench to be a different color, like pictured above, please contact your rep.


### **OmniVerse Workcenter Accessories**



### **Drawers (for empty cabinets)**

Description	Points
3"H Drawer	10
4-1/2"H Drawer	15
6"H Drawer	20
7-1/2"H Drawer	25
9"H Drawer	30
10-1/2"H Drawer	35
12"H Drawer	40
	3"H Drawer 4-1/2"H Drawer 6"H Drawer 7-1/2"H Drawer 9"H Drawer 10-1/2"H Drawer

<sup>\*</sup>For more information on these drawers and for divider kits see page 44.




### Overhead Cabinet/Sloped Shelf/Lock

	•
Part No.	Description
AFCAB361518	36wx15dx18.5h Cabinet/retractable door
AFASHELF3612	12dx36w Adj. Sloped Shelf (can also add 120 pts in drawers to rest ontop)
AFASHELF12ES	Pair End Stops for sloped shelf
4101	Lock for drawer cabinet




### **OmniVerse Workcenter Accessories**



### **Tool Accessories**

Part No. AFRAIL36	
Part No.	Description
AFRAIL36	36"w Tool Rail
AFSPOOL	Spool Holder (need tool rail)
AFTRAY	Tool Tray (need tool rail)







### 36"W Back Panels/Tack Board

Lower Back Panel
Solid Steel, 31-17/32"W x 19-1/8"H
Upper Back Panel Solid Steel, 31-17/32"W x 18-35/64"H
Lower Pegboard Back Panel Steel, 31-17/32"W x 19-1/8"H
Upper Pegboard Back Panel Steel, 31-17/32"W x 18-35/64"H
Gray Cloth Tack board 31-1/4"W x 19"H x 1/2"Thick (Must also order an upper or a lower back panel to attach to )

To close off 1 entire 36"W top section of the upper unit use both an upper and lower panel (pictured on the left hand side), if you have a cabinet on the upper part use 1 lower panel to close it off below it. (pictured on the right hand side, please note you can not use a upper back panel behind the cabinet.) If you close the entire back of the bench on both 36"W sides you need 2 lowers and 2 uppers.

### **Removable Drawers**

Part No.	Description	Divider #	Points
2"H Rail			
AFDWRRAIL2	36"W Drawer Rail	_	Holds 120
2"H Drawers			
8532	4-1/4"W x 11"D	8732	15
8534	5-5/8"W x 11"D	8734	20
3-1/8"H Rail			
AFDWRRAIL3	36"W Drawer Rail	_	Holds 120
3-1/8"H Drawers			
8504	4-1/4"W x 11"D	8709	15
8505	5-5/8"W x 11"D	8720	20
8553	8-3/8"W x 11"D	8753	30
8556	11-1/4"W x 11"D	8756	40

Order the correct height rail with the correct height drawers.

Each rail can hold up to 120 points of drawers, each drawer has a point system add them up to fill your rail with a full row of drawers.



### **Available Standard Colors**



Textured

Putty















Textured Cherry Red



Textured Regal Blue



Bright Yellow





Smooth Office Gray



Smooth Reflective White



Textured Evergreen

### **Design Benefits & Features**

Desk, wall-hung, counter and full height cabinets.

3-Point cabinet latch ensures security.

Rigid cabinet frame and sturdy hinges provide maximum durability.

Carts with capacity of up to 800 lbs.

Smooth-rolling cart casters, swivel and rigid.

Heavy duty, reversible cart trays.

### **Space Utilization Advantages**

Cabinets provide convenient, attractive, secure storage.

Carts quickly move tools, parts, and supplies from storage to work areas.

Broad selection of cabinets and carts offer exact workspace solutions.

### **Market Applications**

Automotive - service, parts, office, supplies and display.

Education - office, supplies and maintenance.

Healthcare - maintenance, office and supplies.

Maintenance - service, parts and supplies.

Manufacturing - work cells, maintenance, office and supplies.

Military - office, supplies, service, maintenance, and parts.

Retail - display, office and back room storage.

Museum - small artifact and supply storage.



# Storage Cabinets

### Flammable Liquid Storage Cabinets

### Protect your personnel and your business

- Galvanized steel shelves and leveling legs
- Support up to 350 lbs.
- Internal and external welded construction
- · 18 gauge steel reinforced double wall panel construction
- 2" raised leakproof sill
- 2" vent with fire baffle and cap
- Ground connection
- · Lead-free high gloss baked on powder finish
- 3 point key lock doors
- Meet OSHA and NFPA code 30 specifications
- Self-closing models meet UFC 79



shipped assembled

Equipto flammable liquid cabinets help protect you from fire hazard. Use them for volatile liquids that need to be safely contained like:

- Alcohol
- Acetone
- Formaldehyde
- Gasoline



These cabinets can be conveniently placed wherever safe housekeeping procedures or ease of accessibility dictate.

#### Part No. Description Dimensions (W X D X H) Weight FSC15S 43" x 18" x 221/4" 145 lbs. 15 gal two door self-closing FSC15M 43" x 18" x 221/4" 135 lbs. 15 gal two door manual close FSC30M 30 gal two door, one shelf, manual close 43" x 18" x 44" 247 lbs. FSC30S 30 gal two door, one shelf, self-closing 43" x 18" x 44" 257 lbs. FSC45M 45 gal two door, two shelves, manual close 43" x 18" x 65" 342 lbs. FSC45S 45 gal two door, two shelves, self-closing 43" x 18" x 65" 353 lbs. FSC60M 60 gal two door, two shelves, manual close 311/4" x 311/4" x 65" 354 lbs. FSC60S 60 gal two door, two shelves, self-closing 31<sup>1/4</sup>" x 31<sup>1/4</sup>" x 65" 364 lbs. FSC90M 90 gal two door, two shelves, manual close 43" x 34" x 65" 465 lbs. 475 lbs. FSC90S 90 gal two door, two shelves, self-closing 43" x 34" x 65" **FSCSHELF** \*Additional Shelf 43" x 18" 12 lbs. 31<sup>1/4</sup>" x 31<sup>1/4</sup>" FSC60SHELF \*Additional Shelf 12 lbs. \*(2) shelves are needed per required additional shelf when adding to a 34"D x 43"W cabinet

# Flammable liquid storage cabinets are safety yellow.

### **Storage Cabinets**

Equipto storage cabinets feature a rugged construction and attractive design that make them perfect for any environment from shop to office. Choose from desk, counter and full height configurations to fit your exact requirement.

### Cabinets are shipped knocked down, assembly required.



### Door latch

Cabinet doors are equipped with a durable safety latch which allows smooth, quiet operation. All doors open with ease, yet close securely.



Door handles

Attractively designed handles are made of satin, chrome-plated steel. A 3-point locking device on door assures secure storage of contents.



**Cabinet frames** 

Crafted of sturdy steel, cabinet frames feature an advanced interlocking design for maximum strength and superior rigidity.



Positive shelf lock

All shelves have a positive lock which slides into the opening and locks in place. Even with rugged use, cabinet shelves cannot be dislodged.



Three-point latches for security

Rigid frames and sturdy hinges.

Heavy gauge steel construction.

Smooth surfaces and graceful contours mean no protrusions to snag clothing.

Cabinet doors are reinforced.

Each unit is level and completely balanced.

Bases are recessed.





### **Combination Cabinet**

Versatile unit with 5 shelves plus wardrobe area with rod and 4 hooks. Divider panel permits locating wardrobe on either side. Locking handles and key. Extra shelves can be added.



1700/1705

### **Counter High Cabinet**

Double-door cabinet has locking handles and 2 interior shelves. Use back-to-back; side-by-side; add extra shelves.

Available in two depths.



### **Handy Cabinet**

Keeps books, manuals, parts.

Locking handle.

Shipped set-up. Order part number 1734DI/1735DI if it's required to have the handles located lower on the cabinet.



### **Wardrobe Cabinet**

Spacious cabinet has a sturdy, metal rod and 4 hooks for hanging coats, plus a top shelf for personal items. Locking handles and key.



### **Desk High Cabinet**

Use back-to-back or side-by-side to form a credenza. Has 1 shelf, locking handles. Add extra shelves to expand space.



**Spacious Cabinet** 

Rugged cabinet in 2 depths features locking handles and key and 4 adjustable shelves (2" centers). Extra shelves can be added.



### **Book Shelf Cabinet**

Combination unit with 2 adjustable shelves (3/4" centers) and 2 door cabinet with internal shelf and locking handles.

Cabinet		Size			Extra Shelve	s
Part No.	Description	Width	Depth	Height	Part No.	Shelf Capacity
1712	Wardrobe	36"	18"	78"		200 lbs.
1717	Wardrobe	36"	24"	78"		225 lbs.
1710	5-shelf	36"	18"	78"	16027A	200 lbs.
1715	5-shelf	36"	24"	78"	16029A	225 lbs.
1734*	2-shelf	30"	13"	27"	16017	200 lbs.
1734DI*	2 shelf upper cabinet	30"	13"	27"	16017	200 lbs.
1735*	2-shelf	36"	13"	27"	16025	200 lbs.
1735DI*	2 shelf upper cabinet	36"	13"	27"	16025	200 lbs.
1730WS	Book Shelf/Cabinet	36"	18"	71"	6192 (Upper)	200 lbs.
					16027A (Lowe	er)
1714	Combination	36"	18"	78"	16032A	200 lbs.
1719	Combination	36"	24"	78"	16033A	225 lbs.
1700	Counter High	36"	18"	42"	16027A	200 lbs.
1705	Counter High	36"	24"	42"	16029A	225 lbs.
1730	Desk High	36"	18"	29"	16027A	200 lbs.
11245	Locking Handle					
11245KA	Locking Handle Keye	d Alike				
11246	Rigid Handle					
10428	Key					
	a chimned unaccemble	d *Chir		andlad /m	• LIDC)	

All cabinets shipped unassembled. \*Shipped assembled (no UPS)



# Quick-View Storage Cabinets



Equipto Quick-View Cabinets are designed for both easy visibility and security of personal belongings, books, files, equipment supplies parts, etc. Clean styling and durable construction make these cabinets ideal for both office and industrial environments.

### Available sizes include:

- 30"W x 12"D x 26"H (Wall-hung)
- 36"W x 18"D x 42"H (Counter)
- 36"W x 18"D x 78"H
- 36"W x 24"D x 78"H
- 48"W x 24"D x 78"H

#### Features:

- UV, break and scratch resistant plastic Lexan panels are mounted in both door frames for an unobstructed view of the cabinet's contents.
- Each shelf has a 225 lb. weight capacity with 2" increment height adjustability.
- Cabinet doors have a 3-point locking mechanism with one chrome plated handle. (2 keys)
- · Multiple cabinets can be keyed alike or individually.
- · Dollies are available for the 78" high cabinets to add mobility

Equipto Quick-View Storage Cabinets offer the perfect appearance, capacity, visibility and security for your plant or office.

### **Quick-View Storage Cabinets**

Part No.	Description	Width	Depth	Height	Additional Shelf
QVC301226SU	Wall Hung QVS Cabinet	30"	12"	26"	514-1240
QVC361842	QVS Cabinet	36"	18"	42"	514-1836
QVC361878	QVS Cabinet	36"	18"	78"	514-1836
QVC362478	QVS Cabinet	36"	24"	78"	514-2436
QVC482478	QVS Cabinet	48"	24"	78"	514-2448

<sup>\*</sup>SU=set up. You may order an assembled unit upon request by adding a "SU" to the end of the part no. (an additional fee will apply)

### **Dollies**

Part No.	Description (W x D)
CD1836	Dolly for 36" x 18" Cabinet
CD2436	Dolly for 36" x 24" Cabinet
CD2448	Dolly for 48" x 24" Cabinet







# Mobile Computer Cabinet

Equipto Mobile Computer Cabinets are designed to provide maximum protection for computer equipment from dust, metal shards and other debris. The locking, mobile cabinet keeps your expensive computer equipment clean and safe.

The Mobile Computer Cabinet is ideal for PCs, terminals and other computer peripherals on the shop floor, in any industrial environment, or where security issues are involved.

### Outstanding features include:

- Front and back key-locked doors provide security while allowing easy equipment access to authorized personnel.
- Full door seals to keep dust, metal shards and other debris away from your equipment.
- Easy station-to-station mobility on four heavy-duty casters.
- Built-in fan and louvers for temperature control.
- Lockable slide-out keyboard and mouse tray.
- · Heavy-duty slide-out printer shelf.

Part No.	Dimensions
ECWS-303069	30"W x 30"D x 69"H


### Features:

- A) Scratch-resistant lexan monitor window
- B) Adjustable monitor shelf can hold up to a 21" monitor
- C) Lockable slide-out keyboard and mouse tray
- D) Adjustable slide-out printer shelf
- E) Accommodates desktop or full-size tower pc
- F) Sealed access doors to keep out dust and debris
- G) Louvers for increased air flow
- H) Full size lockable rear access door for easy accessibility
- 1) 2 rigid & 2 swivel casters for easy mobility
- J) Built in air-intake fan with filter













### Armadillo Cabinet Line

Equipto's Industrial Cabinet Line provides you

with the ultimate in Heavy Duty 12 Gauge Cabinets.

All Armadillo cabinets are Armadillo dark gray in color.

#### Each cabinet includes:

- · 14 gauge shelves with up to 1900 lb. capacity
- · Adjustable shelves 2" increments
- · Handle includes a hasp for use with padlock
- · 7 gauge welded legs for moving and durability
- · More shelves can be added for versatility

### **Heavy Duty Standard Cabinets**

 Heavy Duty, 12 gauge Steel, all welded design, specifically for industrial applications

#### **Built to last**

- · 12 gauge steel one piece wrap around shell
- · 12 gauge steel doors
- · 12 gauge steel bottom
- 14 gauge steel shelves attached with 3/8" carriage bolts
- 8 gauge hinge leaf, 5/16" brass hinge pin, 3/4" receiver
- cast aluminum bronze alloy handle, 3/8" angle receiver with three point locking device, 3/8" latch rod, 3/16" latch plate
- 3/16" steel legs, provision for lagging, 6" sweep space

### Units are all welded, and fully assembled.





### Half and Half Cabinet

- · Easily separate your items on shelves or in drawers
- Cabinet shelves can be adjusted in 2" increments to accommodate both large and small items

Part No.	Dimensions (W x D x H)	Overall Height	Shelf P/N	Shelf Capacity	Drawer Width	Drawer Capacity	Weight
ICL3513354	48" x 24" x 72"	78"	ICS8342	1125	19"	225	917 lbs.
ICL4513354	60" x 24" x 72"	78"	ICS8442	1575	25"	225	1,079 lbs.
ICL5513354	72" x 24" x 72"	78"	ICS8552	1450	31"	225	1,267 lbs.

### **Dual Zone Cabinet**

- · Provides you with two separate shelving compartments
- Both sides can be locked independently; while one side is locked you can work out of the other
- · Perfect for two people

Part No.	Dimensions (W x D x H)	Overall Height	Shelf P/N	Adjustable Shelves Each Side	Capacity	Weight
ICL25137	36" x 24" x 72"	78"	ICS8243	4	950	544 lbs.
ICL35137	48" x 24" x 72"	78"	ICS8343	4	1275	642 lbs.
ICL45137	60" x 24" x 72"	78"	ICS8443	4	1600	740 lbs.
ICL55137	72" x 24" x 72"	78"	ICS8553	4	1950	838 lbs.

Every unit comes fully assembled

Standard paint is Armadillo dark gray water based application



**EQUIPTO** 







### Bin Cabinets

Heavy Duty, 12 gauge Steel, all welded design, specifically for industrial applications.

### 4 Shelf Bin Cabinet with adjustable shelves

With the introduction of Bin Storage to our Shelving cabinets, you are now able to store both large and small items all in a single cabinet. Bins are  $4^{1/4"}$  wide,  $7^{3/8"}$  deep and 3" high and constructed of Polypropylene.

Part No.	Dimensions (W x D x H)	Overall Height	Number of Small Bins	Shelf P/N	Shelf Capacity	Weight				
ICLB710	36" x 24" x 72"	78"	94	ICS8742	1350	533 lbs.				
ICLB720	48" x 24" x 72"	78"	144	ICS8822	850	651 lbs.				
It is recom	It is recommended that these cabinets be anchored to your floor or wall.									



### **Total Bin Cabinet**

Packed with 32 Large Bins holding up to 60 lbs. each, large bins are  $8^{1/4"}$  wide by  $14^{3/4"}$  deep and 7" high. There are 94 Small Bins which hold up to 10 lbs. each and comes completely assembled. Small bins are  $4^{1/4"}$  wide,  $7^{3/8"}$  deep and 3" high and constructed of Polypropylene.


Part No.	Dimensions (W x D x H)	Overall Height	Number of Small Bins	Number of Large Bins	Weight
ICLB730	36" x 24" x 72"	78"	94	32	596 lbs.
ICLB740	48" x 24" x 72"	78"	144	40	732 lbs.



### 3 Shelf Total Bin Cabinet

Enjoy the storage of the Total Bin Cabinet with the flexibility of 3 adjustable shelves. Small bins are  $4^{1/4"}$  wide,  $7^{3/8"}$  deep and 3" high and constructed of Polypropylene. Large bins are  $8^{1/4"}$  wide,  $14^{3/4"}$  deep and 7" high.

Part No.	Dimensions (W x D x H)		Number of Small Bins				Weight
ICLB750	36" x 24" x 72"	78"	94	16	ICS8742	1350	579 lbs.
ICLB760	48" x 24" x 72"	78"	144	20	ICS8822	850	756 lbs.



Every unit comes fully assembled Standard paint is Armadillo dark gray water based application



# Janitorial/Locker Cabinets

### Standard Janitorial/Locker Cabinet

Provides you with two storage compartments, one for clothing and the other for materials and tools.



Part No.	Dimensions (W x D x H)	Overall Height	Closet Shelves	Closet Shelf P/N	Closet Shelf Capacity	Hanger Shelf P/N	Hanger Shelf Capacity	Weight
ICLJ551250	36" x 24" x 72"	78"	4	ICCS8244	1100	ICHS8245	775	501 lbs.
ICLJ551260	48" x 24" x 72"	78"	4	ICCS8344	1500	ICHS8345	1050	594 lbs.
ICLJ551270	60" x 24" x 72"	78"	4	ICCS8444	1900	ICHS8645	1300	687 lbs.

### **Dual Zone Janitorial/Locker Cabinet**

Provides you with two separate storage compartments which can be opened and locked independently.



Part No.	Dimensions (W x D x H)	Overall Height	Closet Shelves		Closet Shelf Capacity		Hanger Shelf P/N	Hanger Shelf Capacity	Weight
ICLJ551300	72" x 24" x 72"	78"	8	ICCS8244	1025	2	ICHS8445	825	893 lbs.

### Full Length Janitorial/Locker Cabinet

Heading out to the job or heading home for the day? Store your personal and work items in one cabinet.

Part No.	Dimensions (W x D x H)	Overall Height	Shelf P/N	Shelf Capacity	Weight
ICLJ551280	36" x 24" x 72"	78"	ICS8246	1900	421 lbs.
ICLJ551290	48" x 24" x 72"	78"	ICS8346	1200	500 lbs.



Every unit comes fully assembled Standard paint is Armadillo dark gray water based application



### **Janitorial Broom Side Closet**

Store those housekeeping and items with long handles out of the way. Also store any other materials like cleaners, brushes, or tool chests on the adjustable shelves of the other side **No locking handle. Padlock only.** 



Part No.	Dimensions (W x D x H)	Overall Height	Closet Shelves	Shelf P/N	Shelf Capacity	Weight
ICLJ551310	36" x 24" x 72"	78"	4	ICCS8244	1025	492 lbs.
ICLJ551320	48" x 24" x 72"	78"	4	ICCS8344	1375	580 lbs.
ICLJ551330	60" x 24" x 72"	78"	4	ICCS8444	1750	659 lbs.
ICLJ551340	72" x 24" x 72"	78"	4	ICCS8544	1050	766 lbs.

### **Tool Crib Cabinet**

Two separate sections to store all your tool needs. Up top you have 3 adjustable shelves, two of which are slotted with metal vertical dividers. The lower section has a 14 gauge adjustable shelf. Separating the two section is a 12" deep shelf which can be used to do work on or repair tools.



Part No.	Dimensions (W x D x H)	Overall Height	Standard Shelf P/N	Standard Shelf Capacity	Slotted Shelf P/N	Slotted Shelf Capacity	Dividers/ Slotted Shelf	Weight
ICLTC551350	36" x 24" x 72"	78"	ICS8241	1900	ICSS8246	1425	3	509 lbs.
ICLTC551360	48" x 24" x 72"	78"	ICS8341	1200	ICSS8346	900	4	637 lbs.
ICLTC551370	60" x 24" x 72"	78"	ICS8441	1650	ICSS8446	1225	5	767 lbs.

Every unit comes fully assembled Standard paint is Armadillo dark gray water based application




## **Bench Cabinets**

Rugged bench cabinets are available in 15", 211/2" and 30" widths and provide convenient workspace and storage for tools and parts. Choose between mobile and stationary configurations as well as a variety of tops to suit your application.

### Bench cabinets - 15" wide





240DS



240DP 245DP

### Bench cabinets - 15" & 211/2" W



- Rugged welded frame cabinets for small spaces
- · Stationary or portable
- Secure shelf space or drawer space with a bench top in as little as 15" wide
- · Back rail
- · Four-drawer unit
- · Single-door unit
- · Roller suspension drawers

### 240 Series with Door and Shelf

Caster Capacity	Steel With Backstop	Tops Without Backstop	Hardboar With Backstop	d on Steel Without Backstop
15"W x 24 <sup>7/8</sup> "D x 34"H				
500 lb.	240UP	240DP	240UPM	240DPM
No Casters	240US	240DS	240USM	240DSM

### 245 Series with Drawers

	ster acity E	With	l Tops Without Backstop	Hardboard With Backstop	on Steel Without Backstop
15"W x 24 <sup>7/8</sup> "	D x 34"H				
500	lb. 2	245UP 2	245DP	245UPM	245DPM
No (	Casters 2	245US 2	245DS	245USM	245DSM

- Equipto mobile drawer cabinets enable faster delivery of parts and supplies right to the job site. Compact, efficient and designed to save you time.
- · 4 and 5 drawer units available
- · Rigid steel construction
- · Use stationary or as mobile units
- · Roller suspension drawers
- · Optional items:

Loop handle (#11574)

Tumbler locks (#10405)

Part No.	Description	Drawer Size (W x D x H)	Cabinet Size (W x D x H)	Load Capacity
223MW4	4-drawer w/hardboard top	21 <sup>1/2</sup> " x 23 <sup>3/4</sup> " x 7 <sup>3/4</sup> "	21 <sup>1/2</sup> " x 22 <sup>3/4</sup> " x 37 <sup>1/2</sup> "	500 lbs.
223SW4	4-drawer w/steel top	$21^{1/2}$ " x $23^{3/4}$ " x $7^{3/4}$ "	$21^{1/2}$ " x $22^{3/4}$ " x $37^{1/2}$ "	500 lbs.
221MW5	5-drawer w/hardboard top	15" x 23 <sup>3/4</sup> " x 6 <sup>1/4</sup> "	15" x 22 <sup>3/4</sup> " x 37 <sup>3/4</sup> "	500 lbs.
221SW5	5-drawer w/steel top	15" x 23 <sup>3/4</sup> " x 6 <sup>1/4</sup> "	15" x 22 <sup>3/4</sup> " x 37 <sup>3/4</sup> "	500 lbs.

### Bench cabinets - 30" wide x 273/4" deep







- · Stationary or portable
- · Back rail available
- · Flat or sloped tops
- · Roller suspension drawers
- · Door cabinets have middle shelf
- Lock It Up! All doors and drawers accept standard padlocks, or order #10405 key locks, keyed either differently or alike

		Steel '	Tops	Wood To	ops	Hardboard	d on Steel
Series	Caster Capacity	With Backstop	Without Backstop	Hardwood	Bonded Wood	With Backstop	Without Backstop
250 Seri	es - 2 doors with s	helving					
	500 lbs.	250UP	250DP	250-PW	250-PB	250UPM	250DPM
	800 lbs.	250UH	250DH	250-HW	250-HB	250UHM	250DHM
	No Casters	250US	250DS	250-SW	250-SB	250USM	250DSM
255 Seri	es - 1 door with sh	elf and 4 dr	awers				
	500 lbs.	255UP	255DP	255-PW	255-PB	255UPM	255DPM
	800 lbs.	255UH	255DH	255-HW	255-HB	255UHM	255DHM
	No Casters	255US	255DS	255-SW	255-SB	255USM	255DSM
260 Seri	ies - 8 drawers						
	500 lbs.	260UP	260DP	260-PW	260-PB	260UPM	260DPM
	800 lbs.	260UH	260DH	260-HW	260-HB	260UHM	260DHM
	No Casters	260US	260DS	260-SW	260-SB	260USM	260DSM

Without casters the overall height  $34^{1/8}$ " With casters, the overall height is  $40^{1/8}$ "

**NOTE:** All units are 30" wide and  $27^{3/4"}$  deep without top. Tops are 30" wide and 30" deep unless sloping desktop is used which is 30"W x 29"D. Add  $1^{5/8"}$  to overall height if wood top is used, and  $6^{7/8"}$  overall height if sloping desktop is used.

Bench Cabinets with Sloping Desk Top

250 Series	Part No.
500 lbs.	250FP
800 lbs.	250FH
No Casters	250FS

255 Series	Part No.
500 lbs.	255FP
800 lbs.	255FH
No Casters	255FS

260 Series	Part No.
500 lbs.	260FP
800 lbs.	260FH
No Casters	260FS




### **Aerial Shelf**

A #226-30 Aerial Shelf adds extra capability without sacrificing bench top work space.



**Sloping Desk Top** 

Top is 30"W x 29"D x 6<sup>7/8</sup>"H Sloping desk top Part No. 294





### **Available Standard Colors**



Textured Putty



Textured Dove Gray



Textured Black



Textured Bright Yellow



Textured Cherry Red



Textured Regal Blue



Mirror Silver (Wire Shelving Only)



Smooth Office Gray



Smooth Reflective White



Textured Evergreen

### **Design Benefits & Features**

Quality construction and integrated components.

Dozens of tray sizes and configurations.

Rigid frame and sturdy wheels provide maximum durability.

Capacity of up to 800 lbs.

Smooth-rolling cart casters, swivel and rigid.

Heavy duty, reversible cart trays.

### **Space Utilization Advantages**

Convenient, attractive, secure storage.

Carts quickly move tools, parts, and supplies from storage to work areas.

Broad selection of carts offer exact workspace solutions.

### **Market Applications**

Automotive - service, parts, office, supplies and display.

Education - office, supplies and maintenance.

Healthcare - maintenance, office and supplies.

Maintenance - service, parts and supplies.

Manufacturing - work cells, maintenance, office and supplies.

Military - office, supplies, service, maintenance, and parts.

Retail - display, office and back room storage.

Museum - small artifact and supply storage.

Carts 132

# EQUIPTO

# Carts

- · Quality one-piece tray construction, tubular posts and handles
- 4" deep reversible steel trays with beaded edges for extra strength
- Smooth rolling 5" rubber casters two swivel, two fixed
- · Optional welded drawer units provide extra capacity
- · Ships un-assembled



						Dra	wers	
					Α	В	С	D
Width	Length	Height	Trays	Capacity	None	(8)11" Deep	(18)11" Deep	(18)17" Deep
16"	30"	36"	2	500 lbs.	145	145-8		
				800 lbs.	145D	145D8		
24"	36"	36"	2	500 lbs.	150	150-8	150-11	150-22
				800 lbs.	150D	150D8	150D11	150D22

Cart heights include casters. Casters are not recommended for carts over 66"











_E Tν	vo-Tray-33"	high		
Width	Tray Length	Depth	Capacity	Part No.
16"	30"	3"	500 lbs.	147
24"	36"	3"	500 lbs.	152
16"	30"	3"	800 lbs.	147D
24"	36"	3"	800 lbs.	152D

G Four-Tray-33" high						
Width	Tray Length	Depth	Capacity	Part No.		
16"	30"	19/16"	500 lbs.	155		
24"	36"	19/16"	500 lbs.	160		
16"	30"	19/16"	800 lbs.	155D		
24"	36"	19/16"	800 lbs.	160D		

Tight Turn Caster Kit						
Capacity	Width	Kit				
500 lbs.	16"	158				
800 lbs.	16"	158D				
500 lbs.	24"	159				
800 lbs.	24"	159D				

For use in narrow aisles.

F Th	Three-Tray-33" high				
Width	Tray Length	Depth	Capacity	Part No.	
16"	30''	19/16"	500 lbs.	156	
24"	36"	19/16"	500 lbs.	161	
16"	30"	19/16"	800 lbs.	156D	
24"	36"	19/16"	800 lbs.	161D	

Н	Four and	Five-tray-6	0" hig	h	
Shel	lves Width	Tray Length	Depth	Capacity	Part No.
4	16"	30"	3"	800 lbs.	163D
4	24"	36''	3"	800 lbs.	165D
5	16"	30''	19/16"	800 lbs.	164D
5	24"	36"	19/16"	800 lbs.	166D

J	

<b>□ Tool</b>	Toter	with d	rawer	(6 <sup>1/4</sup> " x 15	" x 23 <sup>3/4</sup> ")
No. of Shelves	Width	Shelf Length	Depth	Part No. Stationary	Part No. w/Casters
2	18"	24"	19/16"	518	518C
2	24"	36"	19/16"	520	520C
2	24"	36"	3"	534	534C
3	18"	24"	19/16"	521	521C
3	24"	36"	19/16"	523	523C
Handle Part No. 11559					

### **J** Three-Shelf units

Width	Tray Length	Depth	Part No. Stationary	Part No. w/Casters
18"	24"	19/16"	514	514C
16"	30"	19/16"	515	515C
24"	36"	19/16"	517	517C

### K Two-Shelf units

		_		
Width	Tray Length	Depth	Part No. Stationary	Part No. w/Casters
18"	24"	19/16"	510	510C
16"	30"	19/16"	511	511C
24"	36"	19/16"	513	513C
16"	30"	3"	531	531C
24"	36"	3"	533	533C

A standard color chart is available at the beginning of each section with a more detailed one on page 141.

133 Carts



# **NC Tool Handling System**

Equipto presents a simple solution to the handling and organization needs of the modern NC machining center. Here is a specially designed system to speed transfer of costly NC tools, with dollar-saving protection at every step. Watch your turnaround time drop and machine downtime practically disappear with these sensible integrated components.

- Speeds your work flow as it protects your NC tool investment
- High-capacity, unitized steel frame with rugged handle
- 800 lb tool capacity
- Pre-set tools can be kept in their programmed sequence at all times
- Accessory end trays and shelf units provide space for auxiliary tools and supplies
- Recessed and angled tray handles for easy loading retrieval
- Everything is in clear view, organized and accessible
- NC tool trays can be secured in modular drawer cabinets or shelf units
- Transport to and from machining centers, sharpening/calibration stations, and tool rooms is simpler, safer and more efficient
- Two integral pallet channels permit easy fork truck handling of cart, empty or loaded
- Big, 5" wheels (two swivel, two stationary) allow smooth rolling on any surface



### **End Tray**

Two shelf unit attaches to end of cart; shelf bottoms lined with rubber matting to protect tools.

Part No. 4111 - 14" W x 10" D for #4105 cart Part No. 4112 - 24" W x 10" D for #4110 cart

### **NC Tool Holders**

Precision-molded of high-impact polypropylene, Equipto's shock-absorbing tool holders are virtually indestructible. They fit perfectly in trays, and lock in at a turn of the knurled thumbscrew. Choose straight or tapered shank styles coded in 10 bright identifying colors.



### **NC Tool Trays**

Width	Depth	Taper	w/Brackets	w/o Brackets	Use with
25"	61/4"	less than 60	4109	4108	30"W cabinets & carts
25"	73/4"	60	4139	4138	30"W cabinets & carts

Support brackets (pair) Part No. 7666-2

	. ,			
		To Fit	Max. No.	
Color	Size	(Shank)	Per Tray	Part No.
Yellow	2 <sup>3/8</sup> " x 5"	#40 Taper	10	4122
Green	2 <sup>3/8</sup> " x 5"	#30 Taper	10	4123
Silver	2 <sup>3/8</sup> " x 5"	40 millimeter	10	4120M40
Light Blue	3 <sup>3/4</sup> " x 5"	21/4" Straight	6	4124
Orange	4 <sup>1/2</sup> " x 5"	#45 Taper	5	4121
Algae Green	4 <sup>1/2</sup> " x 5"	50 millimeter	5	4120M50
Hot Pink	4 <sup>1/2</sup> " x 5"	63 millimeter	5	4120M63
Red	4 <sup>1/2</sup> " x 5"	#50 Taper	5	4120A
Red	5 <sup>5/8</sup> " x 6 <sup>3/4</sup> "	#50 Taper	4	4120*
Olive Green	5 <sup>5/8</sup> " x 6 <sup>3/4</sup> "	#60 Taper	4	4132*

<sup>\* 4120</sup> and 4132 tool holders require 4138 or 4139 tool tray.

### **NC Tool Cart**

Cart	Tool tray		
Width	Length	w/brackets incl.	Part No.
15"	27"	None	4105
15"	27"	Three	4105-03
15"	27"	Four	4105-04
15"	27"	Five	4105-05
26"	27"	None	4110
26"	27"	Three	4110-03
26"	27"	Four	4110-04
26"	27"	Five	4110-05







A standard color chart is available at the beginning of each section with a more detailed one on page 141.

Carts 13





### **Design Benefits & Features**

Full height cabinets.

Specially designed for weapons and military security.

Rigid cabinet frame and sturdy hinges provide maximum durability.

Capacities of over 400 lbs.

Expandable and customizable.

Heavy duty.

### **Space Utilization Advantages**

Cabinets provide convenient, attractive, secure storage.

Internal components including shelves, saddles, bins and trays adjust on the fly.

Broad selection of components offer exact storage solutions.

## **CONNEX** Modules

An EQUIPTO Connex Module is designed to organize your storage container, however, that does not limit your use. When you are finished using the Connex Module in a storage container, you can easily relocate the Module for additional storage into Bench Stock, Parts Room or a Tool Room.

Once you have decided where to install the Module, EQUIPTO offers endless opportunities to expand your storage horizons. Looking for additional storage capacity in the same area, your Connex Module can evolve into a Deck-over Mezzanine Structure or a High Density Mobile Aisle Storage System.

After Before ts

All Modules are 20' long with shelving units at a depth of 24" and a height of 90"

### CNX-BKS-20

Starter Unit



### CNX-BKSWC-20

Starter Unit



### CNX-BKSBR-20

Starter Unit



### **CNX-BKSWCBR-20**

Starter Unit



### Modules available for both Stationary and Deployable Connex Modules

Images are a rendered version of the final product. Actual product may vary.



### **CONNEX Module Options – Drawers, Doors and Deployment Kits**

Enhance your Connex Modules with optional kits and accessory packs.

### **Under Bench Drawer Packs**



CNX-WCDWRK-1S Drawer sizes included: (2)3", (2)4.5", 6", 12"



CNX-WCDWRK-2S Drawer sizes included: 3", (2)4.5", 9", 12"



CNX-WCDWRK-3S Drawer sizes included: (2)3", 4.5", 6", 7.5", 9"



CNX-WCDWRK-4S Drawer sizes included: (5)3", (4)4.5"



CNX-WCDWRK-5S Drawer sizes included: (4)3", (2)4.5", (2)6"



CNX-WCDWRK-6S Drawer sizes included: 3", 6", (2)12

### **Shelving Unit Drawer Packs**



Drawer sizes included: (2)3", (2)4.5", (2)6", 12"



(2)4.5", (5)6"



(2)7.5", (2)12"



CNX-SDWRK-4S (7)3", (4)4.5"



CNX-SDWRK-5S (2)6", (2)7.5", 12"



CNX-SDWRK-6S Drawer sizes included: (2)3", (2)4.5", (2)7.5", 9"

### **Deployable Kits and Accessories**

2001034310 1410 4114 710000001100		
Part No.	Description	
CNX-BKDK	Upper bracing deployable kit	
CNX-BKS-20DK	Deployable kit - Base Shelving Unit	
CNX-BKSBR-20DK	Deployable kit - Base Shelving/Bulk Rack Unit	
CNX-BKSWC-20DK	Deployable kit - Base Shelving/Work Center Unit	
CNX-BKSWCBR-20DK	Deployable kit – Base Shelving/Work Center/Bulk Rack Unit	
CNX-SDWRDK	Deployable kit – Shelving Drawer Kits	
CNX-WCDWRDK	Deployable kit – Work Center Drawer Kits	

### **Shelving Door Kits**

Part No.	Description
CNX-DK-3684	Shelving Door Kit - 84"H x 36"W
CNX-DK-3642	Shelving Door Kit – 42"H x 36"W



# SATS Insert Storage System

Years of working with Army Tool and Parts Room Managers has led to development of EQUIPTO's SATS Insert Storage System. Our system incorporates all the advantages of the SATS now in a user-friendly housing system that all shop personnel will appreciate.





Name	Part No.
SATS CORE	1007D350-SC
MOD 1	1007D250-SM1
MOD 2	1007-SM2

Completely modular — procure for only Core Set or Full Set with Mods 1 & 2 (individually or as they are added to shop books)



More manageable — two inserts per drawer





Military grade drawers — 400 lb. capacity



Seamless integration with Tool and/or Parts Room



# Weapons Cabinets



# Weapons Cabinet SPECIFICATIONS:

- 84"H x 36"W x 15"D; weighs 465 lbs
- 14-gauge all-welded steel construction
- · Patented saddle system for 24 rifles
- 12 large bins with removable dividers
- · Low profile handles
- · Louvered back panel for full adjustability
- Bi-fold doors with 9-point locking system
- · Grey textured powder coat finish

# Fast Box – Large or Dual Weapons SPECIFICATIONS:

- 47.25"W x 6.5"H x 13"D; weighs 47 lbs
- 14-gauge all-welded steel construction
- Electronic push-button lock with key override
- · Black textured powder coat finish
- Three point locking system
- · Full-length piano hinge door
- · Louvered back panel









# Combined Weapons/Crew Cabinet SPECIFICATIONS:

- 84"H x 36"W x 15"D; weighs 465 lbs
- 14-gauge all-welded steel construction
- Low profile handles
- Louvered back panel
- Bi-fold doors with 9-point locking system (accepts standard padlock)
- Patented saddle system for 4 crew-served weapons and 12 rifles
- · Three adjustable shelves
- Textured grey powder coat finish

# Fast Box – Single Weapon SPECIFICATIONS:

- 40"W x 6.5"H x 13"D; weighs 42 lbs
- 14-gauge all-welded steel construction
- Secures a firearm up to 39.5" long
- · Electronic push-button lock with key override
- Two adjustable lie down straps with clip
- · Black textured powder coat finish
- Three point locking system
- · Full-length piano hinge door
- Neoprene padding

### **Weapons Storage Cabinets**

Treapons otorage capinets					
Name	Part No.	Length	Width	Height	Weight
Weapons Cabinet	WS-2424	84"	36"	15"	465 lbs
Combined Weapons/Crew Cabinet	WS-Crew	84"	36"	15"	465 lbs
Fast Box – Single Weapon	WS-Harrier	40"	6.5"	13"	42 lbs
Fast Box - Large or Dual Weapons	WS-Falcon	47.5"	6.5"	13"	47 lbs



# Weapons Storage Systems

















Pistol Peg
High density keeper with coated
pegs store eleven 9mm pistols each.



Upper Weapon Saddle
Patented upper single saddle adjusts
to properly support any firearm at
the barrel, rail or magwell.



Small/Medium/Large Bins Adjust throughout rack with removable divider.



**Gun Stock Base**Interlocks to properly support two butt stocks within a tiered channel.



Single Gun Stock Shelf
Works with upper saddle to secure a single
long gun for cascading storage. Allows overlap
of longer guns for high density storage.



Storage Tray
Heavy duty tray designed to utilize
valuable real estate behind weapons.



Magnetic Hook
35 lb. holding capacity.
Store barrels, bags and gear.

### Accessories

Name	Part No.	Width	Height	Depth
Pistol Peg	WS-PistolPeg			
Upper Weapon Saddle	WS-Saddle	17"	4.5"	2.5"
Gun Stock Base	WS-StockBase	2"	_	7"
Single Gun Stock Shelf	WS-StockShelf	6"	_	10"
Bins (Yellow Plastic)				
Small	WS-SmallBin	4"	3"	5"
Medium	WS-MediumBin	4"	3"	7"
Large	WS-LargeBin	6"	5"	11"
Storage Tray	WS-Tray	17"	4"	4"
Shelf for Cabinets (900 lb. capacity)	WS-Shelf	17"	4"	_
Magnetic Hook (35 lb. capacity)	WS-Hook	_	_	4.5"



### **Equipto Standard Color Chart**

Textured paint is the standard on all Equipto products. Most products are available in the following colors at no additional cost. Contact Equipto Inside Sales for specific product applications.















Textured Black

Smooth Office Gray



Textured Bright Yellow



Smooth Reflective White



Textured Cherry Red



Textured Regal Blue



Textured Evergreen

Equipto offers a variety of additional colors, ESD paint, and custom match colors for an additional cost. Contact Equipto Inside Sales for more information.

		Detailed II	ndex		
Category	Page No.	Category	Page No.	Category	Page N
Accessories		Closed Leg Workcenters		388 Series	116
Closed Leg & Pedestal Workcenter	112	Accessories	112	389 Series	116
Iron-I Workcenter Accessories	111- 113	Preconfigured Units	103	Accessories	117
Modular Drawer Cabinets	61-63	Clubstor Golf Storage	80-81	Extension Posts & Stacking Brackets	85
V-Grip <sup>tm</sup> Shelving	13-17	CONNEX Modules	136-137	Finishing End Panels - V-Grip <sup>tm</sup> She	lving14
Adjustable Height Iron-I Workcenters	105	Crossover Bridges	93	Flammable Liquid Storage Cabinets	122
Aerials Workbenches	111, 117	Disc Rack	38	Flow Rack	24
Angle Cutter	88	Divider Kits		Hanger Bar Parts	17
rmadillo Cabinets		221/2" W Modular Drawer Divid	der Kits44	Hardwood Tops (various products)	61, 112, 117
Heavy-Duty Cabinets	126	30" W Modular Drawer Divider	Kits49	Heavy Duty Bar Rack	36
Bin Cabinets	127	367/8" W Modular Drawer Divid	der Kits52	IBC Stairways	91
Janitorial Cabinets	128-129	45" W Modular Drawer Divider	Kits56	Iron-Grip Shelving	29-32
Tool Crib Cabinets	129	60" W Modular Drawer Divider	Kits60	Kickplates	85
Back Panels - V-Grip <sup>tm</sup> Shelving	13	V-Grip <sup>tm</sup> Shelving	15-16	Label Holders	
and Panels - V-Grip <sup>tm</sup> Shelving	14	Dividers		Modular Drawer Cabinet Partition	ns63
ar Rack	35	Iron-Grip Shelving	32	V-Grip <sup>tm</sup> Shelving	16
ench Cabinets	130-131	Modular Drawer Cabinets	63	Landings (platform)	86
in Fronts		V-Grip <sup>tm</sup> Shelving	16-17	Little Gem Shelf Drawers	69
Iron-Grip Shelving	32	Doors for Shelving		Leveler Kit for Modular Cabinet	63
V-Grip <sup>tm</sup> Shelving	15	Iron-Grip Shelving	32	Mobile Aisle System	
in Units - V-Grip <sup>tm</sup> Shelving	10	V-Grip <sup>tm</sup> Shelving	16	Accessories	78
OCA Stairways	91	Drawer Inserts - Modular Drawer C	abinets62	Carriages	77
look Shelf Cabinet	123	Drawers in Shelving		Decking	77
oltless Storage Rack	34	Iron-Grip Shelving	31, 32	Fixed Drive Panel	78
ulk Rack	22-25	V-Grip <sup>tm</sup> Shelving	7-9, 15-16	Manual Drive Panel	78
abinet Locks/Keys-Modular Cabinets	62	Drop Gates	85	Mechanical Assist Drive Panel	77
Cabinets		Economy Shelving	33	Mobile Computer Cabinet	125
Armadillo Cabinets	126-129	Electrical Power Center		Mobile Tool Control Cabinets (FOD).	65
Bench Cabinets	130-131	Modular Drawer Cabinets	63	Modular Drawer Cabinets	
Flammable Liquid Storage Cabinets	122	Workcenters	112	221/2" W Preconfigured Units	41-43
Mobile Computer Cabinets	125	End Braces Plates - V-Grip <sup>tm</sup> Shelv	ving14	221/2" W Modular Drawer Divide	r Kits44
Quick View Cabinets	124	EquiptoBay Workcenters	100-101	221/2" W Modular Drawers	44
Storage Cabinets	123	Equiptoflex Workcenters		221/2" W Modular Drawer Housi	ng43
arts		363 Series	115	30" W Preconfigured Units	45-47
Tool Carts	133-134	364 Series	115	30" W Modular Drawer Housing	47
V-Grip <sup>tm</sup> Shelving Carts	12	365 Series	115	30" W Modular Drawers	48-49
asters		366 Series	115	30" W Modular Drawer Divider K	its49
Closed Leg Workcenters	103, 113	367 Series	115	367/8" W Preconfigured Units	50
Open Leg Workcenters	113	384 Series	116	367/8" W Modular Drawer Housi	ng51
Teardown Bench	108	385 Series	116	367/8" W Modular Drawers	51-52
V-Grip <sup>tm</sup> Shelving	17	386 Series	116	367/8" W Modular Drawer Divide	r Kits52
Catwalks and Walkways	92	387 Series	116	45" W Preconfigured Units	53-54


45" W Modular Drawer Housing54 45" W Modular Drawers
45" W Modular Drawer Divider Kits
60" W Preconfigured Units57-58
60" W Modular Drawer Housing58
60" W Modular Drawers59-60
60" W Modular Drawer Divider Kits
Accessories 61-63
Anchor Bolt
Cabinet Locks & Keys
Dividers (Individual)63
Drawer Inserts
Electrical Power Center63
Hardwood Tops61
Hinged Locking Bars62
Leveler Kit63
Mobile Tool Control Cabinets65
Mobile Unit Kit62
Partitions (Individual)63
Partitions & Individual Sets63
Plastic Bins62
Shelving Cabinets64
Sliding Doors w/Locks64
Sloping Desk Top62
Stationary & Roll Out Shelves61
Swinging Doors (Flush Mount)61
Swinging Doors for 44"H & 59"H Cabinets61
Motorized Pallet Rack79
NC Tool Holders67, 134
Open Leg Workcenters
2200 Series109
2300 Series
2400 Series110
2500 Series110
Accessories111-112
7.0000001100111111111111111111111111111
Mobile Kit 113
Mobile Kit
Open Safety Grating88
Open Safety Grating
Open Safety Grating.         88           OSHA Stairways.         90           Partitions         63           Modular Drawer Cabinets         63           V-Grip <sup>tm</sup> Shelving         16           Pedestal Workcenters         111-112           Accessories         111-112           Preconfigured Units         104
Open Safety Grating.         88           OSHA Stainways.         90           Partitions         63           Modular Drawer Cabinets         63           V-Grip <sup>Im</sup> Shelving         16           Pedestal Workcenters         111-112           Preconfigured Units         104           Perforated Open Grating         88
Open Safety Grating.         88           OSHA Stairways.         90           Partitions         63           Modular Drawer Cabinets         63           V-Grip <sup>tm</sup> Shelving         16           Pedestal Workcenters         111-112           Accessories         111-112           Preconfigured Units         104
Open Safety Grating.         88           OSHA Stainways.         90           Partitions         63           Modular Drawer Cabinets         63           V-Grip <sup>Im</sup> Shelving         16           Pedestal Workcenters         111-112           Preconfigured Units         104           Perforated Open Grating         88
Open Safety Grating.         88           OSHA Stainways.         90           Partitions         63           Modular Drawer Cabinets         63           V-Grip <sup>tm</sup> Shelving.         16           Pedestal Workcenters         111-112           Preconfigured Units         104           Perforated Open Grating         88           Perimeter Bases         17
Open Safety Grating         88           OSHA Stairways         90           Partitions         63           Modular Drawer Cabinets         63           V-Grip <sup>tm</sup> Shelving         16           Pedestal Workcenters         111-112           Preconfigured Units         104           Perforated Open Grating         88           Perimeter Bases         17           Pick Rack         74
Open Safety Grating         88           OSHA Stainways         90           Partitions         63           Modular Drawer Cabinets         63           V-Grip <sup>tm</sup> Shelving         16           Pedestal Workcenters         111-112           Preconfigured Units         104           Perforated Open Grating         88           Perimeter Bases         17           Pick Rack         74           Plastic Containers         17
Open Safety Grating.         88           OSHA Stairways.         90           Partitions         63           Modular Drawer Cabinets.         63           V-Grip <sup>im</sup> Shelving.         16           Pedestal Workcenters         111-112           Accessories.         111-112           Preconfigured Units.         104           Perforated Open Grating.         88           Perimeter Bases.         17           Pick Rack.         74           Plastic Containers.         17           Platforms         17
Open Safety Grating.         88           OSHA Stairways.         90           Partitions         63           Modular Drawer Cabinets         63           V-Grip <sup>tm</sup> Shelving         16           Pedestal Workcenters         111-112           Preconfigured Units         104           Perforated Open Grating         88           Perimeter Bases         17           Pick Rack         74           Plastic Containers         17           Platforms         Angle Cutter         88
Open Safety Grating.         88           OSHA Stairways.         90           Partitions         63           Modular Drawer Cabinets         63           V-Grip <sup>Im</sup> Shelving         16           Pedestal Workcenters         111-112           Preconfigured Units         104           Perforated Open Grating         88           Perimeter Bases         17           Pick Rack         74           Plastic Containers         17           Platforms         Angle Cutter         88           BOCA Stairways         91
Open Safety Grating.         88           OSHA Stairways.         90           Partitions         63           Modular Drawer Cabinets         63           V-Grip <sup>tm</sup> Shelving.         16           Pedestal Workcenters         111-112           Preconfigured Units.         104           Perforated Open Grating.         88           Perimeter Bases.         17           Pick Rack.         74           Plastic Containers.         17           Platforms         Angle Cutter.         88           BOCA Stairways.         91           Catwalks & Walkways.         92
Open Safety Grating         88           OSHA Stairways         90           Partitions         63           Modular Drawer Cabinets         63           V-Grip <sup>tm</sup> Shelving         16           Pedestal Workcenters         111-112           Preconfigured Units         104           Perforated Open Grating         88           Perimeter Bases         17           Pick Rack         74           Plastic Containers         17           Platforms         17           Angle Cutter         88           BOCA Stairways         91           Catwalks & Walkways         92           Crossover Bridges         93
Open Safety Grating         88           OSHA Stairways         90           Partitions         63           Modular Drawer Cabinets         63           V-Grip <sup>tm</sup> Shelving         16           Pedestal Workcenters         111-112           Accessories         111-112           Preconfigured Units         104           Perforated Open Grating         88           Perimeter Bases         17           Pick Rack         74           Plastic Containers         17           Platforms         Angle Cutter         88           BOCA Stairways         91           Catwalks & Walkways         92           Crossover Bridges         93           Drop Gates         85
Open Safety Grating         88           OSHA Stairways         90           Partitions         63           Modular Drawer Cabinets         63           V-Griptm Shelving         16           Pedestal Workcenters         111-112           Accessories         111-112           Preconfigured Units         104           Perforated Open Grating         88           Perimeter Bases         17           Pick Rack         74           Plastic Containers         17           Platforms         17           Angle Cutter         88           BOCA Stainways         91           Catwalks & Walkways         92           Crossover Bridges         93           Drop Gates         85           Extension Posts & Stacking Brackets         85
Open Safety Grating         88           OSHA Stairways         90           Partitions         63           Modular Drawer Cabinets         63           V-Grip <sup>tm</sup> Shelving         16           Pedestal Workcenters         111-112           Accessories         111-112           Preconfigured Units         104           Perforated Open Grating         88           Perimeter Bases         17           Pick Rack         74           Plastic Containers         17           Platforms         Angle Cutter         88           BOCA Stairways         91           Catwalks & Walkways         92           Crossover Bridges         93           Drop Gates         85           Extension Posts & Stacking Brackets         85           Flooring Options         84
Open Safety Grating.       88         OSHA Stainways.       90         Partitions       63         Modular Drawer Cabinets       63         V-Grip <sup>Im</sup> Shelving       16         Pedestal Workcenters       111-112         Accessories       111-112         Preconfigured Units       104         Perforated Open Grating       88         Perimeter Bases       17         Pick Rack       74         Plastic Containers       17         Platforms       Angle Cutter       88         BOCA Stainways       91         Catwalks & Walkways       92         Crossover Bridges       93         Drop Gates       85         Extension Posts & Stacking Brackets       85         Flooring Options       84         IBC Stairways       91
Open Safety Grating         88           OSHA Stairways         90           Partitions         63           Modular Drawer Cabinets         63           V-Grip <sup>tm</sup> Shelving         16           Pedestal Workcenters         111-112           Accessories         111-112           Preconfigured Units         104           Perforated Open Grating         88           Perimeter Bases         17           Pick Rack         74           Plastic Containers         17           Platforms         Angle Cutter         88           BOCA Stainways         91           Catwalks & Walkways         92           Crossover Bridges         93           Drop Gates         85           Extension Posts & Stacking Brackets         85           Flooring Options         84           IBC Stairways         91           Kickplates         85

Platforms	85, 87
Railing	8
Ship's Stairs	93
Stair Tread Solid Panels	88
Stairways	90-9
Pull Out Reference Shelves	15
Quarter Trays	62
Quick View Cabinets	124
Reel Rack	37
SATS Storage System	138
Seismic Accessories	
Iron Grip	32
V-Grip <sup>tm</sup> Shelving	17
Shelf Drawers & Cabinets	69-73
Shelves (extra)	
Iron-Grip Shelving	32
V-Grip <sup>tm</sup> Shelving	14
Zip-In Shelving	28
Sliding Dividers	
V-Grip <sup>tm</sup> Shelving	17
Zip-In Shelving	28
Sliding Doors with Locks	64
Solid Back Panels - V-Grip <sup>tm</sup> Shelving	13
Solid End Panels - V-Grip <sup>tm</sup> Shelving	14
Solid Laminated Tops 61,	112, 117
Specialty Racks	38
Stairways	
Storage Cabinets	12
Swinging Doors - Modular Drawer Cabinets	
Teardown Bench	
Tech Bench	
Tie Bars	
Tire Rack	
Tool Cabinet	
Top/Bottom Caps	
Trim & Molding Rack	38
Upright Posts	0.0
Iron-Grip Shelving	
V-Grip <sup>tm</sup> Shelving	
VersaRack V-Grip <sup>tm</sup> Bulk Rack	
V-Grip <sup>tm</sup> Shelving	
Back Sway Braces	
Bin Fronts	
Bin Units	
Bulk Rack	
Bulk Rack Solid Decking	
Bulk Rack Wire Decking	
Carts	
Closed Shelving Ends	
Closed Solid Shelving & 20 ga. shelving .	
Components	
Doors for Shelving	
Drawers in Shelving	
Economy Wire Rack	
End Braces Plates	
Finishing End Panels	
Front Bases	
Full Height Shelf Dividers	
Hanger Bar Parts	17
Label Holders	16

Miscellaneous Parts	17
Modular Drawers Divider Kits	15-16
Modular Drawers for Shelving	8-9, 15-16
Open Shelving Ends	13
Open Solid Shelving	
Partitions & Individual Dividers	16
Perimeter Bases	17
Plastic Containers	17
Pull Out Reference Shelves	15
Rack Ends	24
Reinforcements	14
Seismic Accessories	17
Sliding Dividers	17
Solid Rack Decking Panels	24
Solid Back Panels	13
Solid End Panels	14
Solid Shelves Heavy Duty 18ga	14
Solid Shelves Heavy Duty Reinforced	
Spill Containment System	
Tie Bars	
Tire Rack	
Top/Bottom Caps	
Upright Posts	
Versa Rack	
Wire Back & End Grids	
Wire Dividers	
Wire Rack	
Wire Rack Deck Grids	
Wire Shelves (Truss Included	
Wire Shelving	
Wire Shelves Grids	
Wire Shelves Trusses	
V-Grip <sup>tm</sup> Wire Rack	
Walkways	
Wall Mount Open Leg Bench	
Weapons Mobile Aisle System	
Weapons Storage	
Wire Spool Rack	
Workcenters	
Accessories	11
Adjustable Height Iron-I Workcenters	
Closed Leg Workcenters	
Equiptoflex Workcenters	
Equiptoflex Accessories	
Modular Drawer Cabinet Workcenters	
OmniVerse Workcenters	
Open Leg Workcenters	
Zip-In Shelving	
,	



**ONE DECISION • INFINITE SOLUTIONS** 





Consolidated Storage Companies, Inc.